

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
The DCRA Challenge Shield, The NRA Gold Cross, a Gold Bar and £200.00														
1	Mr J Corbett	X	75.12v	74.10v	50.7v	50.6v	50.9v	50.8v	50.3v	75.13v	105.15v	47.4v	75.9v	701.96v
The NRA Silver Cross, a Silver Bar and £175.00														
2	Wg. Cdr. DP Calvert	XS	75.15v	74.7v	49.7v	50.7v	49.5v	50.7v	48.2v	75.9v	104.11v	50.6v	75.13v	699.89v £ 4
The NRA Bronze Cross, a Bronze Bar and £150.00														
3	Mr DC Luckman	XS	74.12v	74.9v	49.9v	50.7v	50.8v	50.5v	49.7v	75.15v	103.14v	49.4v	75.11v	698.101v £ 4
An NRA Bronze Cross, a Bronze Bar and £125.00														
4	Miss JH Messer	XS	75.9v	74.12v	50.6v	49.8v	50.5v	50.8v	50.8v	73.10v	104.14v	49.8v	74.11v	698.99v £ 4
An NRA Bronze Cross, a Bronze Bar and £100.00														
5	Dr GCD Barnett	X	75.12v	73.9v	50.9v	50.6v	50.7v	50.8v	49.6v	74.12v	103.14v	49.3v	75.12v	698.98v
6	Mr R Birtwistle	A	74.10v	75.9v	50.6v	50.7v	50.6v	50.7v	46.5v	75.13v	103.16v	50.6v	74.11v	697.96v
An NRA Bronze Cross, a Bronze Bar and £80.00														
7	Major AR McLeod	XS	74.10v	74.11v	50.8v	50.6v	50.7v	50.8v	50.5v	74.9v	103.12v	47.4v	75.13v	697.93v £ 4
8	Mr FWA Coetzee	X	75.7v	74.12v	50.5v	48.4v	50.6v	49.5v	48.4v	75.12v	105.16v	48.4v	75.13v	697.88v
9	Mr M J Purdy	X	75.10v	73.6v	50.9v	49.5v	50.8v	49.4v	49.6v	75.4v	104.13v	49.4v	74.11v	697.80v
10	Mr DR Armstrong	X	75.13v	74.10v	50.9v	49.6v	50.9v	50.7v	48.7v	74.11v	104.11v	50.8v	72.5v	696.96v
An NRA Bronze Cross, a Bronze Bar and 60.00														
11	Mr TJD Raincock	XS	75.13v	74.13v	50.7v	48.5v	50.8v	50.6v	47.5v	75.11v	105.14v	49.5v	73.9v	696.96v £ 4
12	Mr ANR Walker	X	74.9v	74.8v	49.7v	50.8v	49.7v	50.8v	49.7v	74.8v	105.14v	47.6v	75.11v	696.93v
13	Dr JD Warburton	XS	74.8v	74.13v	50.8v	48.5v	50.7v	49.6v	49.8v	75.12v	103.7v	49.5v	75.10v	696.89v £ 4
14	Mr GE Morris	XS	74.8v	75.7v	50.8v	50.7v	50.7v	49.5v	47.4v	74.10v	105.13v	47.6v	75.10v	696.85v £ 4
15	Mr JP Bailey	XS	75.12v	73.8v	49.7v	48.6v	50.7v	48.6v	49.7v	74.12v	105.11v	49.5v	75.14v	695.95v £ 4
16	Mr AD Hunter	X	74.9v	74.9v	48.6v	50.8v	50.7v	49.7v	50.8v	75.14v	102.12v	48.3v	75.10v	695.93v
17	Mr C Rivett-Carnac	A	74.7v	73.9v	50.9v	49.5v	50.7v	49.5v	48.5v	75.10v	103.11v	50.4v	74.12v	695.84v
18	Mr T Drysdale	XS	75.7v	74.7v	50.5v	48.4v	50.10v	50.7v	49.6v	75.8v	104.13v	45.3v	75.14v	695.84v
19	Mr T Laing-Baker	A	74.10v	75.9v	50.5v	50.8v	50.8v	49.7v	48.5v	73.9v	101.15v	50.5v	74.12v	694.93v
20	Mr JAM Paton	XS	75.13v	74.7v	49.6v	49.7v	49.6v	50.8v	47.5v	72.9v	105.14v	49.4v	75.13v	694.92v
An NRA Bronze Cross, a Bronze Bar and £40.00														
21	Dr PR Wheeler	XS	72.6v	74.11v	49.8v	49.5v	49.7v	50.7v	50.7v	75.8v	104.16v	48.5v	74.12v	694.92v
22	Mr M J Ensor	X	75.14v	75.13v	49.8v	48.6v	50.7v	49.5v	50.6v	74.12v	102.9v	47.4v	75.7v	694.91v
23	Miss LAE Crowson	XS	74.7v	74.10v	50.8v	48.5v	50.6v	50.5v	46.5v	74.10v	105.17v	49.5v	74.10v	694.88v
24	Mr DG Young	X	73.8v	75.10v	48.5v	49.5v	50.7v	50.7v	50.6v	75.13v	101.10v	48.4v	75.10v	694.85v
25	Mr RCT Jeens	XS	73.10v	74.8v	50.7v	50.7v	49.6v	49.2v	48.5v	74.11v	103.13v	49.6v	75.8v	694.83v
26	Mr S Harding	O	74.9v	73.8v	50.8v	49.5v	50.4v	49.4v	48.4v	75.13v	103.14v	49.5v	74.7v	694.81v
27	Mr DGM Coleman	A	74.12v	74.9v	50.8v	49.6v	49.4v	50.7v	48.7v	75.13v	103.15v	47.4v	74.9v	693.94v
28	Mr NC Mace	XS	74.10v	75.8v	49.5v	49.6v	49.7v	49.7v	47.5v	74.12v	103.11v	49.6v	75.11v	693.88v
29	Dr JO Ahrens	XS	74.12v	74.10v	50.8v	50.5v	49.7v	50.7v	50.5v	75.11v	102.12v	45.2v	74.8v	693.87v
30	Mr SA Thomas	X	73.7v	75.11v	50.6v	49.6v	50.8v	50.6v	50.4v	73.9v	103.12v	46.6v	74.11v	693.86v
31	Mr S Osmond	XS	74.8v	73.4v	50.6v	49.4v	50.7v	50.4v	47.3v	75.9v	103.15v	47.2v	75.15v	693.77v
32	Mr WCP Richards	XS	74.10v	75.13v	50.5v	47.3v	49.7v	50.7v	47.5v	72.7v	103.16v	50.5v	75.11v	692.89v
33	Mr SM Negus	XS	75.11v	73.10v	50.7v	48.5v	50.9v	50.5v	48.4v	74.8v	103.11v	46.4v	75.13v	692.87v
34	Miss EJ Nuttall	X	75.7v	74.13v	50.9v	48.5v	50.3v	49.5v	49.5v	75.7v	101.11v	48.3v	73.13v	692.81v
35	Mr HA Day	X	75.10v	72.10v	50.4v	49.7v	50.6v	50.7v	48.2v	74.8v	102.9v	49.7v	73.10v	692.80v
An NRA Bronze Cross, a Bronze Bar and £20.00														
36	Mr JP Nice	OS	75.10v	74.10v	49.6v	49.6v	50.9v	48.5v	45.3v	75.10v	103.14v	48.3v	75.12v	691.88v £ 4
37	Mr GJ Jeal	O	75.9v	73.7v	49.6v	48.3v	50.6v	49.6v	47.5v	74.10v	103.16v	48.4v	75.11v	691.83v
38	Mr IP Davison	X	75.7v	74.11v	49.7v	48.6v	50.5v	47.4v	47.4v	75.11v	105.14v	47.5v	74.8v	691.82v
39	Mr JM Taylor	A	75.10v	73.9v	50.4v	49.5v	50.8v	47.3v	49.7v	73.10v	102.9v	48.3v	75.12v	691.80v
40	Mr DR Le Quesne	XS	75.11v	74.8v	48.6v	50.4v	50.9v	50.6v	47.3v	74.8v	101.8v	49.6v	73.5v	691.74v
41	Miss JM Rankin	XS	75.11v	75.13v	49.7v	50.8v	49.6v	49.5v	48.4v	74.11v	105.13v	42.2v	74.9v	690.89v
42	Mr JA Watson	XS	75.12v	74.10v	50.8v	49.5v	50.10v	46.1v	50.4v	73.12v	104.16v	48.4v	71.5v	690.87v
43	Mr JC Underwood	XS	75.14v	75.10v	48.8v	47.3v	49.5v	49.7v	47.6v	74.8v	103.11v	48.3v	75.8v	690.83v
44	Mr HAD Howard	AS	75.9v	75.10v	49.6v	50.7v	49.4v	48.6v	46.3v	74.12v	104.12v	47.4v	73.10v	690.83v £ 4
45	Mr C Fitzpatrick	X	75.9v	74.8v	50.7v	47.3v	50.10v	49.4v	47.3v	75.12v	103.12v	47.4v	73.11v	690.83v
46	Mr RJS Curtis	A	74.11v	73.8v	50.6v	50.4v	48.3v	48.5v	49.9v	74.8v	102.10v	47.3v	75.12v	690.79v
47	Mr DE Nuthall	X	75.12v	72.6v	49.4v	48.4v	50.7v	49.4v	49.7v	74.9v	103.11v	47.3v	74.11v	690.78v
48	Mr JP Pugsley	X	74.7v	74.10v	50.7v	50.6v	50.6v	50.6v	44.0v	75.10v	103.12v	45.4v	75.9v	690.77v
49	Mr NJ Verduyn	AS	75.14v	74.8v	49.5v	50.7v	49.6v	49.5v	46.0v	75.8v	104.11v	47.1v	72.7v	690.72v £ 4
50	Mr G Trembath	A	73.7v	74.8v	49.8v	45.4v	50.5v	49.7v	50.10v	74.10v	102.14v	48.4v	75.10v	689.87v

Winner of a Bronze Bar

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
51	Mr GE Grosskreutz	XS	75.11v	73.9v	48.7v	50.6v	50.8v	47.4v	45.5v	75.10v	105.13v	47.2v	74.12v	689.87v
52	Mr H J Golaszewski	X	74.10v	73.7v	50.9v	50.5v	50.8v	48.6v	47.3v	74.13v	103.13v	46.2v	74.11v	689.87v
53	Capt AW Gill	X	75.9v	73.6v	50.6v	47.4v	49.7v	49.9v	47.6v	74.12v	104.11v	47.5v	74.10v	689.85v
54	Mr AB Bell	XS	75.12v	74.8v	50.5v	50.5v	49.7v	49.6v	49.4v	73.11v	101.10v	44.2v	75.14v	689.84v
55	Mr M Mann	OS	75.11v	75.12v	48.8v	47.4v	49.7v	48.4v	49.7v	74.8v	102.11v	48.1v	74.10v	689.83v

£ 4

The Olle Beckett Memorial Trophy

56	Mr RM Roberts	XS	75.13v	72.8v	50.7v	48.5v	50.7v	48.6v	47.4v	74.9v	103.11v	47.2v	75.9v	689.81v
57	Miss AR Southall	A	75.9v	72.6v	48.5v	49.6v	50.7v	49.7v	48.7v	74.9v	102.12v	47.3v	75.9v	689.80v
58	Mr RL Eayrs	X	73.7v	73.11v	49.5v	47.6v	50.7v	50.5v	49.6v	74.8v	105.11v	48.6v	71.7v	689.79v
59	Mr CJ Watson	XS	75.9v	73.8v	48.6v	46.5v	50.9v	48.4v	50.4v	75.8v	101.11v	48.4v	75.11v	689.79v
60	Mr RJ Lygoe	X	75.11v	73.7v	49.6v	48.5v	49.6v	50.7v	47.4v	75.12v	105.7v	44.4v	74.10v	689.79v
61	Mr JEM Bellringer	XS	73.7v	73.7v	49.6v	49.5v	50.7v	48.8v	49.2v	73.8v	104.15v	47.5v	74.8v	689.78v
62	Mr D de Vere	XS	73.10v	74.8v	49.6v	50.7v	49.7v	49.6v	48.3v	74.10v	103.8v	46.4v	74.9v	689.78v
63	Mrs DN Negus	AS	74.7v	75.8v	49.7v	43.2v	49.6v	50.5v	48.5v	75.8v	103.14v	49.6v	74.9v	689.77v
64	Mr OEJ Spencer	O	74.9v	73.7v	46.3v	49.4v	50.5v	50.8v	46.2v	74.9v	105.13v	47.6v	75.10v	689.76v
65	Mr MCJ Button	XS	75.10v	73.4v	49.8v	49.6v	50.8v	49.4v	45.2v	74.9v	104.11v	47.3v	74.11v	689.76v
66	Mr NP Moxon	AS	75.12v	74.8v	49.5v	47.4v	49.4v	49.4v	49.4v	72.6v	103.12v	48.4v	74.8v	689.71v
67	Mr TM Stevenson	O	73.8v	73.8v	47.5v	50.5v	49.1v	50.5v	50.5v	74.8v	103.10v	46.4v	74.8v	689.67v
68	Mr ERT Jeens	XS	73.10v	74.9v	49.8v	47.6v	49.8v	48.4v	48.5v	71.8v	105.16v	49.4v	75.13v	688.91v
69	Mr CN Tremlett	XS	74.11v	73.9v	50.8v	47.6v	49.6v	50.8v	49.4v	73.10v	105.12v	44.3v	74.13v	688.90v
70	Mr DC Crispin	X	74.12v	72.8v	49.6v	49.4v	48.8v	50.8v	46.5v	75.11v	104.13v	49.4v	72.6v	688.85v
71	Mr D Morris	O	71.8v	73.9v	49.6v	49.6v	49.6v	48.6v	47.6v	74.12v	104.10v	49.5v	75.10v	688.84v
72	Mr AD Le Cheminant	XS	72.8v	74.8v	50.5v	49.6v	49.8v	50.8v	47.5v	73.8v	103.14v	47.5v	74.9v	688.84v
73	Dr JR Deane	AS	73.9v	75.10v	50.10v	47.3v	48.4v	50.5v	47.4v	75.12v	99.10v	50.5v	74.10v	688.82v
74	Mr BJ Le Cheminant	XS	75.11v	66.8v	50.7v	48.3v	50.5v	49.4v	48.5v	75.9v	104.13v	49.8v	74.9v	688.82v
75	Mr RSF Shouler	XS	75.10v	71.7v	50.9v	47.5v	50.10v	49.7v	47.4v	74.8v	104.10v	48.3v	73.9v	688.82v
76	Miss EG Joseph	A	74.8v	70.7v	50.9v	48.3v	50.9v	50.6v	47.5v	74.10v	103.11v	47.4v	75.10v	688.82v
77	Mr PC Champagne	O	75.12v	73.8v	50.5v	48.5v	50.7v	48.3v	47.4v	74.11v	102.14v	47.3v	74.8v	688.80v
78	Mr D Rose	XS	74.9v	75.10v	49.5v	47.3v	50.7v	50.9v	47.5v	74.10v	103.11v	45.0v	74.8v	688.77v
79	Mr CJ Morton	XS	75.10v	74.8v	50.5v	48.5v	50.2v	46.5v	50.7v	69.4v	102.14v	49.4v	75.11v	688.75v
80	Mr DJ Archer	A	74.8v	73.9v	49.6v	48.6v	50.4v	50.7v	48.3v	72.7v	102.11v	47.6v	75.7v	688.74v
81	Mr MR Fugeman	A	74.8v	74.10v	48.5v	50.6v	50.7v	49.3v	45.4v	74.7v	103.13v	46.2v	75.7v	688.72v
82	Mr RAH Vary	A	75.11v	72.3v	49.5v	50.5v	50.3v	49.5v	50.4v	73.7v	101.10v	45.3v	74.10v	688.66v
83	Mr BN Craig	AS	74.7v	75.6v	48.5v	47.4v	50.2v	48.2v	48.4v	74.8v	103.10v	48.6v	73.8v	688.62v
84	Mr SD Shouler	XS	74.12v	75.10v	49.6v	46.4v	50.7v	47.5v	47.4v	75.11v	103.15v	47.2v	74.12v	687.88v
85	Mr PD Griggs	A	74.8v	73.10v	50.5v	47.4v	50.7v	50.9v	46.4v	75.10v	102.9v	45.5v	75.11v	687.82v
86	Mr JW Alexander	XS	75.10v	74.10v	50.9v	50.6v	49.6v	48.5v	45.5v	73.8v	102.8v	49.6v	72.7v	687.80v
87	Mr BJ Wood	AS	74.8v	73.7v	49.6v	49.3v	49.6v	47.4v	47.5v	73.7v	103.13v	48.8v	75.12v	687.79v
88	Mr M Liversage	AS	75.11v	74.11v	49.4v	46.2v	50.7v	50.5v	46.6v	74.9v	102.13v	46.1v	75.8v	687.77v
89	Mr CP Weeden	X	75.9v	74.8v	50.7v	50.7v	50.8v	47.2v	47.3v	75.10v	103.10v	43.2v	73.7v	687.73v
90	Mr AC Haley	XS	74.6v	72.5v	48.4v	49.5v	50.6v	49.6v	48.3v	75.11v	99.11v	49.7v	74.8v	687.72v
91	Mr SDJ Glanville	X	75.10v	72.4v	50.6v	48.5v	49.4v	49.5v	49.6v	74.10v	103.11v	47.3v	71.2v	687.66v
92	Mr A Thomson	A	74.9v	73.8v	49.6v	49.6v	50.7v	48.4v	49.5v	74.12v	100.13v	47.4v	73.11v	686.85v
93	Dr JDS Langley	XS	75.9v	70.8v	50.9v	49.5v	50.9v	49.4v	48.6v	74.9v	103.10v	47.4v	71.10v	686.83v
94	Mr GC Childs	X	75.11v	74.9v	48.7v	49.4v	50.9v	47.5v	49.4v	75.10v	99.8v	48.4v	72.9v	686.80v
95	Mr SL Cleveland	OS	73.8v	73.12v	49.8v	49.5v	49.7v	49.4v	48.2v	75.6v	103.13v	43.3v	75.11v	686.79v
96	Mr JRW Postle	X	73.7v	74.8v	48.5v	50.6v	49.6v	49.5v	48.4v	74.8v	103.11v	44.6v	74.12v	686.78v
97	Mr MJJ Charlton	OS	74.4v	72.12v	49.7v	49.5v	47.6v	48.4v	50.5v	72.7v	102.12v	49.5v	74.9v	686.76v
98	Sgt CS Saina	X	74.9v	72.9v	49.7v	45.5v	50.7v	48.6v	50.6v	74.6v	103.9v	48.4v	73.8v	686.76v
99	Mr GA Cann	XS	74.10v	74.10v	48.7v	50.5v	48.4v	47.5v	47.4v	74.12v	105.10v	47.2v	72.7v	686.76v
100	Mr TLW Kidner	AS	72.7v	73.10v	49.9v	48.3v	49.6v	47.5v	49.4v	74.9v	102.8v	50.6v	73.8v	686.75v
101	Mr RJW Smeltzer	XS	73.9v	72.7v	50.5v	50.4v	50.7v	50.7v	48.4v	75.8v	98.9v	45.2v	75.12v	686.74v
102	Mr DF Williams	OS	72.8v	72.8v	50.5v	47.3v	50.8v	48.5v	46.3v	75.12v	102.10v	50.2v	74.8v	686.72v
103	Mr PAE Charlton	XS	75.10v	72.8v	50.3v	47.4v	49.4v	49.8v	48.5v	74.7v	103.11v	46.3v	73.7v	686.70v
104	Mr MI Buchanan	XS	75.9v	74.6v	50.4v	48.3v	50.6v	49.3v	47.6v	75.10v	99.9v	44.2v	75.12v	686.70v
105	Mr MW Silver	A	74.9v	71.5v	49.5v	48.5v	49.7v	50.5v	47.3v	74.9v	102.9v	47.5v	75.6v	686.68v
106	Mr PJR Holden	X	71.6v	74.6v	49.5v	49.7v	49.4v	49.6v	48.3v	75.7v	101.11v	48.4v	73.8v	686.67v
107	Mr P A Hatfield	AS	74.11v	73.9v	49.5v	49.5v	50.7v	48.4v	49.4v	75.9v	102.8v	45.1v	72.3v	686.66v
108	Mr RCQ Martin	OS	73.7v	74.4v	48.7v	50.5v	48.5v	50.4v	48.4v	72.6v	101.9v	48.2v	74.10v	686.63v
109	Mr KO Pugh	X	74.7v	74.7v	49.5v	48.6v	48.6v	50.4v	49.5v	72.7v	103.6v	49.4v	70.5v	686.62v
110	Mr BP Creane	OS	75.11v	74.9v	49.4v	50.3v	50.3v	48.2v	49.5v	69.4v	103.10v	46.3v	73.7v	686.61v
111	Mr RW Hallows	AS	72.9v	72.8v	49.7v	49.8v	50.8v	49.6v	47.6v	74.10v	103.15v	46.6v	74.8v	685.91v
112	Mr C Mitchell	XS	74.9v	73.10v	48.5v	45.2v	50.9v	50.6v	45.6v	75.12v	103.11v	48.4v	74.11v	685.85v
113	Mr JF Lawrie	X	74.11v	73.7v	50.4v	48.4v	50.7v	49.6v	48.5v	74.11v	104.14v	42.4v	73.11v	685.84v
114	Mr RC Oxford	XS	73.9v	73.9v	50.7v	47.6v	49.8v	48.5v	45.4v	74.6v	104.12v	47.5v	75.12v	685.83v
115	Mr M Cooper	AS	74.12v	72.8v	49.6v	50.10v	49.7v	50.4v	44.4v	71.5v	103.12v	48.2v	75.11v	685.81v
116	Mr ITG Shaw	XS	75.11v	72.5v	50.5v	47.3v	50.6v	47.3v	48.7v	71.10v	102.11v	48.5v	75.11v	685.77v
117	Mr J Ford	A	72.9v	72.6v	48.5v	49.7v	50.7v	50.5v	47.4v	71.6v	104.13v	48.4v	74.11v	685.77v
118	Mr JRJ Hinde	OS	72.10v	72.8v	49.4v	50.7v	50.6v	50.5v	47.3v	74.9v	102.11v	46.4v	73.10v	685.77v
119	Mrs LK Mace	A	75.12v	72.6v	49.8v	50.6v	50.6v	48.5v	48.6v	70.2v	101.12v	48.5v	74.8v	685.76v
120	Miss SP Ward	X	73.8v	71.7v	50.8v	49.3v	48.6v	48.4v	46.1v	74.9v	105.16v	48.4v	73.9v	685.75v
121	Miss CA Evans	X	74.11v	72.5v	50.6v	46.2v	50.8v	49.4v	48.6v	74.14v	103.11v	46.1v	73.6v	685.74v
122	Mr RW Sandlant	XS	74.8v	74.12v	48.2v	48.2v	48.3v							

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
126	Mr JA Haward	XS	74.8v	72.6v	48.3v	49.6v	49.6v	49.8v	47.3v	74.6v	104.13v	47.3v	72.8v	685.70v
127	SSgt. RH Kitson	A	74.10v	71.6v	49.5v	49.7v	50.8v	49.7v	47.2v	73.7v	104.9v	46.1v	73.8v	685.70v
128	Mr NNT Kerins	AS	74.8v	73.8v	50.7v	47.2v	49.4v	49.4v	49.4v	75.12v	101.7v	44.1v	74.7v	685.64v
129	Mr JR Tuck	X	73.10v	72.9v	50.6v	47.4v	49.9v	49.5v	48.5v	73.9v	101.10v	50.8v	72.11v	684.86v
130	Mr MJ Barlow	XS	74.9v	73.10v	48.2v	47.5v	49.8v	47.5v	49.9v	73.7v	104.11v	48.6v	72.8v	684.80v
131	Mr TP Hammond	A	73.7v	75.12v	50.6v	47.6v	48.5v	46.4v	47.5v	74.11v	103.12v	46.2v	75.10v	684.80v
132	Mr WJD Broad	XS	71.9v	74.11v	49.4v	48.4v	50.7v	50.6v	49.7v	75.12v	103.11v	45.2v	70.6v	684.79v
133	Mr RWD Ramsey	XS	75.9v	74.10v	50.7v	48.2v	50.7v	46.3v	45.4v	75.12v	102.12v	46.2v	73.10v	684.78v
134	Mr TA Ringer	XS	74.9v	72.6v	49.9v	48.5v	50.7v	50.6v	47.3v	73.8v	100.10v	47.5v	74.9v	684.77v
135	Mr MSE Firman	AS	72.7v	73.10v	50.4v	47.2v	50.6v	47.5v	48.6v	73.8v	102.13v	47.5v	75.11v	684.77v
136	Mr TG Rylands	XS	74.11v	72.9v	48.6v	48.7v	48.4v	49.4v	50.6v	72.9v	103.9v	46.3v	74.8v	684.76v
137	Mr HM Mccaughy	T	73.7v	73.9v	48.7v	49.5v	50.5v	50.5v	49.4v	73.9v	101.10v	45.5v	73.10v	684.76v
138	Mr AJ Haggerty	X	75.11v	72.6v	48.6v	50.7v	50.6v	45.2v	48.5v	73.10v	102.8v	48.4v	73.10v	684.75v
139	Mr R McQuillan	XS	72.10v	73.9v	48.5v	49.5v	48.4v	49.4v	48.7v	74.9v	103.11v	45.1v	75.10v	684.75v
140	Mr C Mallett	XS	75.13v	74.8v	50.4v	48.3v	50.7v	48.6v	46.3v	74.12v	99.7v	47.2v	73.8v	684.73v
141	Ms GMP Jarvis	OS	74.11v	70.5v	50.4v	47.3v	49.7v	49.7v	48.4v	74.10v	103.12v	46.2v	74.8v	684.73v
142	Mr CES Dickenson	A	72.9v	71.0v	50.8v	48.3v	50.7v	47.4v	48.5v	75.10v	100.12v	49.3v	74.10v	684.71v
143	Mr B Langille	XS	72.5v	74.12v	49.6v	49.4v	46.5v	49.6v	48.4v	74.11v	104.8v	46.3v	73.7v	684.71v
144	Mr NRJ Brasier	XS	73.6v	74.10v	49.5v	49.7v	50.5v	49.5v	49.5v	70.5v	102.8v	45.1v	74.10v	684.67v
145	Mr NE Hendrikz	T	74.7v	75.7v	49.3v	45.4v	49.5v	47.2v	49.4v	74.6v	99.11v	49.5v	74.8v	684.62v
146	Mr R Winney	X	74.6v	73.7v	50.8v	49.5v	49.6v	48.4v	47.2v	71.6v	102.11v	47.1v	74.5v	684.61v
147	Mr TP Clarke	X	72.7v	71.6v	49.8v	49.5v	48.7v	50.5v	50.6v	74.12v	98.10v	48.5v	74.9v	683.80v
148	Mr FM Mohideen	X	71.6v	73.9v	50.7v	48.6v	50.8v	49.7v	49.5v	72.6v	101.12v	47.3v	73.8v	683.77v
149	Mr PA Maher	X	75.10v	70.7v	49.8v	46.3v	50.7v	48.6v	48.5v	74.9v	102.9v	46.3v	75.9v	683.76v
150	Mr GS Cotton	XS	74.10v	74.12v	50.9v	49.5v	50.4v	49.8v	44.3v	72.9v	102.10v	45.1v	74.5v	683.76v
151	Mr NB Logan	X	73.6v	74.10v	47.2v	49.8v	48.6v	47.4v	48.6v	74.7v	104.13v	45.2v	74.11v	683.75v
152	Mr AP Barnes	X	74.8v	73.10v	49.5v	46.2v	48.2v	49.5v	49.6v	74.11v	102.10v	46.2v	73.12v	683.73v
153	Mr JWE Lothian	A	72.5v	73.9v	50.9v	47.1v	50.6v	50.9v	43.1v	73.10v	102.9v	48.6v	75.7v	683.72v
154	Mr DA Taylor	AS	75.11v	73.8v	49.7v	50.6v	48.6v	48.4v	49.4v	71.8v	102.8v	47.3v	71.7v	683.72v
155	Mr ORW Russell	X	75.8v	72.9v	47.4v	49.5v	49.6v	48.3v	48.5v	72.6v	103.14v	45.2v	75.10v	683.72v
156	Mr GW Woodman	XS	74.6v	73.9v	49.7v	50.6v	50.4v	48.5v	49.8v	69.6v	102.6v	44.1v	75.11v	683.69v
157	Mr JMA Thompson	XS	75.11v	71.4v	50.5v	50.6v	49.7v	48.4v	47.2v	74.10v	100.7v	46.5v	73.7v	683.68v
158	Mr NJ Ball	XS	73.10v	74.9v	49.8v	50.5v	49.7v	49.5v	47.3v	74.1v	98.6v	46.2v	74.12v	683.68v
159	Mr MJ Wood	A	75.8v	68.4v	49.6v	47.4v	48.5v	49.2v	47.4v	74.8v	105.12v	48.4v	73.6v	683.63v
160	Mr TAW Walters	A	74.10v	72.11v	47.2v	48.8v	50.7v	48.4v	47.4v	75.8v	100.12v	46.4v	75.11v	682.81v
161	Mr JWE Lewis	XS	75.13v	73.8v	48.6v	48.6v	49.5v	49.3v	49.6v	74.10v	96.10v	48.3v	73.9v	682.79v
162	Mr PA Haasbroek	X	73.11v	73.10v	49.6v	50.5v	47.7v	46.3v	49.7v	71.3v	103.11v	46.2v	75.12v	682.77v
163	Mr C Pirouet	OS	73.6v	73.9v	49.6v	50.8v	46.5v	49.5v	49.7v	75.10v	99.8v	46.3v	73.9v	682.76v
164	Mr SC Williamson	A	73.9v	75.12v	49.6v	48.6v	50.7v	47.4v	47.4v	74.9v	103.7v	44.1v	72.10v	682.75v
165	Mr AW Lothian	X	73.9v	75.9v	49.7v	50.4v	48.6v	49.6v	46.4v	73.9v	103.10v	45.1v	71.9v	682.74v
166	Mr BA Horwood	X	73.10v	72.12v	50.4v	48.5v	50.7v	49.5v	48.3v	72.7v	101.11v	50.2v	69.7v	682.73v
167	Mr RA Welford	OS	74.8v	72.9v	47.5v	47.3v	48.6v	48.3v	48.7v	75.9v	104.14v	48.2v	71.7v	682.73v
168	Mr CM Brooks	AS	74.8v	70.6v	50.4v	50.5v	50.5v	49.6v	47.5v	72.7v	100.11v	45.4v	75.11v	682.72v
169	Mr PJ Westlake	XS	72.8v	70.5v	48.5v	50.5v	49.6v	47.4v	48.6v	73.5v	103.12v	48.4v	74.11v	682.71v
170	Mr SJ Carson	X	72.7v	74.7v	48.7v	48.5v	50.8v	48.6v	45.3v	72.7v	103.9v	48.2v	74.10v	682.71v
171	Mr HWD Burden	A	70.8v	72.5v	49.8v	47.2v	50.5v	48.5v	50.6v	74.9v	102.12v	47.3v	73.7v	682.70v
172	Dr MW Wrigley	A	71.8v	73.9v	48.4v	48.5v	49.7v	48.5v	47.2v	75.9v	101.9v	47.3v	75.8v	682.69v
173	Mr D Lowe	O	75.9v	72.8v	48.7v	47.3v	49.3v	50.6v	48.4v	72.7v	101.11v	45.1v	75.10v	682.69v
174	Mr SD Spinney	X	73.7v	71.4v	49.8v	44.2v	49.6v	48.5v	48.4v	74.10v	102.9v	50.4v	74.9v	682.68v
175	Mr AJ Leech	O	71.6v	73.5v	47.4v	48.5v	50.9v	49.4v	48.3v	75.9v	104.10v	46.5v	71.7v	682.67v
176	Mr TL Bedwell	O	69.2v	71.7v	49.4v	50.4v	47.6v	50.5v	49.4v	74.7v	102.9v	46.3v	75.11v	682.62v
177	Mr AJ Sonnenberg	XS	74.8v	72.8v	50.6v	47.2v	49.4v	49.4v	46.0v	73.6v	100.10v	47.1v	75.11v	682.60v
178	Mr SE Young	AS	69.6v	75.13v	50.9v	48.4v	49.5v	50.4v	48.7v	73.10v	101.9v	44.2v	74.12v	681.81v
179	Miss JE Ouston	XS	75.13v	73.7v	49.6v	46.4v	47.4v	49.5v	47.5v	71.7v	104.13v	46.3v	74.12v	681.79v
180	Dr AM Jory	X	74.9v	73.10v	50.9v	48.5v	47.4v	45.4v	49.4v	73.8v	102.13v	48.6v	72.6v	681.78v
181	Mr M D Joyce	AS	71.6v	74.8v	49.6v	49.5v	49.3v	49.8v	45.4v	73.9v	100.11v	47.5v	75.12v	681.77v
182	Mr PJ Chapman-Sheath	A	73.8v	73.10v	46.5v	47.5v	49.8v	48.3v	48.4v	74.12v	100.6v	49.5v	74.10v	681.76v
183	Mr TW Tatchell	AS	73.11v	74.10v	49.5v	49.8v	50.8v	48.5v	43.4v	72.6v	103.6v	47.4v	73.9v	681.76v
184	Miss EJ Cannings	XS	73.9v	74.8v	49.3v	47.4v	48.6v	47.4v	49.4v	72.8v	102.13v	45.5v	75.12v	681.76v
185	Mr SJB Sander	OS	74.10v	72.8v	49.4v	43.6v	50.8v	49.6v	43.4v	74.7v	104.10v	49.4v	74.8v	681.75v
186	Mr P De Voil	A	70.6v	73.7v	50.6v	46.6v	49.5v	47.1v	45.5v	75.10v	105.14v	49.5v	72.7v	681.72v
187	Miss SIM Anderson	X	75.13v	74.6v	49.5v	48.5v	50.3v	48.6v	45.2v	72.5v	103.14v	46.4v	71.8v	681.71v
188	Mr CA Brook	X	75.9v	75.9v	49.8v	46.5v	49.7v	49.4v	46.3v	71.7v	103.10v	47.3v	71.5v	681.70v
189	Mr RDP Knapstein	XS	73.3v	74.12v	50.6v	46.5v	50.8v	50.5v	47.4v	71.4v	100.8v	47.6v	73.8v	681.69v
190	Mr S Belither	XS	74.6v	73.10v	49.6v	50.5v	50.7v	48.3v	45.5v	71.4v	104.10v	43.2v	74.11v	681.69v
191	Mr M Raiber	TS	74.8v	72.9v	50.6v	49.3v	49.4v	49.3v	44.1v	74.10v	103.11v	45.3v	72.10v	681.68v
192	Mr PJ Johnson	A	73.10v	73.8v	47.3v	48.5v	49.3v	49.7v	46.4v	72.4v	105.12v	46.4v	73.7v	681.67v
193	Mr ARW Smith	A	73.10v	73.9v	50.3v	47.5v	50.3v	48.5v	46.4v	73.5v	102.10v	44.2v	75.10v	681.66v
194	Mr S Pearson	A	72.8v	72.9v	48.5v	46.4v	49.3v	46.3v	49.3v	73.5v	103.10v	48.4v	75.11v	681.65v
195	Mr IW Robertson	X	73.9v	75.8v	49.4v	49.4v	48.4v	47.5v	45.1v	73.9v	101.10v	47.3v	74.6v	681.63v
196	Mr PJG Barber	OS	74.5v	73.10v	49.4v	49.4v	49.3v	49.5v	47.3v	74.9v	99.5v	44.1v	74.9v	681.58v
197	Mr PJ Chance	XS	74.8v	70.5v	50.6v	49.5v	48.7v	49.4v	46.1v	74.3v	101.8v	47.3v	73.2v	681.52v
198	Mr DFP Richards	X	73.10v	69.7v	50.6v	48.5v	48.6v	48.5v	49.8v	75.10v	101.11v	45.4v	74.10v	680.82v
199	Mr SNS Penrose	X	73.6v	74.11v	49.6v	46.7v	49.7v	47.5v	49.5v	74.11v	101.13v	45.3v	73.7v	680.81v
200	Dr AJ Pilgrim	X	75.10v	74.9v	48.4v	47.4v	50.8v	46.4v	46.4v	73.10v	103.13v	46.5v	72.9v	680.80v

£ 4

£ 4