

NRA 147th Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr J Corbett	X	75.12v	74.10v	50.7v	50.6v	50.9v	50.8v	50.3v	75.13v	105.15v	47.4v	0.0v	626.87v
2	Mr DR Armstrong	X	75.13v	74.10v	50.9v	49.6v	50.9v	50.7v	48.7v	74.11v	104.11v	50.8v	0.0v	624.91v
3	Miss JH Messer	X	75.9v	74.12v	50.6v	49.8v	50.5v	50.8v	50.8v	73.10v	104.14v	49.8v	0.0v	624.88v
4	Wg. Cdr. DP Calvert	X	75.15v	74.7v	49.7v	50.7v	49.5v	50.7v	48.2v	75.9v	104.11v	50.6v	0.0v	624.76v
5	Mr DC Luckman	X	74.12v	74.9v	49.9v	50.7v	50.8v	50.5v	49.7v	75.15v	103.14v	49.4v	0.0v	623.90v
6	Mr TJD Raincock	X	75.13v	74.13v	50.7v	48.5v	50.8v	50.6v	47.5v	75.11v	105.14v	49.5v	0.0v	623.87v
7	Dr GCD Barnett	X	75.12v	73.9v	50.9v	50.6v	50.7v	50.8v	49.6v	74.12v	103.14v	49.3v	0.0v	623.86v
8	Mr R Birtwistle	A	74.10v	75.9v	50.6v	50.7v	50.6v	50.7v	46.5v	75.13v	103.16v	50.6v	0.0v	623.85v
9	Mr M J Purdy	X	75.10v	73.6v	50.9v	49.5v	50.8v	49.4v	49.6v	75.4v	104.13v	49.4v	0.0v	623.69v
10	Major AR McLeod	X	74.10v	74.11v	50.8v	50.6v	50.7v	50.8v	50.5v	74.9v	103.12v	47.4v	0.0v	622.80v
11	Mr FWA Coetzee	X	75.7v	74.12v	50.5v	48.4v	50.6v	49.5v	48.4v	75.12v	105.16v	48.4v	0.0v	622.75v
12	Mr ANR Walker	X	74.9v	74.8v	49.7v	50.8v	49.7v	50.8v	49.7v	74.8v	105.14v	47.6v	0.0v	621.82v
13	Dr JD Warburton	X	74.8v	74.13v	50.8v	48.5v	50.7v	49.6v	49.8v	75.12v	103.7v	49.5v	0.0v	621.79v
14	Mr GE Morris	X	74.8v	75.7v	50.8v	50.7v	50.7v	49.5v	47.4v	74.10v	105.13v	47.6v	0.0v	621.75v
15	Mr C Rivett-Carnac	A	74.7v	73.9v	50.9v	49.5v	50.7v	49.5v	48.5v	75.10v	103.11v	50.4v	0.0v	621.72v
16	Mr AD Hunter	X	74.9v	74.9v	48.6v	50.8v	50.7v	49.7v	50.8v	75.14v	102.12v	48.3v	0.0v	620.83v
17	Mr T Laing-Baker	A	74.10v	75.9v	50.5v	50.8v	50.8v	49.7v	48.5v	73.9v	101.15v	50.5v	0.0v	620.81v
18	Mr JP Bailey	X	75.12v	73.8v	49.7v	48.6v	50.7v	48.6v	49.7v	74.12v	105.11v	49.5v	0.0v	620.81v
19	Dr PR Wheeler	X	72.6v	74.11v	49.8v	49.5v	49.7v	50.7v	50.7v	75.8v	104.16v	48.5v	0.0v	620.80v
20	Miss LAE Crowson	X	74.7v	74.10v	50.8v	48.5v	50.6v	50.5v	46.5v	74.10v	105.17v	49.5v	0.0v	620.78v
21	Mr S Harding	O	74.9v	73.8v	50.8v	49.5v	50.4v	49.4v	48.4v	75.13v	103.14v	49.5v	0.0v	620.74v
22	Mr T Drysdale	X	75.7v	74.7v	50.5v	48.4v	50.10v	50.7v	49.6v	75.8v	104.13v	45.3v	0.0v	620.70v
23	Mr DGM Coleman	A	74.12v	74.9v	50.8v	49.6v	49.4v	50.7v	48.7v	75.13v	103.15v	47.4v	0.0v	619.85v
24	Mr M J Ensor	X	75.14v	75.13v	49.8v	48.6v	50.7v	49.5v	50.6v	74.12v	102.9v	47.4v	0.0v	619.84v
25	Mr JA Watson	X	75.12v	74.10v	50.8v	49.5v	50.10v	46.1v	50.4v	73.12v	104.16v	48.4v	0.0v	619.82v
26	Mr JAM Paton	X	75.13v	74.7v	49.6v	49.7v	49.6v	50.8v	47.5v	72.9v	105.14v	49.4v	0.0v	619.79v
27	Dr JO Ahrens	X	74.12v	74.10v	50.8v	50.5v	49.7v	50.7v	50.5v	75.11v	102.12v	45.2v	0.0v	619.79v
28	Mr RCT Jeens	X	73.10v	74.8v	50.7v	50.7v	49.6v	49.2v	48.5v	74.11v	103.13v	49.6v	0.0v	619.75v
29	Mr DG Young	X	73.8v	75.10v	48.5v	49.5v	50.7v	50.7v	50.6v	75.13v	101.10v	48.4v	0.0v	619.75v
30	Mr SA Thomas	X	73.7v	75.11v	50.6v	49.6v	50.8v	50.6v	50.4v	73.9v	103.12v	46.6v	0.0v	619.75v
31	Mr HA Day	X	75.10v	72.10v	50.4v	49.7v	50.6v	50.7v	48.2v	74.8v	102.8v	49.7v	0.0v	619.69v
32	Miss EJ Nuttall	X	75.7v	74.13v	50.9v	48.5v	50.3v	49.5v	49.5v	75.7v	101.11v	48.3v	0.0v	619.68v
33	Mr NC Mace	X	74.10v	75.8v	49.5v	49.6v	49.7v	49.7v	47.5v	74.12v	103.11v	49.6v	0.0v	618.77v
34	Mr RL Eayrs	X	73.7v	73.11v	49.5v	47.6v	50.7v	50.5v	49.6v	74.8v	105.11v	48.6v	0.0v	618.72v
35	Mr DR Le Quesne	X	75.11v	74.8v	48.6v	50.4v	50.9v	50.6v	47.3v	74.8v	101.8v	49.6v	0.0v	618.69v
36	Mr NJ Verduyn	A	75.14v	74.8v	49.5v	50.7v	49.6v	49.5v	46.0v	75.8v	104.11v	47.1v	0.0v	618.65v
37	Mr S Osmond	X	74.8v	73.4v	50.6v	49.4v	50.7v	50.4v	47.3v	75.9v	103.15v	47.2v	0.0v	618.62v
38	Mr WCP Richards	X	74.10v	75.13v	50.5v	47.3v	49.7v	50.7v	47.5v	72.7v	103.16v	50.5v	0.0v	617.78v
39	Mr IP Davison	X	75.7v	74.11v	49.7v	48.6v	50.5v	47.4v	47.4v	75.11v	105.14v	47.5v	0.0v	617.74v
40	Mr SM Negus	X	75.11v	73.10v	50.7v	48.5v	50.9v	50.5v	48.4v	74.8v	103.11v	46.4v	0.0v	617.74v
41	Mr HAD Howard	A	75.9v	75.10v	49.6v	50.7v	49.4v	48.6v	46.3v	74.12v	104.12v	47.4v	0.0v	617.73v
42	Mr C Fitzpatrick	X	75.9v	74.8v	50.7v	47.3v	50.10v	49.4v	47.3v	75.12v	103.12v	47.4v	0.0v	617.72v
43	Miss JM Rankin	X	75.11v	75.13v	49.7v	50.8v	49.6v	49.5v	48.4v	74.11v	105.13v	42.2v	0.0v	616.80v
44	Mr DC Crispin	X	74.12v	72.8v	49.6v	49.4v	48.8v	50.8v	46.5v	75.11v	104.13v	49.4v	0.0v	616.79v
45	Mr JP Nice	O	75.10v	74.10v	49.6v	49.6v	50.9v	48.5v	45.3v	75.10v	103.14v	48.3v	0.0v	616.76v
46	Mr GJ Jeal	O	75.9v	73.7v	49.6v	48.3v	50.6v	49.6v	47.5v	74.10v	103.16v	48.4v	0.0v	616.72v
47	Mr JM Taylor	A	75.10v	73.9v	50.4v	49.5v	50.8v	47.3v	49.7v	73.10v	102.9v	48.3v	0.0v	616.68v
48	Mr DE Nuthall	X	75.12v	72.6v	49.4v	48.4v	50.7v	49.4v	49.7v	74.9v	103.11v	47.3v	0.0v	616.67v
49	Mr SDJ Glanville	X	75.10v	72.4v	50.6v	48.5v	49.4v	49.5v	49.6v	74.10v	103.11v	47.3v	0.0v	616.64v
50	Mr KO Pugh	X	74.7v	74.7v	49.5v	48.6v	48.6v	50.4v	49.5v	72.7v	103.6v	49.4v	0.0v	616.57v
51	Mr H J Golaszewski	X	74.10v	73.7v	50.9v	50.5v	50.8v	48.6v	47.3v	74.13v	103.13v	46.2v	0.0v	615.76v
52	Mr JC Underwood	X	75.14v	75.10v	48.8v	47.3v	49.5v	49.7v	47.6v	74.8v	103.11v	48.3v	0.0v	615.75v
53	Capt AW Gill	X	75.9v	73.6v	50.6v	47.4v	49.7v	49.9v	47.6v	74.12v	104.11v	47.5v	0.0v	615.75v
54	Mr GE Grosskreutz	X	75.11v	73.9v	48.7v	50.6v	50.8v	47.4v	45.5v	75.10v	105.13v	47.2v	0.0v	615.75v
55	Mr JW Alexander	X	75.10v	74.10v	50.9v	50.6v	49.6v	48.5v	45.5v	73.8v	102.8v	49.6v	0.0v	615.73v
56	Mr RSF Shouler	X	75.10v	71.7v	50.9v	47.5v	50.10v	49.7v	47.4v	74.8v	104.10v	48.3v	0.0v	615.73v

57	Mr M Mann	O	75.11v	75.12v	48.8v	47.4v	49.7v	48.4v	49.7v	74.8v	102.11v	48.1v	0.0v	615.73v
58	Dr JDS Langley	X	75.9v	70.8v	50.9v	49.5v	50.9v	49.4v	48.6v	74.9v	103.10v	47.4v	0.0v	615.73v
59	Mr JEM Bellringer	X	73.7v	73.7v	49.6v	49.5v	50.7v	48.8v	49.2v	73.8v	104.15v	47.5v	0.0v	615.70v
60	Mr D de Vere	X	73.10v	74.8v	49.6v	50.7v	49.7v	49.6v	48.3v	74.10v	103.8v	46.4v	0.0v	615.69v
61	Mr RJ Lygoe	X	75.11v	73.7v	49.6v	48.5v	49.6v	50.7v	47.4v	75.12v	105.7v	44.4v	0.0v	615.69v
62	Mrs DN Negus	A	74.7v	75.8v	49.7v	43.2v	49.6v	50.5v	48.5v	75.8v	103.14v	49.6v	0.0v	615.68v
63	Mr RJS Curtis	A	74.11v	73.8v	50.6v	50.4v	48.3v	48.5v	49.9v	74.8v	102.10v	47.3v	0.0v	615.67v
64	Mr MCJ Button	X	75.10v	73.4v	49.8v	49.6v	50.8v	49.4v	45.2v	74.9v	104.11v	47.3v	0.0v	615.65v
65	Mr NP Moxon	A	75.12v	74.8v	49.5v	47.4v	49.4v	49.4v	49.4v	72.6v	103.12v	48.4v	0.0v	615.63v
66	Mr TM Stevenson	O	73.8v	73.8v	47.5v	50.5v	49.1v	50.5v	50.5v	74.8v	103.10v	46.4v	0.0v	615.59v
67	Mr BN Craig	A	74.7v	75.6v	48.5v	47.4v	50.2v	48.2v	48.4v	74.8v	103.10v	48.6v	0.0v	615.54v
68	Mr G Trembath	A	73.7v	74.8v	49.8v	45.4v	50.5v	49.7v	50.10v	74.10v	102.14v	48.4v	0.0v	614.77v
69	Mr CN Tremlett	X	74.11v	73.9v	50.8v	47.6v	49.6v	50.8v	49.4v	73.10v	105.12v	44.3v	0.0v	614.77v
70	Mr AD Le Cheminant	X	72.8v	74.8v	50.5v	49.6v	49.8v	50.8v	47.5v	73.8v	103.14v	47.5v	0.0v	614.75v
71	Mr BJ Le Cheminant	X	75.11v	66.8v	50.7v	48.3v	50.5v	49.4v	48.5v	75.9v	104.13v	49.8v	0.0v	614.73v
72	Mr WJD Broad	X	71.9v	74.11v	49.4v	48.4v	50.7v	50.6v	49.7v	75.12v	103.11v	45.2v	0.0v	614.73v
73	Dr JR Deane	A	73.9v	75.10v	50.10v	47.3v	48.4v	50.5v	47.4v	75.12v	99.10v	50.5v	0.0v	614.72v
74	Mr PC Champagne	O	75.12v	73.8v	50.5v	48.5v	50.7v	48.3v	47.4v	74.11v	102.14v	47.3v	0.0v	614.72v
75	Mr RM Roberts	X	75.13v	72.8v	50.7v	48.5v	50.7v	48.6v	47.4v	74.9v	103.11v	47.2v	0.0v	614.72v
76	Mr GC Childs	X	75.11v	74.9v	48.7v	49.4v	50.9v	47.5v	49.4v	75.10v	99.8v	48.4v	0.0v	614.71v
77	Miss AR Southall	A	75.9v	72.6v	48.5v	49.6v	50.7v	49.7v	48.7v	74.9v	102.12v	47.3v	0.0v	614.71v
78	Mr AB Bell	X	75.12v	74.8v	50.5v	50.5v	49.7v	49.6v	49.4v	73.11v	101.10v	44.2v	0.0v	614.70v
79	Mr GA Cann	X	74.10v	74.10v	48.7v	50.5v	48.4v	47.5v	47.4v	74.12v	105.10v	47.2v	0.0v	614.69v
80	Mr D Rose	X	74.9v	75.10v	49.5v	47.3v	50.7v	50.9v	47.5v	74.10v	103.11v	45.0v	0.0v	614.69v
81	Mr CJ Watson	X	75.9v	73.8v	48.6v	46.5v	50.9v	48.4v	50.4v	75.8v	101.11v	48.4v	0.0v	614.68v
82	Mr JP Pugsley	X	74.7v	74.10v	50.7v	50.6v	50.6v	50.6v	43.0v	75.10v	103.12v	45.4v	0.0v	614.68v
83	Mr OEJ Spencer	O	74.9v	73.7v	46.3v	49.4v	50.5v	50.8v	46.2v	74.9v	105.13v	47.6v	0.0v	614.66v
84	Mr CP Weeden	X	75.9v	74.8v	50.7v	50.7v	50.8v	47.2v	47.3v	75.10v	103.10v	43.2v	0.0v	614.66v
85	Mr P A Hatfield	A	74.11v	73.9v	49.5v	49.5v	50.7v	48.4v	49.4v	75.9v	102.8v	45.1v	0.0v	614.63v
86	Mr RAH Vary	A	75.11v	72.3v	49.5v	50.5v	50.3v	49.5v	50.4v	73.7v	101.10v	45.3v	0.0v	614.56v
87	Mr ERT Jeens	X	73.10v	74.9v	49.8v	47.6v	49.8v	48.4v	48.5v	71.8v	105.16v	49.4v	0.0v	613.78v
88	Mr SD Shouler	X	74.12v	75.10v	49.6v	46.4v	50.7v	47.5v	47.4v	75.11v	103.15v	47.2v	0.0v	613.76v
89	Mr D Morris	O	71.8v	73.9v	49.6v	49.6v	49.6v	48.6v	47.6v	74.12v	104.10v	49.5v	0.0v	613.74v
90	Mr A Thomson	A	74.9v	73.8v	49.6v	49.6v	50.7v	48.4v	49.5v	74.12v	100.13v	47.4v	0.0v	613.74v
91	Miss EG Joseph	A	74.8v	70.7v	50.9v	48.3v	50.9v	50.6v	47.5v	74.10v	103.11v	47.4v	0.0v	613.72v
92	Sgt CS Saina	X	74.9v	72.9v	49.7v	45.5v	50.7v	48.6v	50.6v	74.6v	103.9v	48.4v	0.0v	613.68v
93	Mr TLW Kidner	A	72.7v	73.10v	49.9v	48.3v	49.6v	47.5v	49.4v	74.9v	102.8v	50.6v	0.0v	613.67v
94	Mr DJ Archer	A	74.8v	73.9v	49.6v	48.6v	50.4v	50.7v	48.3v	72.7v	102.11v	47.6v	0.0v	613.67v
95	Prof. AR Horrocks	O	73.10v	73.11v	50.3v	48.6v	50.5v	50.5v	48.6v	73.10v	101.10v	47.1v	0.0v	613.67v
96	Mr BA Horwood	X	73.10v	72.12v	50.4v	48.5v	50.7v	49.5v	48.3v	72.7v	101.11v	50.2v	0.0v	613.66v
97	Mr MR Fugeman	A	74.8v	74.10v	48.5v	50.6v	50.7v	49.3v	45.4v	74.7v	103.13v	46.2v	0.0v	613.65v
98	Mr AC Haley	X	74.6v	72.5v	48.4v	49.5v	50.6v	49.6v	48.3v	75.11v	99.11v	49.7v	0.0v	613.64v
99	Mr CJ Morton	X	75.10v	74.8v	50.5v	48.5v	50.2v	46.5v	50.7v	69.4v	102.14v	49.4v	0.0v	613.64v
100	Mr PAE Charlton	X	75.10v	72.8v	50.3v	47.4v	49.4v	49.8v	48.5v	74.7v	103.11v	46.3v	0.0v	613.63v
101	Mr JA Haward	X	74.8v	72.6v	48.3v	49.6v	49.6v	49.8v	47.3v	74.6v	104.13v	47.3v	0.0v	613.62v
102	Mr PJR Holden	X	71.6v	74.6v	49.5v	49.7v	49.4v	49.6v	48.3v	75.7v	101.11v	48.4v	0.0v	613.59v
103	Mr BP Creane	O	75.11v	74.9v	49.4v	50.3v	50.3v	48.2v	49.5v	69.4v	103.10v	46.3v	0.0v	613.54v
104	Mr JR Tuck	X	73.10v	72.9v	50.6v	47.4v	49.9v	49.5v	48.5v	73.9v	101.10v	50.8v	0.0v	612.75v
105	Mr JF Lawrie	X	74.11v	73.7v	50.4v	48.4v	50.7v	49.6v	48.5v	74.11v	104.14v	42.4v	0.0v	612.73v
106	Mr MJ Barlow	X	74.9v	73.10v	48.2v	47.5v	49.8v	47.5v	49.9v	73.7v	104.11v	48.6v	0.0v	612.72v
107	Mr PD Griggs	A	74.8v	73.10v	50.5v	47.4v	50.7v	50.9v	46.4v	75.10v	102.9v	45.5v	0.0v	612.71v
108	Mr M Liversage	A	75.11v	74.11v	49.4v	46.2v	50.7v	50.5v	46.6v	74.9v	102.13v	46.1v	0.0v	612.69v
109	Miss CA Evans	X	74.11v	72.5v	50.6v	46.2v	50.8v	49.4v	48.6v	74.14v	103.11v	46.1v	0.0v	612.68v
110	Mr MJJ Charlton	O	74.4v	72.12v	49.7v	49.5v	47.6v	48.4v	50.5v	72.7v	102.12v	49.5v	0.0v	612.67v
111	Mr BJ Wood	A	74.8v	73.7v	49.6v	49.3v	49.6v	47.4v	47.5v	73.7v	103.13v	48.8v	0.0v	612.67v
112	Mr JRJ Hinde	O	72.10v	72.8v	49.4v	50.7v	50.6v	50.5v	47.3v	74.9v	102.11v	46.4v	0.0v	612.67v
113	Miss SP Ward	X	73.8v	71.7v	50.8v	49.3v	48.6v	48.4v	46.1v	74.9v	105.16v	48.4v	0.0v	612.66v
114	Mr JRW Postle	X	73.7v	74.8v	48.5v	50.6v	49.6v	49.5v	48.4v	74.8v	103.11v	44.6v	0.0v	612.66v
115	Mr DA Taylor	A	75.11v	73.8v	49.7v	50.6v	48.6v	48.4v	49.4v	71.8v	102.8v	47.3v	0.0v	612.65v
116	Mr RW Sandlant	X	74.8v	74.12v	48.2v	48.2v	48.3v	49.6v	47.4v	74.9v	100.14v	50.4v	0.0v	612.64v
117	Mr DF Williams	O	72.8v	72.8v	50.5v	47.3v	50.8v	48.5v	46.3v	75.12v	102.10v	50.2v	0.0v	612.64v
118	SSgt. RH Kitson	A	74.10v	71.6v	49.5v	49.7v	50.8v	49.7v	47.2v	73.7v	104.9v	46.1v	0.0v	612.62v
119	Mr RCQ Martin	O	73.7v	74.4v	48.7v	50.5v	48.5v	50.4v	48.4v	72.6v	101.9v	48.2v	0.0v	612.53v
120	Mr RW Hallows	A	72.9v	72.8v	49.7v	49.8v	50.8v	49.6v	47.6v	74.10v	103.15v	46.6v	0.0v	611.83v
121	Mr C Mitchell	X	74.9v	73.10v	48.5v	45.2v	50.9v	50.6v	45.6v	75.12v	103.11v	48.4v	0.0v	611.74v
122	Mrs LK Mace	A	75.12v	72.6v	49.8v	50.6v	50.6v	48.5v	48.6v	70.2v	101.12v	48.5v	0.0v	611.68v
123	Mr KWD Ramsey	X	75.9v	74.10v	50.7v	48.2v	50.7v	46.3v	45.4v	75.12v	102.12v	46.2v	0.0v	611.68v
124	Mr SL Cleveland	O	73.8v	73.12v	49.8v	49.5v	49.7v	49.4v	48.2v	75.6v	103.13v	43.3v	0.0v	611.68v
125	Mr J Ford	A	72.9v	72.6v	48.5v	49.7v	50.7v	50.5v	47.4v	71.6v	104.13v	48.4v	0.0v	611.66v
126	Mr RA Welford	O	74.8v	72.9v	47.5v	47.3v	48.6v	48.3v	48.7v	75.9v	104.14v	48.2v	0.0v	611.66v
127	Mr HM Mccaughey	T	73.7v	73.9v	48.7v	49.5v	50.5v	50.5v	49.4v	73.9v	101.10v	45.5v	0.0v	611.66v
128	Mr AJ Haggerty	X	75.11v	72.6v	48.6v	50.7v	50.6v	45.2v	48.5v	73.10v	102.8v	48.4v	0.0v	611.65v

129	Mr C Mallett	X	75.13v	74.8v	50.4v	48.3v	50.7v	48.6v	46.3v	74.12v	99.7v	47.2v	0.0v	611.65v
130	Mr J Brooking	X	75.14v	73.8v	49.8v	47.1v	48.4v	49.5v	50.5v	72.10v	103.7v	45.3v	0.0v	611.65v
131	Mr AW Lothian	X	73.9v	75.9v	49.7v	50.4v	48.6v	49.6v	46.4v	73.9v	103.10v	45.1v	0.0v	611.65v
132	Mr B Langille	X	72.5v	74.12v	49.6v	49.4v	46.5v	49.6v	48.4v	74.11v	104.8v	46.3v	0.0v	611.64v
133	Mr MW Silver	A	74.9v	71.5v	49.5v	48.5v	49.7v	50.5v	47.3v	74.9v	102.9v	47.5v	0.0v	611.62v
134	Mr RJW Smeltzer	X	73.9v	72.7v	50.5v	50.4v	50.7v	50.7v	48.4v	75.8v	98.9v	45.2v	0.0v	611.62v
135	Mr AJ Leech	O	71.6v	73.5v	47.4v	48.5v	50.9v	49.4v	48.3v	75.9v	104.10v	46.5v	0.0v	611.60v
136	Mr MI Buchanan	X	75.9v	74.6v	50.4v	48.3v	50.6v	49.3v	47.6v	75.10v	99.9v	44.2v	0.0v	611.58v
137	Mr NNT Kerins	A	74.8v	73.8v	50.7v	47.2v	49.4v	49.4v	49.4v	75.12v	101.7v	44.1v	0.0v	611.57v
138	Mr RC Oxford	X	73.9v	73.9v	50.7v	47.6v	49.8v	48.5v	45.4v	74.6v	104.12v	47.5v	0.0v	610.71v
139	Mr M Cooper	A	74.12v	72.8v	49.6v	50.10v	49.7v	50.4v	44.4v	71.5v	103.12v	48.2v	0.0v	610.70v
140	Mr FM Mohideen	X	71.6v	73.9v	50.7v	48.6v	50.8v	49.7v	49.5v	72.6v	101.12v	47.3v	0.0v	610.69v
141	Mr TA Ringer	X	74.9v	72.6v	49.9v	48.5v	50.7v	50.6v	47.3v	73.8v	100.10v	47.5v	0.0v	610.68v
142	Mr TG Rylands	X	74.11v	72.9v	48.6v	48.7v	48.4v	49.4v	50.6v	72.9v	103.9v	46.3v	0.0v	610.68v
143	Mr ITG Shaw	X	75.11v	72.5v	50.5v	47.3v	50.6v	47.3v	48.7v	71.10v	102.11v	48.5v	0.0v	610.66v
144	Mr CA Brook	X	75.9v	75.9v	49.8v	46.5v	49.7v	49.4v	46.3v	71.7v	103.10v	47.3v	0.0v	610.65v
145	Ms GMP Jarvis	O	74.11v	70.5v	50.4v	47.3v	49.7v	49.7v	48.4v	74.10v	103.12v	46.2v	0.0v	610.65v
146	Mr SC Williamson	A	73.9v	75.12v	49.6v	48.6v	50.7v	47.4v	47.4v	74.9v	103.7v	44.1v	0.0v	610.65v
147	Miss SIM Anderson	X	75.13v	74.6v	49.5v	48.5v	50.3v	48.6v	45.2v	72.5v	103.14v	46.4v	0.0v	610.63v
148	Mr CES Dickenson	A	72.9v	71.0v	50.8v	48.3v	50.7v	47.4v	48.5v	75.10v	100.12v	49.3v	0.0v	610.61v
149	Mr JMA Thompson	X	75.11v	71.4v	50.5v	50.6v	49.7v	48.4v	47.2v	74.10v	100.7v	46.5v	0.0v	610.61v
150	Mr AP Barnes	X	74.8v	73.10v	49.5v	46.2v	48.2v	49.5v	49.6v	74.11v	102.10v	46.2v	0.0v	610.61v
151	Mr SC Postins	X	72.9v	72.6v	50.3v	49.6v	50.6v	49.7v	49.3v	72.9v	105.9v	42.3v	0.0v	610.61v
152	Mr MJ Wood	A	75.8v	68.4v	49.6v	47.4v	48.5v	49.2v	47.4v	74.8v	105.12v	48.4v	0.0v	610.57v
153	Mr NRJ Brasier	X	73.6v	74.10v	49.5v	49.7v	50.5v	49.5v	49.5v	70.5v	102.8v	45.1v	0.0v	610.57v
154	Mr R Winney	X	74.6v	73.7v	50.8v	49.5v	49.6v	48.4v	47.2v	71.6v	102.11v	47.1v	0.0v	610.56v
155	Mr NE Hendrikz	T	74.7v	75.7v	49.3v	45.4v	49.5v	47.2v	49.4v	74.6v	99.11v	49.5v	0.0v	610.54v
156	Dr AM Jory	X	74.9v	73.10v	50.9v	48.5v	47.4v	45.4v	49.4v	73.8v	102.13v	48.6v	0.0v	609.72v
157	Mr TP Clarke	X	72.7v	71.6v	49.8v	49.5v	48.7v	50.5v	50.6v	74.12v	98.10v	48.5v	0.0v	609.71v
158	Mr GS Cotton	X	74.10v	74.12v	50.9v	49.5v	50.4v	49.8v	44.3v	72.9v	102.10v	45.1v	0.0v	609.71v
159	Mr JWE Lewis	X	75.13v	73.8v	48.6v	48.6v	49.5v	49.3v	49.6v	74.10v	96.10v	48.3v	0.0v	609.70v
160	Mr TP Hammond	A	73.7v	75.12v	50.6v	47.6v	48.5v	46.4v	47.5v	74.11v	103.12v	46.2v	0.0v	609.70v
161	Mr C Pirouet	O	73.6v	73.9v	49.6v	50.8v	46.5v	49.5v	49.7v	75.10v	99.8v	46.3v	0.0v	609.67v
162	Mr MSE Firman	A	72.7v	73.10v	50.4v	47.2v	50.6v	47.5v	48.6v	73.8v	102.13v	47.5v	0.0v	609.66v
163	Mr P De Voil	A	70.6v	73.7v	50.6v	46.6v	49.5v	47.1v	45.5v	75.10v	105.14v	49.5v	0.0v	609.65v
164	Mr R McQuillan	X	72.10v	73.9v	48.5v	49.5v	48.4v	49.4v	48.7v	74.9v	103.11v	45.1v	0.0v	609.65v
165	Mr NBS Logan	X	73.6v	74.10v	47.2v	49.8v	48.6v	47.4v	48.6v	74.7v	104.13v	45.2v	0.0v	609.64v
166	Mr HWD Burden	A	70.8v	72.5v	49.8v	47.2v	50.5v	48.5v	50.6v	74.9v	102.12v	47.3v	0.0v	609.63v
167	Mr M Raiber	T	74.8v	72.9v	50.6v	49.3v	49.4v	49.3v	44.1v	74.10v	103.11v	45.3v	0.0v	609.58v
168	Mr NJ Ball	X	73.10v	74.9v	49.8v	50.5v	49.7v	49.5v	47.3v	74.1v	98.6v	46.2v	0.0v	609.56v
169	Dr AJ Pilgrim	X	75.10v	74.9v	48.4v	47.4v	50.8v	46.4v	46.4v	73.10v	103.13v	46.5v	0.0v	608.71v
170	Mr TW Tatchell	A	73.11v	74.10v	49.5v	49.8v	50.8v	48.5v	43.4v	72.6v	103.6v	47.4v	0.0v	608.67v
171	Mr PA Maher	X	75.10v	70.7v	49.8v	46.3v	50.7v	48.6v	48.5v	74.9v	102.9v	46.3v	0.0v	608.67v
172	Mr CB Bowring	O	73.11v	72.7v	50.8v	50.6v	50.5v	46.3v	47.3v	74.10v	104.11v	42.3v	0.0v	608.67v
173	Mr JWE Lothian	A	72.5v	73.9v	50.9v	47.1v	50.6v	50.9v	43.1v	73.10v	102.9v	48.6v	0.0v	608.65v
174	Mr SE Frost	O	73.6v	75.10v	49.5v	50.7v	50.4v	47.4v	47.3v	74.13v	100.11v	43.2v	0.0v	608.65v
175	Mr RM Hatcher	A	70.6v	71.5v	48.4v	49.4v	50.9v	49.4v	47.4v	73.8v	102.13v	49.6v	0.0v	608.63v
176	Mr ORW Russell	X	75.8v	72.9v	47.4v	49.5v	49.6v	48.3v	48.5v	72.6v	103.14v	45.2v	0.0v	608.62v
177	Mr SJ Carson	X	72.7v	74.7v	48.7v	48.5v	50.8v	48.6v	45.3v	72.7v	103.9v	48.2v	0.0v	608.61v
178	Mr RDP Knapstein	X	73.3v	74.12v	50.6v	46.5v	50.8v	50.5v	47.4v	71.4v	100.8v	47.6v	0.0v	608.61v
179	Mr PJ Westlake	X	72.8v	70.5v	48.5v	50.5v	49.6v	47.4v	48.6v	73.5v	103.12v	48.4v	0.0v	608.60v
180	Mr PJ Johnston	A	73.10v	73.8v	47.3v	48.5v	49.3v	49.7v	46.4v	72.4v	105.12v	46.4v	0.0v	608.60v
181	Mr SD Spinney	X	73.7v	71.4v	49.8v	44.2v	49.6v	48.5v	48.4v	74.10v	102.9v	50.4v	0.0v	608.59v
182	Mr D Clark	A	74.9v	73.9v	46.3v	46.3v	50.6v	49.6v	47.4v	74.7v	101.9v	48.3v	0.0v	608.59v
183	Mr GW Woodman	X	74.6v	73.9v	49.7v	50.6v	50.4v	48.5v	49.8v	69.6v	102.6v	44.1v	0.0v	608.58v
184	Miss LR Mckerrell	A	73.5v	73.4v	50.8v	48.6v	49.4v	47.5v	48.3v	74.7v	103.12v	43.2v	0.0v	608.56v
185	Mr CB Cotillard	O	75.8v	71.6v	50.3v	47.5v	49.7v	48.7v	49.5v	74.5v	101.7v	44.2v	0.0v	608.55v
186	Mr RG Faulkner	O	73.8v	73.8v	48.5v	50.3v	50.7v	47.3v	48.4v	72.7v	103.9v	44.1v	0.0v	608.55v
187	Dr AI Ashworth	A	74.9v	73.4v	50.5v	50.5v	50.6v	48.4v	44.3v	73.8v	100.8v	46.2v	0.0v	608.54v
188	Mr PJ Chance	X	74.8v	70.5v	50.6v	49.5v	48.7v	49.4v	46.1v	74.3v	101.8v	47.3v	0.0v	608.50v
189	Mr SNS Penrose	X	73.6v	74.11v	49.6v	46.7v	49.7v	47.5v	49.5v	74.11v	101.13v	45.3v	0.0v	607.74v
190	Mr TAW Walters	A	74.10v	72.11v	47.2v	48.8v	50.7v	48.4v	47.4v	75.8v	100.12v	46.4v	0.0v	607.70v
191	Mr SE Young	A	69.6v	75.13v	50.9v	48.4v	49.5v	50.4v	48.7v	73.10v	101.9v	44.2v	0.0v	607.69v
192	Mr SJB Sander	O	74.10v	72.8v	49.4v	43.6v	50.8v	49.6v	43.4v	74.7v	104.10v	49.4v	0.0v	607.67v
193	Miss JE Ouston	X	75.13v	73.7v	49.6v	46.4v	47.4v	49.5v	47.5v	71.7v	104.13v	46.3v	0.0v	607.67v
194	Mr TJ Goodger	O	74.10v	72.5v	48.4v	46.4v	50.9v	50.8v	49.6v	73.8v	102.12v	43.1v	0.0v	607.67v
195	Mr PJ Chapman-Sheath	A	73.8v	73.10v	46.5v	47.5v	49.8v	48.3v	48.4v	74.12v	100.6v	49.5v	0.0v	607.66v
196	Mr PA Haasbroek	X	73.11v	73.10v	49.6v	50.5v	47.7v	46.3v	49.7v	71.3v	103.11v	46.2v	0.0v	607.65v
197	Mr JP Pepera-Hibbert	O	74.9v	70.7v	49.4v	49.6v	50.9v	49.6v	46.5v	73.4v	102.11v	45.4v	0.0v	607.65v
198	Dr MW Wrigley	A	71.8v	73.9v	48.4v	48.5v	49.7v	48.5v	47.2v	75.9v	101.9v	47.3v	0.0v	607.61v
199	Mr CM Brooks	A	74.8v	70.6v	50.4v	50.5v	50.5v	49.6v	47.5v	72.7v	100.11v	45.4v	0.0v	607.61v
200	Mr C Milton	X	70.7v	72.10v	48.4v	48.5v	49.4v	50.6v	49.3v	71.7v	102.10v	48.4v	0.0v	607.60v

201	Mr D Lowe	O	75.9v	72.8v	48.7v	47.3v	49.3v	50.6v	48.4v	72.7v	101.11v	45.1v	0.0v	607.59v
202	Mr S Belither	X	74.6v	73.10v	49.6v	50.5v	50.7v	48.3v	45.5v	71.4v	104.10v	43.2v	0.0v	607.58v
203	Mr IW Robertson	X	73.9v	75.8v	49.4v	49.4v	48.4v	47.5v	45.1v	73.9v	101.10v	47.3v	0.0v	607.57v
204	Mr DT Thompson	A	75.12v	74.8v	48.3v	48.5v	49.6v	50.3v	47.3v	70.5v	100.8v	46.4v	0.0v	607.57v
205	Mr TL Bedwell	O	69.2v	71.7v	49.4v	50.4v	47.6v	50.5v	49.4v	74.7v	102.9v	46.3v	0.0v	607.51v
206	Mr AJ Sonnenberg	X	74.8v	72.8v	50.6v	47.2v	49.4v	49.4v	46.0v	73.6v	100.10v	47.1v	0.0v	607.49v
207	Mr PJG Barber	O	74.5v	73.10v	49.4v	49.4v	49.3v	49.5v	47.3v	74.9v	99.5v	44.1v	0.0v	607.49v
208	Mr DFP Richards	X	73.10v	69.7v	50.6v	48.5v	48.6v	48.5v	49.8v	75.10v	101.11v	45.4v	0.0v	606.72v
209	Mr RK Sheead	O	70.7v	71.10v	48.6v	47.4v	49.8v	50.4v	46.4v	73.5v	105.14v	47.4v	0.0v	606.66v
210	Mr M D Joyce	A	71.6v	74.8v	49.6v	49.5v	49.3v	49.8v	45.4v	73.9v	100.11v	47.5v	0.0v	606.65v
211	Mr RAV Hebblethwaite	A	68.5v	72.11v	48.6v	47.2v	49.4v	48.3v	49.5v	75.11v	102.11v	48.6v	0.0v	606.64v
212	Miss EJ Cannings	X	73.9v	74.8v	49.3v	47.4v	48.6v	47.4v	49.4v	72.8v	102.13v	45.5v	0.0v	606.64v
213	Mrs MM Norman	X	73.11v	73.10v	48.4v	50.7v	48.4v	47.5v	49.5v	72.3v	102.13v	44.2v	0.0v	606.64v
214	Mr MF Boucher	O	73.9v	75.11v	49.6v	47.3v	48.7v	47.3v	48.4v	74.10v	103.8v	42.3v	0.0v	606.64v
215	Mr MG Whicher	A	70.5v	74.10v	49.7v	47.3v	49.5v	49.6v	46.2v	71.6v	103.13v	48.6v	0.0v	606.63v
216	Cdt T Shalom	O	71.7v	72.6v	47.5v	49.7v	49.4v	49.6v	43.2v	75.11v	103.7v	48.7v	0.0v	606.62v
217	Mr J Barlow	O	74.8v	71.7v	48.5v	46.4v	50.6v	49.7v	45.4v	72.4v	103.14v	48.3v	0.0v	606.62v
218	Mr RM Macleod	X	74.11v	72.7v	49.5v	48.4v	48.4v	48.3v	47.7v	73.9v	103.9v	44.3v	0.0v	606.62v
219	Mr AP Smith	O	74.9v	72.7v	49.7v	49.4v	49.6v	45.2v	50.7v	71.7v	100.9v	47.2v	0.0v	606.60v
220	Mr MF Martel	A	74.10v	72.9v	49.8v	49.1v	49.5v	50.4v	45.2v	74.11v	98.8v	46.2v	0.0v	606.60v
221	Miss HA Pugsley-Pearse	X	74.10v	75.9v	50.6v	46.2v	49.5v	47.3v	49.6v	74.5v	99.10v	43.3v	0.0v	606.59v
222	Mr RI Coventry	O	73.7v	72.7v	50.4v	49.6v	47.4v	47.2v	44.2v	74.10v	102.9v	48.7v	0.0v	606.58v
223	Mr RJS Clark	A	72.5v	74.11v	49.7v	48.7v	49.6v	49.4v	45.2v	73.3v	102.10v	45.3v	0.0v	606.58v
224	Wg. Cdr. CJ Hockley OBE	X	74.9v	74.6v	49.4v	50.6v	47.6v	47.5v	44.4v	75.5v	99.10v	47.2v	0.0v	606.57v
225	Mr ARW Smith	A	73.10v	73.9v	50.3v	47.5v	50.3v	48.5v	46.4v	73.5v	102.10v	44.2v	0.0v	606.56v
226	Mr HJG Green	O	74.7v	72.8v	49.5v	45.3v	46.4v	48.2v	49.3v	74.6v	103.13v	46.4v	0.0v	606.55v
227	Mr S Pearson	A	72.8v	72.9v	48.5v	46.4v	49.3v	46.3v	49.3v	73.5v	103.10v	48.4v	0.0v	606.54v
228	Mr TM Green	A	74.8v	73.5v	48.4v	45.2v	50.5v	50.5v	47.5v	72.9v	102.8v	45.3v	0.0v	606.54v
229	Col AJW Sturrock	A	72.6v	72.6v	49.7v	47.2v	50.6v	49.4v	47.3v	74.7v	101.8v	45.4v	0.0v	606.53v
230	Mr JA Lindsay III	X	75.5v	72.4v	50.5v	46.3v	49.5v	49.4v	45.4v	74.9v	101.11v	45.1v	0.0v	606.51v
231	Lt HCM Bennett	O	73.9v	74.8v	49.5v	49.6v	49.7v	48.7v	42.2v	73.10v	100.10v	48.5v	0.0v	605.69v
232	Mr DJ Gass	A	72.4v	72.7v	50.8v	46.2v	50.8v	47.4v	44.4v	74.10v	102.13v	48.4v	0.0v	605.64v
233	Cdt OM Hudson	T	72.8v	74.8v	49.6v	49.6v	50.3v	49.6v	46.5v	75.9v	99.10v	42.3v	0.0v	605.64v
234	Dr J Mehta	X	73.9v	69.5v	50.8v	48.3v	49.4v	48.5v	45.3v	74.9v	100.12v	49.5v	0.0v	605.63v
235	Miss AJ Clarke	A	74.10v	71.10v	48.6v	47.4v	49.5v	47.3v	46.2v	75.8v	101.10v	47.5v	0.0v	605.63v
236	Mr MJM Black	X	70.7v	71.6v	49.5v	48.6v	50.7v	50.6v	47.4v	72.7v	101.12v	47.3v	0.0v	605.63v
237	Dr C I Johnston	X	70.8v	71.6v	50.8v	47.3v	49.7v	48.4v	49.5v	74.8v	102.12v	45.2v	0.0v	605.63v
238	Mr K Tumschat	X	74.8v	72.10v	47.7v	50.6v	49.6v	47.4v	46.4v	75.9v	101.8v	44.1v	0.0v	605.63v
239	Mr PM Jory	A	72.4v	73.7v	50.7v	47.3v	47.7v	47.4v	48.8v	71.5v	102.9v	48.7v	0.0v	605.61v
240	Mr RA Dix	A	73.5v	72.9v	49.6v	45.2v	49.6v	47.4v	46.4v	73.11v	104.12v	47.2v	0.0v	605.61v
241	Mr AC Morley	X	71.5v	73.4v	49.8v	49.6v	48.6v	42.2v	48.6v	72.7v	103.10v	50.6v	0.0v	605.60v
242	Mr CRM Asquith	O	74.8v	72.7v	47.4v	49.4v	49.4v	49.6v	41.2v	73.6v	105.15v	46.4v	0.0v	605.60v
243	Air Cdre JA Ford	X	72.7v	71.8v	49.4v	49.5v	48.4v	49.8v	47.4v	74.9v	100.8v	46.3v	0.0v	605.60v
244	Mr N Cole-Hawkins	A	70.9v	73.8v	49.5v	48.4v	50.6v	47.5v	49.2v	74.10v	98.7v	47.3v	0.0v	605.59v
245	MR NP Watkins	O	72.9v	73.6v	49.6v	48.4v	49.5v	47.4v	47.4v	73.7v	100.10v	47.3v	0.0v	605.58v
246	Mr DS Murray	X	74.10v	71.3v	50.4v	50.6v	50.4v	48.5v	45.3v	68.6v	102.11v	47.4v	0.0v	605.56v
247	Miss TJ Fitzsimons	A	74.10v	72.7v	48.4v	46.2v	49.6v	49.3v	46.3v	72.9v	102.8v	47.4v	0.0v	605.56v
248	Mr SP O'Brien	O	72.7v	73.6v	50.5v	49.5v	47.6v	48.2v	47.3v	73.9v	100.6v	46.3v	0.0v	605.52v
249	Mr MA Kirkillio-Stacewicz	A	74.10v	71.4v	48.5v	48.2v	47.3v	47.4v	49.6v	74.8v	100.5v	47.4v	0.0v	605.51v
250	Mr CA Stewart	O	72.6v	70.5v	49.4v	48.5v	48.4v	48.5v	49.3v	75.5v	102.8v	44.2v	0.0v	605.47v
251	Mr PB Bromley	X	74.8v	67.9v	50.5v	47.4v	50.9v	50.7v	49.7v	75.9v	98.8v	44.6v	0.0v	604.72v
252	Mr WR Steward	O	74.11v	73.5v	50.9v	47.5v	45.5v	50.5v	45.2v	72.10v	101.9v	47.4v	0.0v	604.65v
253	Mr A F Powell	O	75.8v	70.6v	50.7v	50.7v	47.4v	47.5v	45.2v	70.6v	100.10v	50.9v	0.0v	604.64v
254	Miss LG Taylor	A	74.8v	71.8v	49.4v	48.5v	48.5v	49.7v	45.4v	72.6v	100.9v	48.5v	0.0v	604.61v
255	Mr PR Bain	A	73.10v	69.6v	49.5v	49.6v	49.7v	49.5v	45.2v	72.9v	101.7v	48.4v	0.0v	604.61v
256	Mr RA Jobson	O	72.6v	74.10v	47.5v	50.5v	49.8v	46.4v	47.1v	69.7v	104.11v	46.3v	0.0v	604.60v
257	Mr BP Pepin	X	74.9v	71.6v	50.7v	47.5v	49.7v	49.6v	46.2v	71.5v	101.10v	46.3v	0.0v	604.60v
258	Mr RW Shaw	X	74.10v	69.5v	48.5v	48.3v	50.8v	48.3v	48.3v	73.9v	99.11v	47.2v	0.0v	604.59v
259	Mr MG Reid	O	71.4v	74.9v	47.5v	49.3v	47.6v	49.7v	48.4v	75.10v	100.8v	44.2v	0.0v	604.58v
260	Mr JK Kelleher	A	74.7v	73.4v	47.5v	46.4v	48.7v	49.5v	49.5v	74.10v	101.11v	43.0v	0.0v	604.58v
261	Miss DE Andrews	O	70.6v	71.3v	49.8v	49.5v	49.6v	50.4v	47.4v	73.8v	99.8v	47.5v	0.0v	604.57v
262	Mr SJ East	X	74.7v	71.7v	48.5v	48.5v	47.1v	47.3v	45.4v	74.11v	102.7v	48.5v	0.0v	604.55v
263	Mr HJM Awin	A	71.5v	74.7v	50.6v	49.5v	49.7v	48.4v	47.3v	72.3v	102.13v	42.2v	0.0v	604.55v
264	Mr APW Daw	X	72.8v	71.5v	49.6v	48.7v	49.3v	47.4v	45.3v	74.7v	101.7v	48.3v	0.0v	604.53v
265	Mr OR Rolfe	X	74.7v	73.4v	50.6v	41.1v	47.5v	49.5v	46.3v	74.8v	102.13v	48.1v	0.0v	604.53v
266	CSgt WC Compton	T	73.9v	71.4v	49.5v	49.5v	48.2v	49.7v	45.2v	71.5v	102.12v	47.1v	0.0v	604.52v
267	WO T Jones	T	74.10v	73.6v	48.6v	50.5v	48.7v	47.6v	45.2v	71.4v	100.4v	48.1v	0.0v	604.51v
268	WO2 J Hawke	T	73.9v	73.8v	50.6v	46.4v	48.4v	50.7v	49.4v	68.1v	102.4v	45.1v	0.0v	604.48v
269	Mr BV Cambray	A	69.4v	69.5v	49.5v	49.4v	48.4v	48.5v	46.4v	74.7v	103.6v	49.1v	0.0v	604.45v
270	Wg. Cdr. CR Smith	X	69.10v	72.2v	49.6v	46.5v	46.5v	48.7v	49.6v	73.9v	104.11v	47.4v	0.0v	603.65v
271	Mr ATB Tompson	X	72.6v	72.6v	49.6v	45.4v	49.4v	48.6v	46.6v	74.11v	102.13v	46.3v	0.0v	603.65v
272	Eur Ing CA Painting	A	74.11v	72.6v	49.6v	49.5v	48.6v	49.5v	43.4v	73.8v	101.9v	45.5v	0.0v	603.65v

273	Mr GK Alexander	X	74.9v	70.7v	48.7v	49.7v	48.5v	50.4v	46.4v	71.7v	101.10v	46.4v	0.0v	603.64v
274	Mr ME Fray	O	72.9v	70.7v	50.7v	44.2v	49.6v	49.5v	44.2v	75.10v	103.13v	47.2v	0.0v	603.63v
275	Miss A J C Carnell	O	70.8v	73.10v	49.6v	49.5v	49.8v	48.2v	48.4v	72.6v	100.11v	45.2v	0.0v	603.62v
276	SAC(T) DA Cottrill	O	73.11v	74.9v	49.6v	47.4v	48.2v	48.7v	48.4v	75.8v	100.5v	41.5v	0.0v	603.61v
277	Mr LMD Cheek	X	71.8v	73.9v	50.7v	48.4v	48.4v	47.3v	49.6v	74.9v	99.6v	44.3v	0.0v	603.59v
278	Mr CA Skellett	A	75.9v	70.7v	50.5v	44.4v	49.5v	50.6v	48.2v	74.13v	100.8v	43.0v	0.0v	603.59v
279	Mr SH Wingrove	O	73.6v	71.7v	48.4v	49.2v	49.4v	48.6v	47.4v	72.8v	100.10v	46.3v	0.0v	603.54v
280	Mr ND Gomez	O	74.9v	71.6v	49.6v	47.3v	48.5v	48.4v	44.2v	73.9v	103.10v	46.0v	0.0v	603.54v
281	MWO T Dalin	T	72.7v	71.7v	49.5v	48.5v	49.6v	47.4v	47.3v	74.7v	100.6v	46.2v	0.0v	603.52v
282	Mr AG Harrison	O	71.6v	74.8v	50.7v	47.2v	49.8v	48.3v	46.0v	72.7v	101.11v	45.0v	0.0v	603.52v
283	Miss C H Sayers	O	74.7v	75.8v	49.4v	45.1v	47.2v	47.5v	50.6v	75.8v	97.8v	44.3v	0.0v	603.52v
284	Mr T Smith	A	73.6v	71.3v	49.5v	47.2v	48.6v	47.4v	48.7v	72.3v	104.12v	44.2v	0.0v	603.50v
285	Dr AF Aspin	A	69.0v	73.8v	48.4v	49.8v	48.4v	47.3v	48.3v	73.7v	101.9v	47.1v	0.0v	603.47v
286	Mr BM Millard	X	72.8v	72.8v	48.5v	45.5v	50.6v	49.5v	46.4v	70.5v	101.9v	49.6v	0.0v	602.61v
287	Dr GP Nelson	A	74.10v	70.4v	49.6v	50.8v	50.6v	47.4v	47.3v	70.6v	100.11v	45.3v	0.0v	602.61v
288	Mr RH Gardiner	A	73.10v	70.5v	48.3v	50.8v	49.3v	43.4v	46.4v	72.9v	103.9v	48.5v	0.0v	602.60v
289	Mr DJ Curtis	O	73.9v	70.6v	46.5v	49.2v	50.6v	50.8v	46.4v	72.4v	103.11v	43.3v	0.0v	602.58v
290	Mr S Glen	A	69.8v	74.11v	49.6v	48.3v	50.5v	48.3v	46.1v	71.5v	101.9v	46.5v	0.0v	602.56v
291	Capt B Fung	T	69.4v	72.7v	49.6v	48.4v	48.4v	49.7v	48.4v	73.8v	101.8v	45.3v	0.0v	602.55v
292	Miss JC Melling	X	72.8v	71.7v	48.4v	48.3v	50.6v	49.5v	46.2v	74.6v	100.9v	44.3v	0.0v	602.53v
293	Mr J Cload	X	73.4v	73.8v	47.3v	48.7v	48.5v	50.5v	49.3v	66.4v	101.9v	47.4v	0.0v	602.52v
294	Mr PB Vamplew	X	74.5v	73.5v	49.3v	46.2v	49.5v	49.7v	45.4v	74.9v	100.9v	43.1v	0.0v	602.50v
295	Mr AJ Luckman	X	68.5v	71.6v	50.5v	49.7v	49.6v	48.4v	48.7v	67.5v	104.11v	47.5v	0.0v	601.61v
296	Mr RW McVeigh	O	69.4v	71.8v	48.4v	48.3v	49.5v	48.5v	46.2v	74.11v	102.13v	46.4v	0.0v	601.59v
297	Mr KB Hill	O	73.9v	72.4v	50.6v	47.3v	49.6v	48.5v	42.3v	72.7v	101.11v	47.4v	0.0v	601.58v
298	Sgt SO Otundo	X	74.11v	72.6v	49.5v	48.4v	49.6v	48.5v	45.1v	73.6v	100.12v	43.2v	0.0v	601.58v
299	Mr DN Lindsay	A	73.6v	72.7v	49.7v	47.6v	47.4v	49.3v	47.2v	71.6v	102.13v	44.2v	0.0v	601.56v
300	Mr PS Gray	A	73.7v	71.8v	49.6v	48.5v	49.5v	46.3v	46.6v	72.4v	101.7v	46.4v	0.0v	601.55v
301	Mr TJ Bryan	X	73.9v	72.4v	49.7v	47.2v	49.2v	47.4v	48.6v	72.8v	101.9v	43.4v	0.0v	601.55v
302	Mr MJW Willing	O	73.9v	70.9v	46.4v	49.3v	48.4v	48.3v	49.5v	71.6v	98.7v	49.4v	0.0v	601.54v
303	P Du Toit	T	70.6v	68.6v	50.4v	49.6v	48.3v	46.2v	49.5v	73.10v	101.10v	47.2v	0.0v	601.54v
304	Cdt D Shakhman	T	72.7v	72.7v	49.7v	44.2v	50.5v	50.5v	45.2v	73.7v	102.10v	44.2v	0.0v	601.54v
305	Mr S Sharma	O	75.11v	71.6v	50.5v	48.6v	49.2v	49.1v	48.5v	71.9v	99.9v	41.0v	0.0v	601.54v
306	Ms CH Hearn	O	72.7v	72.4v	49.5v	48.4v	49.7v	46.1v	47.1v	73.9v	98.9v	47.5v	0.0v	601.52v
307	Mr LM Peden	X	71.7v	74.9v	49.3v	49.3v	50.5v	47.4v	47.2v	71.4v	98.7v	45.8v	0.0v	601.52v
308	Mr TJ Johnston	O	70.6v	72.5v	49.8v	44.3v	48.3v	48.4v	48.4v	74.5v	100.10v	48.3v	0.0v	601.51v
309	Mr CR Hirst	O	73.5v	70.5v	48.2v	45.5v	46.3v	50.1v	48.5v	75.9v	100.11v	46.5v	0.0v	601.51v
310	Mr JD Webber	O	73.7v	71.6v	50.6v	44.3v	47.4v	47.6v	47.2v	75.9v	101.7v	46.1v	0.0v	601.51v
311	Mr AP Partridge	A	73.10v	71.6v	49.5v	45.1v	48.2v	48.5v	48.2v	72.8v	101.7v	46.4v	0.0v	601.50v
312	Mrs RA Wiltshire	X	72.7v	73.6v	47.6v	48.2v	49.5v	48.5v	47.5v	71.5v	100.6v	46.3v	0.0v	601.50v
313	Mr R Kloosterman	A	73.7v	72.4v	49.7v	48.4v	48.5v	48.4v	44.1v	74.9v	97.4v	48.3v	0.0v	601.48v
314	Miss RL Laird	A	71.8v	72.6v	48.5v	49.1v	49.4v	49.6v	46.1v	73.5v	97.10v	47.2v	0.0v	601.48v
315	Mr AMS Sadler	O	73.7v	71.5v	48.4v	45.2v	47.4v	47.2v	46.4v	75.7v	101.7v	48.4v	0.0v	601.46v
316	Mr M Persaud	A	73.8v	73.5v	48.4v	47.2v	48.4v	47.3v	48.4v	72.8v	98.7v	47.1v	0.0v	601.46v
317	Mr AI Brown	A	71.9v	73.9v	48.5v	45.3v	47.4v	47.4v	48.4v	72.6v	103.13v	46.5v	0.0v	600.62v
318	Mr M.L Cotillard	A	74.12v	71.8v	48.4v	45.4v	48.5v	48.3v	47.2v	69.2v	102.16v	48.4v	0.0v	600.60v
319	Miss KE Pope	O	65.3v	73.10v	46.4v	47.5v	49.6v	48.5v	49.7v	75.9v	102.8v	46.3v	0.0v	600.60v
320	Mr RJR Mott	A	73.9v	74.11v	48.5v	49.3v	46.4v	47.2v	44.1v	73.8v	101.14v	45.3v	0.0v	600.60v
321	Mr CD Heales	A	71.9v	73.9v	49.7v	46.5v	49.4v	49.5v	49.5v	71.6v	97.6v	46.3v	0.0v	600.59v
322	Lt. Col. CST Lehmann	O	72.6v	72.8v	50.7v	47.3v	45.3v	45.5v	48.7v	73.8v	101.9v	47.2v	0.0v	600.58v
323	Miss BR Fraser-Burn	X	72.6v	69.4v	49.5v	47.4v	49.8v	48.6v	46.5v	72.8v	103.10v	45.2v	0.0v	600.58v
324	Mr M.R. Frost	O	72.7v	72.7v	49.6v	45.4v	49.5v	49.5v	43.4v	72.6v	101.9v	48.4v	0.0v	600.57v
325	Mr WHC Alexander	O	73.9v	74.9v	49.3v	44.1v	48.5v	49.5v	45.5v	71.9v	101.8v	46.3v	0.0v	600.57v
326	Mr T Keen	A	73.8v	71.6v	49.5v	48.5v	48.6v	47.2v	47.2v	69.6v	104.13v	44.4v	0.0v	600.57v
327	Cpl PL Winter	T	75.11v	71.4v	50.7v	47.4v	47.4v	47.5v	47.2v	72.9v	99.7v	45.3v	0.0v	600.56v
328	Mr N Healy	A	74.10v	73.4v	49.6v	49.3v	50.5v	47.4v	38.2v	71.9v	103.9v	46.3v	0.0v	600.55v
329	Mr JJ Jalili	O	73.7v	69.4v	48.5v	47.3v	48.4v	50.7v	48.4v	74.8v	98.8v	45.2v	0.0v	600.52v
330	Miss KF Fleck	T	75.9v	71.7v	47.2v	48.4v	50.5v	47.3v	44.2v	74.6v	100.11v	44.3v	0.0v	600.52v
331	Mr BA Young	O	73.6v	70.5v	50.5v	48.7v	48.3v	46.4v	47.3v	74.7v	101.11v	43.1v	0.0v	600.52v
332	Mr ARN Kinross	O	72.6v	70.6v	47.5v	48.4v	48.4v	49.7v	45.3v	73.8v	100.3v	48.5v	0.0v	600.51v
333	Mr JN McLaren	X	73.5v	71.5v	47.3v	48.5v	50.7v	48.4v	48.2v	70.6v	99.10v	46.3v	0.0v	600.50v
334	Miss S Ponter	O	70.6v	72.6v	47.3v	48.2v	47.1v	47.3v	50.6v	73.8v	102.14v	44.1v	0.0v	600.50v
335	Mr SYM Ali	T	72.9v	73.6v	48.4v	48.3v	46.2v	50.4v	49.6v	71.6v	100.7v	43.1v	0.0v	600.48v
336	Miss DLT Taylor	O	72.3v	73.6v	47.1v	43.2v	48.5v	50.6v	47.5v	72.8v	103.7v	45.2v	0.0v	600.45v
337	Mr JR Stirland	A	71.6v	74.6v	46.3v	49.5v	47.3v	47.4v	49.1v	72.4v	101.10v	44.2v	0.0v	600.44v
338	Major WF Squires	A	73.11v	74.10v	48.5v	46.6v	49.6v	46.5v	47.5v	71.9v	101.10v	44.3v	0.0v	599.70v
339	Mr CP Goad	O	72.7v	72.10v	47.4v	48.6v	48.3v	47.4v	47.3v	71.8v	102.14v	45.3v	0.0v	599.62v
340	WO G Gagne	T	73.7v	73.8v	47.6v	43.1v	50.6v	49.7v	47.3v	74.9v	100.12v	43.2v	0.0v	599.61v
341	Mr HG Goddard	O	71.8v	73.6v	48.3v	44.4v	49.6v	48.4v	46.5v	73.10v	102.10v	45.4v	0.0v	599.60v
342	Mr TAD Lilley	O	73.9v	74.10v	46.4v	48.3v	50.6v	49.3v	49.4v	75.8v	102.11v	33.2v	0.0v	599.60v
343	Miss CA Staples	O	71.6v	72.8v	47.5v	48.4v	50.7v	49.6v	45.1v	74.10v	99.11v	44.1v	0.0v	599.59v
344	Miss ZN Northam	O	74.8v	73.10v	47.4v	47.5v	49.6v	46.5v	45.2v	72.6v	100.9v	46.3v	0.0v	599.58v

345	Dr MJ Schwarz	A	74.7v	71.7v	49.6v	47.3v	47.6v	48.4v	42.1v	73.11v	101.8v	47.4v	0.0v	599.57v
346	Mr PT Tremblay	X	73.7v	72.7v	49.4v	49.5v	50.4v	49.8v	42.2v	70.7v	99.7v	46.5v	0.0v	599.56v
347	JJ Hendrikz	T	71.6v	70.6v	46.6v	50.4v	50.7v	46.2v	48.3v	74.11v	97.6v	47.4v	0.0v	599.55v
348	Mr JGM Webster	A	72.6v	74.6v	49.7v	48.4v	48.5v	46.4v	42.2v	73.4v	100.10v	47.5v	0.0v	599.53v
349	Mr SW Maris	O	72.3v	72.5v	49.5v	46.6v	48.6v	49.4v	47.4v	72.6v	101.11v	43.3v	0.0v	599.53v
350	Mr YW Thorne	O	71.8v	73.6v	48.3v	50.5v	49.7v	50.5v	46.3v	72.6v	95.4v	45.3v	0.0v	599.50v
351	Miss B Charlton	T	71.7v	73.5v	43.1v	48.1v	48.5v	49.3v	47.3v	73.9v	101.9v	46.6v	0.0v	599.49v
352	IP SN Ndambuki	X	70.6v	71.5v	48.6v	45.2v	50.5v	50.6v	43.1v	73.4v	100.7v	49.6v	0.0v	599.48v
353	Mr R Hedley	O	73.8v	70.4v	48.5v	47.3v	50.6v	49.4v	45.2v	74.5v	99.7v	44.3v	0.0v	599.47v
354	Mr T Horrocks	A	68.2v	72.6v	50.7v	48.7v	49.6v	48.5v	41.2v	72.9v	100.10v	50.6v	0.0v	598.60v
355	Mr JI Jobson	O	72.10v	73.8v	47.3v	50.7v	49.4v	48.3v	45.4v	68.4v	99.11v	47.5v	0.0v	598.59v
356	PA Haasbroek	T	72.7v	74.9v	49.6v	48.4v	47.5v	49.5v	47.1v	71.5v	100.11v	41.2v	0.0v	598.55v
357	Mr DCW Lloyd	O	72.10v	68.5v	46.3v	48.3v	49.2v	48.6v	46.2v	73.10v	99.8v	49.5v	0.0v	598.54v
358	Mr JPL Sweet	X	72.6v	69.5v	46.2v	50.6v	50.6v	49.5v	44.4v	72.7v	101.9v	45.3v	0.0v	598.53v
359	Mr PGW Purdy	O	72.7v	72.9v	49.4v	49.7v	47.6v	48.6v	45.3v	70.2v	101.8v	45.0v	0.0v	598.52v
360	Mr T Steele	X	73.8v	72.8v	49.4v	48.3v	48.5v	47.5v	43.1v	70.5v	101.9v	47.3v	0.0v	598.51v
361	Mr GO Oakland	T	73.4v	72.9v	49.3v	47.1v	45.2v	47.5v	48.3v	73.8v	99.13v	45.1v	0.0v	598.49v
362	DR Reineke	T	72.5v	70.3v	49.8v	46.3v	49.6v	46.5v	46.2v	75.7v	100.7v	45.2v	0.0v	598.48v
363	Mr RBC Baker	X	71.6v	71.6v	47.4v	46.1v	49.6v	48.3v	47.5v	72.6v	100.6v	47.4v	0.0v	598.47v
364	CI JT Thombora	T	71.6v	71.5v	48.6v	46.2v	50.3v	45.3v	47.4v	72.4v	101.10v	47.3v	0.0v	598.46v
365	Mr RP Rosling	O	68.6v	73.8v	47.5v	45.2v	48.3v	47.2v	47.2v	73.5v	103.9v	47.3v	0.0v	598.45v
366	Mr ML Lee	O	75.9v	75.9v	49.2v	47.2v	47.3v	46.1v	46.4v	74.6v	98.7v	41.1v	0.0v	598.44v
367	Mr J Purdy	O	73.1v	72.5v	46.3v	50.7v	46.4v	48.3v	46.3v	74.5v	97.5v	46.3v	0.0v	598.39v
368	Mr TO Orpen-Smellie	O	71.9v	74.8v	50.6v	42.2v	50.8v	48.3v	42.3v	74.12v	103.11v	43.2v	0.0v	597.64v
369	Miss L Watson	X	72.9v	74.9v	50.8v	46.3v	48.7v	45.4v	46.3v	70.5v	102.10v	44.3v	0.0v	597.61v
370	Mr DH Allen	O	74.9v	73.8v	50.4v	48.6v	49.4v	44.4v	49.3v	71.7v	95.7v	44.4v	0.0v	597.56v
371	Cpl JS Serem	X	75.7v	70.8v	46.2v	46.3v	49.3v	45.3v	46.5v	71.5v	103.15v	46.3v	0.0v	597.54v
372	Mr AM Bullen	O	73.8v	71.6v	46.3v	46.4v	47.5v	47.3v	49.5v	74.8v	102.11v	42.1v	0.0v	597.54v
373	Mr JPW Waite	A	68.6v	74.7v	48.4v	46.3v	49.5v	48.5v	47.4v	73.7v	99.10v	45.2v	0.0v	597.53v
374	Mr ST Taylor	A	73.7v	72.7v	49.6v	45.2v	48.6v	47.5v	45.1v	70.8v	103.7v	45.3v	0.0v	597.52v
375	Mr B Taylor	O	72.8v	71.7v	49.6v	47.3v	48.3v	46.4v	47.5v	73.8v	97.6v	47.0v	0.0v	597.50v
376	Mr RK Knowles	T	73.5v	74.10v	46.2v	50.5v	50.1v	44.2v	42.2v	74.10v	100.11v	44.2v	0.0v	597.50v
377	Mr SH Cox	O	71.8v	71.8v	46.5v	47.2v	48.5v	47.1v	47.1v	73.6v	100.8v	47.5v	0.0v	597.49v
378	Mr R Bird	T	73.9v	72.6v	49.6v	48.4v	47.1v	45.1v	46.4v	67.5v	104.11v	46.2v	0.0v	597.49v
379	Mr RJ Quay	O	70.4v	69.6v	48.6v	48.2v	49.5v	49.5v	46.6v	71.5v	102.9v	45.1v	0.0v	597.49v
380	Mr RG Scott	O	74.5v	73.8v	47.4v	46.1v	49.5v	47.4v	44.3v	74.9v	99.7v	44.3v	0.0v	597.49v
381	Mr PJS Bysshe	O	70.7v	70.5v	49.5v	46.4v	49.6v	49.5v	45.3v	71.6v	102.5v	46.2v	0.0v	597.48v
382	Mr PJ Thompson	A	71.6v	73.6v	48.6v	49.4v	49.7v	44.3v	49.5v	72.8v	100.13v	41.2v	0.0v	596.60v
383	Mr SR Dawes	O	71.6v	70.5v	50.8v	49.5v	48.5v	44.2v	46.4v	75.7v	99.13v	44.2v	0.0v	596.57v
384	Mr MD Jenvey	A	69.4v	74.10v	49.6v	46.4v	48.5v	48.4v	47.6v	72.4v	103.10v	40.3v	0.0v	596.56v
385	RK Leite	T	71.6v	72.4v	48.5v	50.5v	48.3v	45.4v	43.4v	73.10v	99.10v	47.3v	0.0v	596.54v
386	WO J Metcalfe	T	71.6v	72.7v	49.6v	46.0v	47.3v	47.4v	45.1v	73.9v	98.11v	48.5v	0.0v	596.52v
387	Mr OH Henry	A	70.8v	72.7v	48.5v	50.6v	47.2v	46.4v	49.4v	71.7v	101.6v	42.3v	0.0v	596.52v
388	Mr MJ Brister	A	74.5v	70.4v	50.7v	47.4v	48.4v	48.3v	45.4v	73.5v	96.8v	45.3v	0.0v	596.47v
389	Mr CSJ Marlow	O	71.5v	72.5v	48.4v	47.2v	48.4v	46.2v	49.6v	71.7v	103.10v	41.2v	0.0v	596.47v
390	Ms BM Moore	O	74.11v	70.8v	49.6v	49.6v	48.6v	49.5v	49.6v	73.7v	102.9v	32.1v	0.0v	595.65v
391	Mr P S Holmes	X	72.7v	71.7v	48.6v	48.6v	45.4v	48.6v	45.4v	68.7v	102.6v	48.4v	0.0v	595.57v
392	Mr ISL Dampney	A	72.7v	69.6v	49.8v	44.2v	49.6v	49.3v	47.4v	75.9v	98.10v	43.2v	0.0v	595.57v
393	Mr CS Lamont	O	71.6v	71.5v	47.3v	46.4v	49.7v	44.2v	48.4v	74.12v	101.10v	44.3v	0.0v	595.56v
394	Miss CM Jones	A	71.7v	66.5v	50.5v	50.6v	49.3v	44.3v	48.5v	73.8v	99.11v	45.2v	0.0v	595.55v
395	Mr RL Johnson	O	70.7v	74.9v	49.6v	49.3v	49.6v	45.3v	43.1v	73.7v	99.10v	44.3v	0.0v	595.55v
396	Mr AS Errey	O	73.9v	69.5v	47.2v	49.8v	46.2v	50.6v	45.1v	71.8v	98.9v	47.4v	0.0v	595.54v
397	CSM M Witherley	T	68.6v	73.7v	49.6v	44.5v	49.7v	49.5v	49.4v	74.6v	99.8v	41.0v	0.0v	595.54v
398	Mr NL Lehrter	T	71.6v	69.4v	47.5v	48.5v	50.7v	47.4v	46.4v	70.6v	101.10v	46.2v	0.0v	595.53v
399	Mr EWW Feast	O	71.4v	73.5v	47.4v	45.4v	46.3v	50.7v	48.6v	68.5v	99.9v	48.4v	0.0v	595.51v
400	Mr MJ Creber	O	70.5v	70.3v	49.7v	47.3v	47.5v	49.6v	43.2v	74.7v	98.9v	48.4v	0.0v	595.51v
401	Mr B Lottritz	O	72.4v	71.3v	49.7v	45.4v	47.4v	48.3v	46.5v	73.8v	99.8v	45.3v	0.0v	595.49v
402	LJ Jansen van Rensburg	T	69.8v	70.6v	48.3v	48.5v	50.5v	49.3v	45.4v	72.7v	99.8v	45.0v	0.0v	595.49v
403	Mr AN Tongue	O	71.7v	72.7v	49.5v	45.2v	49.4v	50.5v	44.0v	72.7v	99.9v	44.2v	0.0v	595.48v
404	Mr RF Barrington	O	70.5v	72.8v	50.5v	48.5v	50.6v	47.4v	45.3v	68.2v	97.6v	48.3v	0.0v	595.47v
405	MWO M Kommes	T	67.7v	69.7v	49.4v	47.0v	49.5v	50.5v	43.1v	75.6v	100.10v	46.1v	0.0v	595.46v
406	Mr CJ Sherratt	O	71.9v	72.7v	49.7v	48.3v	48.4v	44.3v	43.3v	74.8v	98.11v	47.5v	0.0v	594.60v
407	Miss PG Macdonald	A	73.6v	70.6v	47.6v	43.3v	49.8v	48.6v	47.4v	73.8v	100.9v	44.3v	0.0v	594.59v
408	Mr WJ Rowland	A	70.3v	71.7v	50.6v	48.6v	47.6v	49.6v	47.7v	72.11v	93.3v	47.3v	0.0v	594.58v
409	Mr SL Larter-Whitcher	O	73.7v	71.7v	49.6v	45.1v	48.6v	49.4v	42.4v	73.8v	98.9v	46.5v	0.0v	594.57v
410	Wg Cdr IA Mollan	O	69.6v	72.3v	48.6v	48.2v	49.7v	44.2v	45.3v	71.7v	101.13v	47.5v	0.0v	594.54v
411	WO E Hoyes	T	73.8v	71.3v	47.5v	49.5v	49.6v	49.6v	44.5v	73.8v	100.7v	39.1v	0.0v	594.54v
412	Mr F Bilton	A	68.3v	71.7v	49.5v	48.4v	46.3v	47.5v	44.5v	71.4v	102.11v	48.6v	0.0v	594.53v
413	Ms TD De La Cour	T	72.6v	71.6v	47.2v	46.2v	47.3v	48.5v	46.4v	73.10v	101.10v	43.3v	0.0v	594.51v
414	Mr MR Clewer	O	72.5v	72.7v	48.6v	46.1v	47.3v	48.5v	48.3v	72.7v	98.10v	43.3v	0.0v	594.50v
415	Mr A Coakes	O	72.8v	70.5v	46.3v	47.6v	48.6v	48.4v	49.1v	70.5v	99.7v	45.3v	0.0v	594.48v
416	Mr MR Rewston	O	72.6v	74.8v	50.3v	44.1v	48.4v	44.2v	43.3v	73.9v	102.9v	44.2v	0.0v	594.47v

417	Mrs DA Thompson	A	70.5v	71.6v	49.5v	47.3v	50.4v	45.2v	46.4v	69.6v	104.9v	43.3v	0.0v	594.47v
418	Mr G Hart	O	73.7v	69.7v	47.3v	48.6v	48.3v	49.2v	44.4v	69.4v	102.7v	45.3v	0.0v	594.46v
419	Mr RJ Cade	O	69.4v	71.6v	47.3v	49.4v	47.3v	47.3v	46.1v	73.7v	100.9v	45.3v	0.0v	594.43v
420	Mr J Shanks	O	73.4v	69.7v	50.4v	49.6v	44.2v	49.3v	46.3v	71.4v	100.8v	43.2v	0.0v	594.43v
421	Mr NJ Burnip	O	75.9v	71.6v	47.5v	49.3v	50.4v	45.0v	43.2v	70.2v	101.9v	43.2v	0.0v	594.42v
422	Mr J Lei	O	73.10v	70.7v	49.8v	49.5v	47.4v	48.5v	44.3v	73.7v	98.10v	42.3v	0.0v	593.62v
423	Mr SMB Maitland Bondonneau	T	68.3v	72.8v	47.5v	50.7v	50.8v	45.3v	47.6v	71.4v	98.11v	45.2v	0.0v	593.57v
424	CI PK Kiveleeti	T	74.10v	71.7v	48.1v	48.4v	48.7v	47.6v	42.3v	70.3v	100.10v	45.2v	0.0v	593.53v
425	Miss KM Milner	O	72.8v	73.6v	48.4v	48.4v	48.5v	47.3v	45.4v	68.6v	98.9v	46.3v	0.0v	593.52v
426	Mr JE White	O	71.7v	71.6v	48.4v	43.2v	49.4v	47.6v	47.3v	72.6v	99.11v	46.3v	0.0v	593.52v
427	Mr RE Ellis	A	75.9v	74.8v	46.3v	41.3v	46.2v	50.8v	46.3v	73.8v	99.5v	43.2v	0.0v	593.51v
428	Mr I Brechin	A	70.6v	71.4v	48.2v	42.0v	47.7v	49.5v	44.1v	74.7v	101.14v	47.2v	0.0v	593.48v
429	Mr ADE Grounds	O	68.5v	69.8v	47.1v	48.4v	49.5v	45.2v	46.4v	74.6v	101.11v	46.2v	0.0v	593.48v
430	Mr E Stuart-Bamford	O	71.7v	67.2v	48.5v	46.3v	47.2v	48.6v	49.6v	71.4v	102.9v	44.3v	0.0v	593.47v
431	Miss S Cheslyn-Curtis	O	71.5v	73.7v	47.5v	48.5v	48.5v	49.5v	47.5v	67.2v	100.7v	43.1v	0.0v	593.47v
432	Mr CTS Belk	X	72.5v	70.4v	46.3v	47.4v	48.4v	48.6v	46.2v	72.6v	99.8v	45.4v	0.0v	593.46v
433	Cdt TO Little	T	72.6v	69.4v	49.4v	49.5v	49.6v	47.6v	43.1v	70.6v	100.7v	45.1v	0.0v	593.46v
434	Mr MS Cavie	A	73.7v	72.6v	49.5v	48.3v	49.6v	48.5v	43.1v	71.4v	97.7v	43.2v	0.0v	593.46v
435	Mr V Robertshaw	O	70.5v	72.5v	48.5v	48.4v	48.6v	45.3v	44.3v	71.4v	100.9v	47.1v	0.0v	593.45v
436	Mr IF Luckman	O	68.4v	72.8v	49.5v	48.2v	48.6v	48.3v	46.2v	74.4v	100.9v	40.1v	0.0v	593.44v
437	Mr SJ Comins	O	72.11v	72.8v	48.5v	45.3v	48.4v	49.6v	47.3v	71.8v	101.10v	39.2v	0.0v	592.60v
438	Mr JA Curd	X	72.9v	72.6v	50.8v	45.2v	49.7v	48.4v	44.3v	68.5v	104.11v	40.1v	0.0v	592.56v
439	Mr DTA Cobb	O	71.8v	70.7v	47.4v	47.5v	45.4v	49.5v	48.4v	72.8v	101.8v	42.2v	0.0v	592.55v
440	Mr PB Cutts	O	75.7v	72.9v	49.5v	46.5v	49.4v	44.2v	45.4v	72.8v	98.8v	42.1v	0.0v	592.53v
441	Mr GH Bentley	O	71.4v	71.6v	46.3v	48.7v	50.8v	46.2v	47.3v	71.7v	100.9v	42.2v	0.0v	592.51v
442	Miss HPC Bramwell	O	72.6v	73.8v	49.5v	44.1v	50.6v	49.5v	46.3v	73.9v	95.7v	41.1v	0.0v	592.51v
443	Miss CEM Mawson	O	72.6v	73.8v	48.6v	43.2v	48.5v	47.4v	43.1v	74.7v	102.10v	42.1v	0.0v	592.50v
444	Mr DN Webber	O	68.5v	72.3v	48.3v	45.1v	47.6v	48.6v	47.3v	73.9v	97.8v	47.5v	0.0v	592.49v
445	Cdt BG Chamberlain	O	71.9v	72.6v	49.5v	46.3v	46.3v	48.5v	47.4v	72.6v	95.3v	46.4v	0.0v	592.48v
446	Mr P Dawes	O	70.6v	71.5v	50.8v	47.6v	46.1v	46.2v	48.3v	68.3v	99.7v	47.6v	0.0v	592.47v
447	Mr EG Lawrence	O	71.4v	73.7v	48.4v	48.4v	47.4v	49.6v	44.3v	69.6v	97.6v	46.3v	0.0v	592.47v
448	Mr NC Granger	O	71.6v	66.5v	49.5v	46.2v	47.4v	49.3v	45.4v	73.7v	100.9v	46.0v	0.0v	592.45v
449	Miss RH Harrison	T	71.1v	69.5v	46.3v	49.4v	50.6v	48.4v	45.2v	70.4v	99.7v	45.3v	0.0v	592.39v
450	Mr U Soelzer	O	67.7v	69.8v	50.7v	43.3v	49.6v	48.5v	48.4v	73.8v	99.8v	45.3v	0.0v	591.59v
451	Mr SM McGinnis	X	72.6v	72.7v	46.3v	46.4v	50.8v	45.4v	47.4v	72.9v	99.8v	42.3v	0.0v	591.56v
452	Mr ST Treacy	O	73.11v	67.7v	47.3v	48.3v	49.5v	49.5v	41.0v	73.10v	98.8v	46.3v	0.0v	591.55v
453	Mr AD De Vivenot	T	72.7v	71.6v	50.8v	48.7v	49.3v	46.3v	45.4v	70.4v	99.10v	41.3v	0.0v	591.55v
454	Mr J Golling	X	72.4v	73.5v	47.5v	48.6v	46.5v	48.5v	47.6v	70.6v	101.11v	39.1v	0.0v	591.54v
455	Mr WJ Johnson	O	74.9v	73.7v	47.4v	40.1v	47.4v	48.3v	46.5v	72.8v	99.8v	45.4v	0.0v	591.53v
456	Mr OD De Gruchy	O	72.6v	69.5v	47.4v	48.4v	48.6v	49.4v	44.3v	71.10v	100.9v	43.2v	0.0v	591.53v
457	Lt JW Jenkins	X	71.6v	70.6v	46.1v	49.3v	48.6v	47.4v	49.5v	73.10v	98.9v	40.2v	0.0v	591.52v
458	Mr HK Lottritz	O	73.8v	69.7v	47.4v	42.0v	47.5v	48.4v	48.6v	72.7v	99.7v	46.3v	0.0v	591.51v
459	Mr HB Lee	O	68.3v	70.6v	49.7v	46.2v	50.8v	46.5v	45.3v	72.4v	100.8v	45.5v	0.0v	591.51v
460	Mr TR Webster	O	71.6v	68.6v	48.4v	43.1v	49.7v	45.5v	50.2v	71.9v	101.6v	45.4v	0.0v	591.50v
461	Mr GL Clarke	O	71.5v	69.7v	48.6v	44.1v	49.6v	47.5v	47.2v	69.5v	104.10v	43.1v	0.0v	591.48v
462	CWO J Tordoff	T	70.4v	71.4v	49.5v	45.4v	47.6v	49.3v	45.2v	73.9v	96.6v	46.2v	0.0v	591.45v
463	Mr SCW Dixon	O	73.5v	71.3v	46.3v	46.0v	49.7v	44.3v	44.4v	72.3v	102.15v	44.2v	0.0v	591.45v
464	Mr C Hughes	O	71.6v	71.7v	48.2v	45.1v	49.5v	48.3v	44.2v	73.8v	102.11v	40.0v	0.0v	591.45v
465	Mr WC Cowen	O	73.5v	68.3v	47.5v	45.2v	50.4v	49.4v	43.2v	73.8v	99.7v	44.4v	0.0v	591.44v
466	Mr SJ Jauncey	O	69.4v	72.5v	46.3v	50.7v	49.4v	47.3v	46.3v	67.3v	98.7v	47.4v	0.0v	591.43v
467	Lt E Bosse	T	71.5v	67.1v	47.4v	48.4v	48.3v	48.3v	47.3v	70.5v	101.8v	44.1v	0.0v	591.37v
468	Mr RL Lindsay	T	71.7v	67.5v	48.4v	45.2v	50.5v	48.5v	43.0v	75.14v	101.10v	42.1v	0.0v	590.53v
469	Mr ID Macdonald	O	70.7v	71.7v	49.8v	46.3v	48.4v	46.3v	47.4v	72.7v	96.5v	45.3v	0.0v	590.51v
470	Miss CE Davies	O	73.3v	74.7v	48.5v	48.5v	49.6v	49.5v	45.6v	62.3v	98.8v	44.3v	0.0v	590.51v
471	WO1 W Jury-Simpson	T	71.6v	73.8v	44.2v	47.3v	48.2v	46.4v	43.1v	72.7v	101.12v	45.3v	0.0v	590.48v
472	Mr CW Slator	O	73.7v	74.9v	48.4v	49.9v	49.4v	48.1v	44.3v	68.4v	97.6v	40.1v	0.0v	590.48v
473	Mr AT Tucker	O	71.6v	71.8v	48.4v	48.4v	48.3v	48.4v	46.2v	69.6v	101.9v	40.1v	0.0v	590.47v
474	Mr JR Lindsay	O	71.4v	72.3v	48.4v	45.1v	49.7v	45.1v	46.4v	68.6v	102.10v	44.3v	0.0v	590.43v
475	Dr CW Freeman	O	69.4v	70.3v	47.4v	47.3v	49.3v	48.2v	46.3v	70.5v	99.9v	45.1v	0.0v	590.37v
476	Mr KR Trowbridge	O	70.5v	71.4v	49.5v	47.3v	45.1v	43.1v	50.4v	72.5v	97.4v	46.2v	0.0v	590.34v
477	D Du Toit	T	72.6v	73.7v	45.3v	49.3v	50.6v	43.4v	40.4v	74.9v	97.7v	46.2v	0.0v	589.51v
478	Mr P Waldron	O	71.8v	72.7v	50.4v	47.3v	48.5v	47.4v	43.2v	66.6v	99.8v	46.2v	0.0v	589.49v
479	Mr GR Ratcliff	O	71.6v	67.5v	49.5v	44.1v	47.3v	50.5v	45.2v	74.8v	99.12v	43.2v	0.0v	589.49v
480	Mr RA Webb	O	69.7v	71.6v	48.7v	44.1v	49.4v	46.4v	46.3v	72.8v	98.5v	46.3v	0.0v	589.48v
481	Mr GED Hart	O	71.4v	74.7v	46.1v	44.4v	48.1v	46.4v	44.5v	72.7v	101.11v	43.1v	0.0v	589.45v
482	Mr S Robinson	O	73.7v	72.8v	48.2v	47.2v	46.4v	42.4v	48.4v	73.5v	100.8v	40.1v	0.0v	589.45v
483	Mr EA Atkins	T	71.3v	71.4v	48.4v	46.4v	49.4v	47.3v	43.1v	72.6v	97.10v	45.2v	0.0v	589.41v
484	Mr RA Benest	A	73.7v	64.1v	47.5v	47.4v	49.2v	50.7v	47.2v	71.3v	96.6v	45.2v	0.0v	589.39v
485	Mr P Glen	A	74.11v	72.6v	49.3v	47.5v	47.3v	48.4v	46.0v	63.0v	100.7v	43.0v	0.0v	589.39v
486	Mr RG Evans	O	70.6v	70.10v	49.9v	42.5v	47.6v	47.1v	46.3v	74.11v	99.11v	44.1v	0.0v	588.63v
487	Mr PA Goubert	A	73.10v	73.8v	48.4v	45.3v	46.4v	48.4v	47.3v	72.8v	99.7v	37.2v	0.0v	588.53v
488	Sgt HC Harris	T	75.9v	69.6v	49.7v	46.2v	48.6v	48.5v	44.1v	66.4v	98.8v	45.3v	0.0v	588.51v

489	Mr S Brewer-Marchant	O	70.7v	71.7v	50.6v	44.2v	49.6v	44.2v	43.2v	70.6v	103.11v	44.2v	0.0v	588.51v
490	Mr PG Gilleece	O	63.6v	71.5v	47.5v	49.5v	48.3v	46.3v	46.2v	73.10v	101.7v	44.3v	0.0v	588.49v
491	Mr AC Griffin	O	74.8v	71.5v	47.3v	48.3v	47.2v	47.6v	44.3v	69.5v	96.9v	45.4v	0.0v	588.48v
492	Mr AJ Jones	O	69.5v	69.6v	48.4v	48.7v	46.4v	46.4v	45.1v	70.4v	101.9v	46.3v	0.0v	588.47v
493	Mr MD Wright	O	71.6v	68.7v	48.3v	47.3v	49.3v	49.4v	46.4v	72.9v	97.6v	41.2v	0.0v	588.47v
494	Mr CD Atkins	O	69.6v	69.6v	48.6v	45.3v	48.3v	44.0v	46.4v	72.5v	98.7v	49.5v	0.0v	588.45v
495	Mr DAF Parkinson	O	74.10v	70.4v	48.7v	43.4v	49.4v	47.1v	44.1v	70.5v	96.6v	47.3v	0.0v	588.45v
496	Mr HN Watson	O	71.8v	73.2v	45.3v	43.1v	49.7v	47.3v	49.5v	73.7v	93.4v	45.3v	0.0v	588.43v
497	Mr IM Markwell	O	70.4v	70.5v	49.4v	48.6v	48.2v	48.6v	42.1v	72.5v	97.6v	44.1v	0.0v	588.40v
498	Sgt DK Kirui	X	73.7v	70.4v	50.5v	43.1v	48.5v	46.6v	43.3v	69.7v	100.10v	45.2v	0.0v	587.50v
499	Mr LM Malcic	T	73.9v	70.5v	50.3v	43.4v	49.4v	47.4v	41.2v	68.4v	101.12v	45.2v	0.0v	587.49v
500	Mr AM Mcconnell	T	73.4v	69.5v	49.5v	33.3v	50.6v	47.4v	46.4v	72.6v	103.7v	45.3v	0.0v	587.47v
501	Cdt BZ Danziger	T	72.5v	71.5v	48.7v	44.3v	47.3v	49.4v	45.5v	73.8v	96.6v	42.1v	0.0v	587.47v
502	Mr ML Le Vasseur	T	71.7v	71.8v	48.3v	46.4v	49.5v	46.1v	43.1v	68.6v	99.7v	46.4v	0.0v	587.46v
503	Mr R Atkins	A	71.8v	69.5v	48.7v	47.4v	47.3v	43.1v	47.2v	70.5v	100.7v	45.3v	0.0v	587.45v
504	Mr CV Van Beveren	T	71.10v	73.8v	45.2v	48.1v	45.2v	47.4v	45.2v	72.7v	99.8v	42.1v	0.0v	587.45v
505	Mr RF Burden	O	73.6v	73.8v	49.5v	45.4v	49.7v	46.1v	43.2v	71.6v	98.5v	40.0v	0.0v	587.44v
506	Mr T S McDowell	O	70.4v	69.7v	47.3v	44.2v	47.3v	42.2v	49.2v	69.4v	102.7v	48.6v	0.0v	587.40v
507	Mr LT Wicker	A	74.8v	69.3v	46.2v	46.3v	46.3v	47.5v	48.3v	72.5v	95.4v	44.2v	0.0v	587.38v
508	Mr R W Ramage	O	69.5v	71.7v	48.7v	47.4v	49.7v	46.3v	44.4v	72.8v	97.8v	43.1v	0.0v	586.54v
509	Mr R Kligge	O	71.7v	65.5v	49.5v	47.3v	50.6v	48.3v	40.1v	72.7v	100.11v	44.2v	0.0v	586.50v
510	Cdt CPP Brewin	O	71.6v	69.4v	50.6v	43.0v	48.5v	44.1v	44.2v	74.9v	99.12v	44.3v	0.0v	586.48v
511	Mr JNF Campbell	O	74.5v	69.8v	45.2v	46.3v	48.5v	46.1v	47.5v	72.12v	98.5v	41.2v	0.0v	586.48v
512	Cdt A Hoo	T	71.5v	70.5v	47.6v	47.5v	48.2v	45.2v	48.4v	73.4v	98.7v	39.2v	0.0v	586.42v
513	Mr JT Kennedy	O	71.4v	68.3v	45.3v	48.4v	46.2v	48.3v	44.3v	72.5v	105.15v	39.0v	0.0v	586.42v
514	WO P Karran	T	72.5v	72.5v	46.2v	48.1v	44.1v	48.5v	44.0v	69.5v	98.6v	45.3v	0.0v	586.33v
515	Mr MHH John	O	72.8v	72.8v	47.4v	39.2v	48.6v	41.1v	45.5v	73.7v	101.10v	47.4v	0.0v	585.55v
516	Mr GRP Shapland	O	71.7v	69.3v	50.8v	40.2v	50.6v	49.9v	48.4v	73.7v	93.6v	42.3v	0.0v	585.55v
517	Mr KJA Painter	O	73.10v	70.4v	50.6v	47.5v	47.3v	49.4v	43.4v	66.2v	96.9v	44.2v	0.0v	585.49v
518	WO S Wilkinson-DeRoche	T	73.8v	69.5v	48.4v	40.2v	49.6v	48.7v	44.2v	71.6v	96.5v	47.3v	0.0v	585.48v
519	Mr I Brotherston	O	73.3v	70.5v	46.2v	45.2v	48.8v	48.3v	48.4v	64.2v	95.10v	48.3v	0.0v	585.42v
520	Mr JA Mulcahy	O	72.6v	71.7v	47.2v	45.4v	49.5v	49.3v	40.0v	70.3v	101.9v	41.3v	0.0v	585.42v
521	Dr KW Genders	O	72.8v	69.8v	49.5v	45.4v	46.5v	49.5v	43.3v	70.5v	94.5v	47.4v	0.0v	584.52v
522	Mr AF Donald	A	73.7v	69.7v	49.5v	45.2v	46.2v	49.5v	43.2v	70.8v	96.9v	44.3v	0.0v	584.50v
523	Mr JS Stewart	T	69.7v	69.6v	47.5v	45.2v	47.2v	47.4v	50.6v	69.6v	96.5v	45.3v	0.0v	584.46v
524	Mr RPF Fagan	O	74.5v	72.5v	42.2v	46.4v	40.4v	47.2v	46.2v	73.8v	100.8v	44.2v	0.0v	584.42v
525	Mr RA Mullin	O	70.7v	71.5v	46.4v	49.3v	46.2v	44.3v	44.4v	71.3v	100.9v	43.1v	0.0v	584.41v
526	Mr LW Wittenburg	T	69.5v	70.6v	49.3v	40.1v	49.6v	48.4v	46.0v	71.8v	100.6v	42.1v	0.0v	584.40v
527	Mr PK Kenmir	T	70.6v	71.7v	46.2v	46.1v	47.4v	47.4v	43.0v	71.4v	99.8v	44.2v	0.0v	584.38v
528	Miss HV Southall	O	68.7v	69.6v	41.1v	47.2v	49.6v	48.4v	47.5v	67.4v	101.12v	46.4v	0.0v	583.51v
529	Mr AK Fitch	O	70.3v	69.3v	45.3v	44.3v	45.3v	49.5v	43.3v	71.7v	99.10v	48.7v	0.0v	583.47v
530	Mr PCW Rose	O	64.3v	67.4v	50.6v	47.2v	49.4v	45.2v	44.1v	74.9v	97.7v	46.4v	0.0v	583.42v
531	Mr DA Smith	O	69.4v	70.6v	47.0v	47.3v	47.6v	47.4v	44.3v	71.4v	96.9v	45.3v	0.0v	583.42v
532	Flt. Lt. CM Fopp	O	69.3v	71.3v	42.3v	43.2v	49.3v	47.5v	47.3v	72.8v	98.9v	45.0v	0.0v	583.39v
533	Mr RK Jackson	O	73.7v	72.8v	47.3v	47.1v	48.3v	45.3v	46.2v	65.2v	98.7v	42.2v	0.0v	583.38v
534	Dr N P Tucker	O	72.5v	71.6v	49.4v	45.1v	49.3v	46.4v	43.3v	71.4v	97.8v	40.0v	0.0v	583.38v
535	Mr HP Noss	T	70.6v	69.4v	47.4v	41.1v	48.5v	47.2v	47.3v	71.4v	98.6v	45.2v	0.0v	583.37v
536	Mr E Sewell	O	72.6v	72.7v	46.3v	42.2v	49.7v	48.3v	46.5v	73.7v	95.7v	39.7v	0.0v	582.54v
537	WO E Pritchard	T	68.6v	71.4v	47.7v	43.1v	48.6v	45.3v	47.5v	69.3v	97.8v	47.3v	0.0v	582.46v
538	Mr BD Jones	T	62.4v	74.10v	48.6v	46.2v	49.3v	47.2v	45.0v	73.7v	98.6v	40.1v	0.0v	582.41v
539	Mr WB Ross	T	70.5v	69.4v	47.2v	44.3v	46.3v	43.4v	49.4v	68.5v	99.7v	47.3v	0.0v	582.40v
540	Mr JP Page	T	70.4v	72.8v	45.1v	44.2v	45.3v	46.2v	49.8v	68.4v	100.6v	43.0v	0.0v	582.38v
541	Mr JS Ritchie	O	71.8v	67.3v	43.2v	47.3v	48.4v	48.5v	47.3v	68.6v	96.7v	46.5v	0.0v	581.46v
542	Mr PL Redstone	X	71.6v	73.5v	48.6v	47.4v	46.4v	43.3v	49.3v	67.2v	95.8v	42.4v	0.0v	581.45v
543	Cadet CTR Gicquel	T	69.3v	72.7v	49.5v	48.4v	49.3v	47.5v	36.1v	70.4v	99.9v	42.1v	0.0v	581.42v
544	Mr F P R Northam	O	69.2v	72.9v	50.5v	46.4v	44.2v	48.3v	45.3v	71.7v	95.4v	41.1v	0.0v	581.40v
545	Mrs RKE Penrose	O	72.7v	71.6v	47.2v	48.3v	46.4v	47.5v	44.1v	68.6v	98.6v	40.0v	0.0v	581.40v
546	Dr G Stevenson	O	71.3v	69.3v	50.5v	46.3v	45.3v	49.5v	45.1v	68.3v	95.4v	43.3v	0.0v	581.33v
547	MWO A King	T	71.6v	72.9v	47.5v	44.1v	48.5v	46.4v	46.3v	72.7v	102.13v	32.0v	0.0v	580.53v
548	Cpl W Woods Ballard	T	72.9v	69.6v	48.7v	47.6v	50.5v	50.6v	42.3v	64.2v	96.6v	42.2v	0.0v	580.52v
549	CWO JA Perron	T	75.9v	72.10v	49.5v	37.0v	48.6v	47.3v	48.4v	71.9v	92.4v	41.2v	0.0v	580.52v
550	Mrs RM Merridew	O	70.8v	70.7v	48.7v	43.2v	50.6v	44.1v	46.3v	66.3v	101.10v	42.3v	0.0v	580.50v
551	Mr P Merry	O	70.5v	67.7v	45.3v	45.1v	48.5v	45.4v	45.4v	73.7v	99.11v	43.2v	0.0v	580.49v
552	Mr SJA Fielding-Isaacs	O	70.7v	72.6v	48.4v	48.5v	49.5v	45.1v	45.2v	71.7v	99.7v	33.2v	0.0v	580.46v
553	GPJ Nel	T	74.7v	68.7v	50.6v	41.2v	44.0v	48.3v	46.5v	69.6v	97.6v	43.3v	0.0v	580.45v
554	Mr HD Donovan	T	74.4v	70.6v	47.4v	44.3v	45.2v	43.1v	46.5v	70.1v	96.7v	45.6v	0.0v	580.39v
555	PC EN Ngetich	X	71.3v	72.10v	47.4v	44.4v	42.3v	46.2v	48.4v	69.5v	97.1v	44.0v	0.0v	580.36v
556	Miss JH Hince	T	72.4v	71.3v	48.7v	48.5v	47.3v	46.2v	43.1v	63.2v	96.5v	46.3v	0.0v	580.35v
557	F/Sgt K Peters	T	72.8v	70.7v	48.5v	46.3v	45.3v	40.2v	43.2v	69.4v	100.8v	46.3v	0.0v	579.45v
558	Mr R Jackson	O	68.2v	70.5v	46.5v	45.5v	47.5v	46.4v	45.3v	70.5v	97.9v	45.2v	0.0v	579.45v
559	WO K Evans	T	72.8v	73.5v	48.2v	47.6v	43.1v	47.1v	43.4v	68.5v	96.10v	42.3v	0.0v	579.45v
560	Mr R Hu	T	67.4v	70.1v	47.3v	37.2v	50.5v	46.1v	46.5v	70.6v	100.12v	46.2v	0.0v	579.41v

561	Sgt WO Odhiambo	O	63.4v	72.7v	46.2v	49.3v	49.3v	48.3v	39.1v	67.6v	103.11v	43.1v	0.0v	579.41v
562	Mr TF Kurn	O	68.1v	68.5v	45.1v	48.4v	46.4v	45.4v	48.5v	69.6v	97.5v	45.4v	0.0v	579.39v
563	G Witthaus	T	72.4v	69.4v	47.4v	43.1v	50.6v	48.3v	46.2v	73.5v	91.1v	40.1v	0.0v	579.31v
564	WO B Chaisson	T	72.9v	71.10v	48.6v	49.9v	47.2v	42.2v	44.1v	68.7v	96.6v	41.0v	0.0v	578.52v
565	Sgt CK Keenan	T	74.7v	72.4v	46.3v	43.3v	48.6v	47.4v	47.5v	68.5v	94.5v	39.2v	0.0v	578.44v
566	Wg. Cdr. MJ Gregory	O	70.5v	72.5v	48.3v	42.1v	42.5v	49.4v	43.2v	69.4v	95.6v	48.8v	0.0v	578.43v
567	Mr R Johnson	T	71.5v	68.7v	45.3v	42.2v	47.3v	48.7v	46.3v	72.4v	96.8v	43.1v	0.0v	578.43v
568	Mr AR Betts	X	71.8v	70.4v	49.4v	45.1v	45.1v	44.3v	48.6v	68.5v	97.8v	41.2v	0.0v	578.42v
569	Mr JS Chipman	O	71.5v	69.3v	46.4v	44.6v	44.0v	47.2v	48.6v	66.5v	97.5v	46.2v	0.0v	578.38v
570	Miss ED Dixon	T	73.6v	68.0v	46.2v	50.7v	46.5v	45.2v	42.1v	70.4v	95.8v	43.3v	0.0v	578.38v
571	Mr NW Penn	O	74.10v	73.8v	48.4v	49.5v	46.0v	44.4v	33.1v	67.5v	97.6v	46.4v	0.0v	577.47v
572	MWO G Dusseault	T	72.10v	71.6v	47.4v	37.2v	48.4v	46.3v	42.3v	73.8v	99.5v	42.2v	0.0v	577.47v
573	Judges AP Powell	O	69.4v	72.7v	50.7v	39.2v	45.2v	48.6v	45.3v	73.9v	94.6v	42.1v	0.0v	577.47v
574	MWO D Brais	T	69.3v	69.8v	48.6v	48.4v	46.5v	43.0v	44.2v	73.10v	92.3v	45.2v	0.0v	577.43v
575	CI NM Mringie	X	73.8v	69.6v	46.3v	44.3v	46.4v	48.5v	47.4v	68.3v	94.4v	42.2v	0.0v	577.42v
576	Mr MR Ebbetts	X	70.5v	71.7v	48.3v	49.5v	47.2v	40.2v	44.3v	71.7v	96.5v	41.2v	0.0v	577.41v
577	Cpl PK Kapkundos	T	67.2v	70.5v	45.2v	48.6v	44.3v	47.4v	43.1v	71.5v	99.9v	43.3v	0.0v	577.40v
578	Dr N Hart	A	70.7v	69.3v	47.4v	42.3v	47.5v	47.4v	45.0v	72.5v	92.5v	46.3v	0.0v	577.39v
579	Mr CH Herter	O	65.3v	68.4v	49.5v	49.5v	46.6v	48.5v	42.3v	68.4v	95.9v	46.4v	0.0v	576.48v
580	Mr IRM Brown	A	71.9v	68.4v	44.3v	45.3v	50.7v	47.4v	35.2v	72.6v	99.9v	45.1v	0.0v	576.48v
581	Mr GH Porter	O	68.4v	68.2v	48.5v	47.2v	47.4v	48.5v	45.2v	69.6v	100.11v	36.0v	0.0v	576.41v
582	Cpl J Wallis	T	69.5v	68.3v	47.1v	41.5v	47.5v	49.5v	46.3v	72.8v	98.4v	39.0v	0.0v	576.39v
583	Mr DN Neal	T	69.5v	68.5v	49.6v	47.6v	47.3v	46.1v	42.1v	70.5v	96.3v	42.1v	0.0v	576.36v
584	Mr EL Legei	X	72.3v	72.5v	48.5v	46.1v	48.3v	42.4v	43.2v	72.5v	94.6v	39.0v	0.0v	576.34v
585	Mr AJD Saunders	O	65.5v	69.5v	47.3v	43.1v	46.4v	48.7v	46.3v	71.5v	94.4v	46.4v	0.0v	575.41v
586	Mr BP Etienne	O	67.5v	70.3v	45.3v	49.5v	47.3v	49.6v	41.1v	71.6v	94.6v	42.1v	0.0v	575.39v
587	Major N Stebbings	O	69.6v	68.2v	46.3v	44.3v	48.3v	46.2v	47.4v	68.4v	95.6v	44.3v	0.0v	575.36v
588	Mr OM Conway	T	68.6v	65.3v	47.4v	45.1v	46.3v	43.1v	48.1v	72.3v	98.7v	43.2v	0.0v	575.31v
589	Cdt S Elliott	T	71.7v	69.5v	48.5v	40.2v	47.6v	46.5v	44.3v	66.4v	102.10v	41.1v	0.0v	574.48v
590	Mr H Durkie	T	67.6v	64.5v	38.1v	46.1v	49.7v	48.4v	47.3v	69.4v	99.8v	47.5v	0.0v	574.44v
591	Cpl BCN Southworth	T	74.8v	70.5v	46.4v	37.2v	49.5v	49.6v	45.2v	69.5v	99.7v	36.0v	0.0v	574.44v
592	Mr TM Mason	O	69.5v	71.4v	50.7v	47.2v	44.2v	47.3v	45.1v	72.9v	100.10v	29.0v	0.0v	574.43v
593	Mr JA Marshall	X	70.7v	61.1v	48.5v	45.4v	44.3v	48.5v	43.2v	72.7v	98.6v	45.1v	0.0v	574.41v
594	Miss EL Sweet	O	68.1v	67.4v	47.4v	45.4v	48.3v	45.4v	46.4v	67.6v	99.5v	42.3v	0.0v	574.38v
595	Mr NR Wells	O	68.3v	70.6v	47.4v	44.4v	49.4v	48.2v	45.4v	68.4v	93.7v	42.0v	0.0v	574.38v
596	Miss ML Wilkins	O	70.3v	72.7v	47.1v	46.7v	45.4v	45.2v	46.3v	63.2v	94.3v	46.3v	0.0v	574.35v
597	Dr JC Jobling	O	70.6v	66.3v	45.3v	45.1v	46.3v	45.2v	47.4v	72.3v	94.6v	44.2v	0.0v	574.33v
598	Mr DF Nesbitt	O	70.6v	68.8v	48.5v	45.4v	43.3v	47.5v	47.2v	72.7v	92.4v	41.1v	0.0v	573.45v
599	Miss ME Kenyon	T	68.2v	69.6v	47.4v	46.3v	48.3v	48.6v	40.2v	74.11v	97.6v	36.1v	0.0v	573.44v
600	Cdt LCpl MDE Larcombe	T	70.4v	69.6v	48.2v	42.1v	47.4v	45.4v	37.0v	72.8v	100.12v	43.0v	0.0v	573.41v
601	Cpl JT Thorp	T	69.5v	65.1v	50.3v	46.4v	45.1v	48.5v	43.2v	70.5v	93.8v	44.2v	0.0v	573.36v
602	Mr SE Edwards	T	67.4v	70.3v	48.2v	47.6v	48.5v	45.1v	47.3v	67.3v	96.7v	38.2v	0.0v	573.36v
603	Miss KM Muhammad	T	66.2v	71.3v	46.3v	45.5v	50.6v	46.5v	44.1v	69.1v	96.8v	40.0v	0.0v	573.34v
604	Miss KL Lindsay	T	71.5v	69.7v	46.4v	44.1v	46.4v	43.2v	42.2v	71.7v	98.5v	42.2v	0.0v	572.39v
605	Mr JS Scambler	T	69.6v	70.5v	44.5v	45.2v	44.1v	43.0v	45.3v	73.5v	100.7v	39.0v	0.0v	572.34v
606	Mr HRM Bailie	O	70.6v	67.3v	49.3v	47.5v	49.3v	44.0v	39.0v	69.5v	95.8v	43.0v	0.0v	572.33v
607	Mr JM de Bruyn	O	66.3v	72.5v	46.4v	44.2v	45.6v	47.2v	42.2v	69.1v	100.7v	41.0v	0.0v	572.32v
608	Mr F Cade	T	64.1v	67.5v	48.3v	47.2v	45.2v	48.1v	46.3v	71.4v	94.2v	42.2v	0.0v	572.25v
609	MWO A Bewli	T	73.11v	71.3v	46.4v	47.6v	48.6v	40.2v	34.0v	69.4v	98.8v	45.1v	0.0v	571.45v
610	Miss AL Matthews	O	71.5v	66.3v	47.3v	47.4v	46.5v	46.1v	38.0v	74.10v	96.7v	40.7v	0.0v	571.45v
611	Sgt R Walley	T	67.2v	69.5v	48.4v	44.1v	48.6v	49.8v	44.2v	69.3v	90.5v	43.2v	0.0v	571.38v
612	Mr J Hollingdale	T	67.5v	68.6v	47.2v	42.0v	49.4v	47.4v	46.2v	65.4v	97.6v	43.4v	0.0v	571.37v
613	Sgt CS Neuhauser	T	71.6v	67.5v	47.5v	46.3v	47.2v	45.5v	45.3v	72.5v	91.2v	40.1v	0.0v	571.37v
614	Mr KG Firth	O	67.2v	68.5v	43.2v	46.3v	47.3v	47.3v	42.2v	69.6v	99.6v	43.2v	0.0v	571.34v
615	Mr R Murray	T	71.5v	69.3v	47.4v	46.6v	48.3v	38.1v	43.1v	69.5v	98.6v	42.0v	0.0v	571.34v
616	Mr RJ Clegg	T	69.8v	71.7v	44.2v	42.2v	48.6v	46.4v	43.3v	69.4v	93.6v	45.0v	0.0v	570.42v
617	CDT TP Shaw	T	70.4v	72.8v	45.5v	49.2v	45.4v	41.2v	44.1v	69.3v	92.3v	43.2v	0.0v	570.34v
618	Mr C Waldron	O	68.3v	70.3v	48.7v	42.1v	48.4v	46.4v	46.0v	65.2v	97.5v	40.2v	0.0v	570.31v
619	Mr MG Grimsdell	O	71.6v	68.2v	47.5v	41.1v	45.2v	44.1v	44.3v	70.5v	92.7v	47.4v	0.0v	569.36v
620	Mr TW Harrison	O	67.1v	68.6v	48.6v	47.4v	43.1v	47.3v	44.2v	62.0v	99.5v	44.2v	0.0v	569.30v
621	Mr CMT Truman	O	69.2v	68.5v	46.2v	42.1v	48.2v	44.3v	48.3v	68.3v	97.4v	39.3v	0.0v	569.28v
622	Mr DJ Stewart	O	66.3v	66.1v	46.4v	41.3v	46.3v	43.2v	46.1v	72.3v	99.3v	44.3v	0.0v	569.26v
623	Mr MP Perez	O	69.4v	70.7v	48.6v	40.3v	48.5v	41.2v	48.3v	68.6v	98.10v	38.2v	0.0v	568.48v
624	Mr AV Vitart	T	65.2v	70.6v	43.1v	46.1v	47.3v	41.3v	49.6v	68.3v	95.8v	44.2v	0.0v	568.35v
625	Mr JD Dixon	T	69.3v	68.3v	46.2v	44.1v	44.3v	46.3v	45.2v	66.2v	96.8v	44.3v	0.0v	568.30v
626	Mr DT Taylor	O	70.7v	72.6v	43.2v	34.3v	48.7v	49.5v	44.1v	72.8v	99.11v	36.2v	0.0v	567.52v
627	Mr EM Brice	O	69.4v	63.2v	47.5v	42.2v	48.6v	47.4v	48.4v	67.4v	93.8v	43.2v	0.0v	567.41v
628	CSM GW Holland	T	71.6v	68.2v	43.2v	45.2v	44.1v	47.4v	38.2v	69.5v	96.9v	46.3v	0.0v	567.36v
629	Mr AJ Le Cheminant	T	70.4v	69.4v	42.2v	46.3v	45.6v	43.2v	40.1v	72.8v	97.5v	43.1v	0.0v	567.36v
630	Mr P F M Ryan	O	69.4v	69.5v	45.3v	46.3v	46.3v	45.4v	41.0v	65.4v	95.6v	46.3v	0.0v	567.35v
631	Mr CD Dart	O	70.8v	69.3v	46.5v	42.0v	48.5v	43.2v	37.1v	73.5v	94.4v	45.2v	0.0v	567.35v
632	Mr PD Le Poidevin	O	67.2v	70.7v	49.3v	46.2v	45.4v	44.1v	45.4v	67.4v	93.7v	41.1v	0.0v	567.35v

633	Mr CAD Flanagan	T	72.4v	68.5v	48.6v	47.5v	44.2v	46.1v	40.2v	72.5v	93.3v	37.1v	0.0v	567.34v
634	Cpl AL Chapman	T	72.9v	70.6v	48.3v	41.2v	49.7v	49.7v	41.1v	71.7v	90.5v	35.1v	0.0v	566.48v
635	Mr EJT Thomas	O	72.8v	66.6v	48.6v	47.4v	47.4v	47.7v	43.2v	62.1v	94.5v	40.1v	0.0v	566.44v
636	Mr PD Pelly	O	67.5v	65.5v	49.5v	46.4v	44.3v	43.2v	47.5v	67.4v	101.8v	37.1v	0.0v	566.42v
637	Mr CC Clifford	T	72.8v	68.6v	48.5v	45.4v	44.3v	47.5v	45.3v	67.3v	93.5v	37.0v	0.0v	566.42v
638	Miss AC Melling	T	69.4v	68.6v	45.4v	48.4v	47.3v	43.3v	44.2v	65.4v	94.6v	43.3v	0.0v	566.39v
639	Mr D Hanson	O	74.9v	68.5v	46.3v	44.1v	42.2v	48.2v	45.3v	71.6v	90.7v	38.1v	0.0v	566.39v
640	Mr JN Nicholls	T	68.3v	70.8v	46.2v	41.1v	45.3v	42.2v	45.4v	68.3v	94.7v	47.2v	0.0v	566.35v
641	Mr JLC Christian	T	72.7v	67.3v	47.1v	46.3v	49.4v	43.2v	45.2v	67.5v	88.3v	42.1v	0.0v	566.31v
642	Cpl M Bamford	T	71.3v	69.2v	42.1v	49.2v	45.1v	37.0v	44.4v	65.3v	98.8v	46.4v	0.0v	566.28v
643	Mr HGM Mooiman	O	67.5v	70.4v	43.2v	50.6v	42.2v	42.3v	46.5v	69.7v	91.6v	45.4v	0.0v	565.44v
644	Mr TF Fermor	T	73.6v	66.3v	46.4v	48.4v	46.2v	46.3v	41.1v	69.7v	89.4v	41.2v	0.0v	565.36v
645	Mr PJ Holden	O	73.5v	60.5v	47.2v	44.3v	47.4v	45.1v	47.4v	68.5v	95.3v	39.1v	0.0v	565.33v
646	Mr SR Robnson	T	69.4v	68.4v	45.1v	49.4v	45.4v	46.3v	41.2v	68.6v	96.4v	38.1v	0.0v	565.33v
647	Mr MC Connole	T	68.7v	66.5v	48.5v	43.2v	48.5v	45.2v	40.2v	71.6v	97.8v	38.1v	0.0v	564.43v
648	Mr MH Horrell	O	64.4v	65.4v	44.2v	46.4v	48.7v	46.1v	46.2v	70.5v	99.9v	36.1v	0.0v	564.39v
649	Mr SWM Freeborn	T	68.3v	63.5v	45.3v	48.5v	46.2v	46.5v	36.3v	70.5v	94.4v	48.3v	0.0v	564.38v
650	Mr CC Mallett Jnr	O	65.2v	73.4v	45.1v	44.2v	44.3v	43.3v	47.4v	65.4v	92.8v	46.3v	0.0v	564.34v
651	Mrs CIM Le Poidevin	O	71.6v	69.3v	43.2v	47.4v	46.2v	46.2v	38.1v	68.6v	94.7v	42.1v	0.0v	564.34v
652	Mr MB Bree	O	68.4v	68.4v	46.4v	31.0v	47.5v	43.2v	50.2v	72.3v	98.8v	41.2v	0.0v	564.34v
653	WO J Bernier	T	69.7v	69.4v	44.3v	38.0v	47.4v	46.3v	44.3v	68.2v	96.5v	43.2v	0.0v	564.33v
654	SSgt J Furness	T	72.7v	66.5v	47.4v	45.1v	47.6v	44.0v	42.1v	71.4v	93.4v	37.0v	0.0v	564.32v
655	Mr JPS Bloomfield	X	72.7v	74.5v	49.8v	50.5v	50.8v	48.5v	0.0v	72.9v	101.9v	47.3v	0.0v	563.59v
656	Miss HR Mackintosh	O	62.2v	70.8v	48.4v	48.4v	47.5v	45.3v	38.0v	68.3v	94.5v	43.1v	0.0v	563.35v
657	Mr RM Culverwell	O	66.3v	66.3v	44.2v	42.2v	46.3v	47.3v	46.3v	68.4v	92.6v	46.2v	0.0v	563.31v
658	Mr T Galliers	O	68.4v	64.3v	45.3v	41.2v	46.4v	40.1v	47.2v	67.7v	100.7v	44.2v	0.0v	562.35v
659	Mr JX Xiao	T	67.1v	68.7v	44.3v	43.3v	44.2v	43.3v	44.2v	68.5v	98.8v	43.1v	0.0v	562.35v
660	LCpl WCW Howseman	T	71.7v	66.3v	48.3v	48.6v	47.3v	47.4v	37.0v	59.1v	98.6v	41.1v	0.0v	562.34v
661	Miss SJ Dick	O	67.2v	69.5v	42.3v	40.1v	49.2v	44.1v	48.6v	71.6v	93.4v	39.1v	0.0v	562.31v
662	Mr RM Smith	T	70.2v	68.5v	48.3v	43.1v	48.7v	40.2v	45.2v	68.3v	91.4v	41.1v	0.0v	562.30v
663	Mr RL Sampson	O	73.8v	72.6v	47.2v	47.5v	47.4v	48.4v	45.3v	69.5v	67.3v	46.3v	0.0v	561.43v
664	Cdt CSM CT Dawes	T	71.9v	63.0v	47.3v	42.2v	49.4v	46.3v	42.1v	67.5v	90.6v	44.2v	0.0v	561.35v
665	Mr TJ Jaggard	T	67.5v	65.4v	44.0v	42.0v	45.1v	46.4v	44.4v	70.5v	91.2v	47.5v	0.0v	561.30v
666	Mr OGE Howard-Vyse	T	67.3v	67.4v	46.2v	44.3v	43.2v	42.1v	43.1v	68.4v	98.6v	43.1v	0.0v	561.27v
667	Miss J Powell	T	69.3v	68.6v	46.0v	42.1v	47.4v	47.2v	41.1v	67.3v	93.2v	41.0v	0.0v	561.22v
668	Cpl OJA Money-Kyrle	T	67.3v	71.7v	47.3v	45.3v	46.3v	46.5v	42.2v	73.6v	96.7v	27.1v	0.0v	560.40v
669	Miss R Piper	T	68.2v	71.5v	46.2v	44.3v	48.8v	39.0v	46.6v	61.3v	95.6v	42.3v	0.0v	560.38v
670	Mr LJ Smith	T	69.4v	67.3v	45.3v	48.4v	45.3v	48.3v	35.0v	73.5v	100.11v	30.0v	0.0v	560.36v
671	Mr MP Sheppard	T	69.7v	67.6v	47.2v	35.2v	41.1v	48.4v	44.4v	70.6v	95.1v	43.2v	0.0v	559.35v
672	Cdt J Moor	T	66.2v	69.5v	47.5v	46.2v	48.5v	43.0v	38.1v	66.6v	94.6v	41.1v	0.0v	558.33v
673	LCpl TA Elvin	T	69.4v	69.5v	45.3v	40.2v	47.4v	44.3v	44.2v	68.5v	85.4v	46.3v	0.0v	557.35v
674	Mr THD Dodds	A	71.8v	71.7v	50.8v	50.6v	47.5v	48.3v	0.0v	73.8v	101.8v	45.2v	0.0v	556.55v
675	Surg Lt Cdr GMC Hunter	T	67.5v	62.1v	44.1v	41.2v	47.5v	49.4v	44.0v	67.2v	91.5v	44.2v	0.0v	556.27v
676	Mr PM Weston	O	68.3v	67.6v	45.3v	44.2v	46.2v	41.2v	39.0v	66.1v	96.6v	44.0v	0.0v	556.25v
677	Mr ML Kirkillio-Stacewicz	T	68.3v	70.4v	42.1v	42.1v	46.4v	44.1v	42.3v	67.2v	98.4v	37.1v	0.0v	556.24v
678	Mr MJ Whatton	O	71.5v	71.8v	48.5v	45.1v	46.4v	47.4v	49.3v	70.4v	64.4v	44.3v	0.0v	555.41v
679	Mr OH Hood	T	68.4v	69.5v	42.2v	40.0v	46.5v	46.3v	43.1v	71.4v	96.6v	34.1v	0.0v	555.31v
680	Mr LR Reid	T	70.3v	67.2v	47.3v	46.3v	46.1v	47.4v	45.2v	61.3v	95.8v	31.0v	0.0v	555.29v
681	Mr J Bowsher	T	66.4v	64.3v	45.2v	43.1v	46.2v	47.2v	43.1v	65.2v	94.5v	42.1v	0.0v	555.23v
682	Mr AH Hood	T	68.3v	69.6v	44.4v	29.0v	49.4v	46.3v	36.1v	73.9v	98.7v	41.2v	0.0v	553.39v
683	L Cpl EJ Dell	T	64.2v	67.4v	44.2v	39.1v	44.1v	44.2v	47.4v	69.4v	95.3v	40.0v	0.0v	553.23v
684	Sgt WMR Jowett	T	73.8v	63.3v	48.3v	36.5v	41.0v	32.0v	46.4v	69.5v	102.9v	40.2v	0.0v	550.39v
685	Cdt R Tancred	T	70.5v	67.3v	46.1v	49.2v	40.1v	43.2v	39.0v	62.3v	96.8v	38.1v	0.0v	550.26v
686	Mr J Payne	A	75.13v	71.7v	47.2v	47.4v	47.4v	47.5v	0.0v	72.6v	100.12v	43.0v	0.0v	549.53v
687	Mr JJ Parsons	T	64.9v	67.4v	48.5v	46.2v	49.4v	39.2v	40.2v	71.5v	93.5v	32.1v	0.0v	549.39v
688	Mr VP Prokopyuk	T	70.6v	74.8v	47.5v	43.2v	50.3v	47.3v	42.3v	70.8v	65.4v	40.1v	0.0v	548.43v
689	Sgt CEA Depla	T	67.1v	65.4v	45.2v	44.1v	41.2v	43.1v	44.0v	65.5v	91.6v	43.1v	0.0v	548.23v
690	Mr GW Clarke	O	74.7v	67.5v	46.4v	0.0v	48.4v	50.5v	47.4v	71.6v	99.7v	45.1v	0.0v	547.43v
691	Mr HP Bielefeldt	T	71.5v	70.5v	48.5v	0.0v	47.2v	47.3v	48.3v	72.6v	100.8v	44.4v	0.0v	547.41v
692	Mr AW Sainter	T	66.1v	70.4v	48.4v	43.2v	38.2v	44.3v	43.1v	61.2v	94.7v	40.1v	0.0v	547.27v
693	Mr SWM McBain	T	68.5v	70.4v	47.6v	45.3v	44.0v	44.3v	41.2v	64.2v	90.5v	32.0v	0.0v	545.30v
694	Miss KH Hinkly	T	67.4v	65.1v	42.3v	46.4v	45.3v	46.1v	37.0v	65.7v	91.2v	40.0v	0.0v	544.25v
695	Mr DJ Fourie	X	69.3v	67.2v	46.4v	45.1v	47.3v	48.2v	0.0v	72.5v	102.9v	47.5v	0.0v	543.34v
696	Cadet LD Davies	T	71.7v	66.4v	45.2v	43.1v	46.3v	42.1v	40.2v	70.6v	95.5v	25.0v	0.0v	543.31v
697	Cdt LCpl ATJ Smith	T	64.4v	68.5v	43.1v	43.1v	40.1v	42.1v	41.2v	66.4v	96.9v	40.1v	0.0v	543.29v
698	Mr C Vonchek	T	68.4v	64.2v	48.4v	48.2v	44.1v	45.5v	42.3v	63.2v	84.0v	36.1v	0.0v	542.24v
699	Mr G Meijer	O	69.4v	70.3v	49.4v	43.1v	47.4v	0.0v	48.6v	72.4v	94.8v	49.8v	0.0v	541.42v
700	Mr JR Robnson	T	64.2v	70.5v	41.3v	39.2v	47.5v	38.1v	42.1v	69.6v	87.5v	43.3v	0.0v	540.33v
701	Mr HD Werner	O	70.4v	72.6v	48.5v	48.2v	47.3v	0.0v	46.5v	66.5v	99.10v	43.0v	0.0v	539.40v
702	Mr ZS Martin	T	62.3v	67.3v	43.2v	46.2v	44.1v	42.1v	44.3v	66.3v	83.3v	42.1v	0.0v	539.22v
703	Miss H P McCullough	X	73.8v	73.8v	49.6v	49.7v	46.3v	49.1v	49.2v	0.0v	104.14v	46.2v	0.0v	538.51v
704	Mr TP Pollard	T	70.7v	66.4v	44.0v	26.0v	46.1v	46.4v	42.1v	65.3v	95.7v	38.0v	0.0v	538.27v

