

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
The DCRA Challenge Shield, The NRA Gold Cross, a Gold Bar and £200.00														
1	Mr J Corbett	X	75.12v	74.10v	50.7v	50.6v	50.9v	50.8v	50.3v	75.13v	105.15v	47.4v	75.9v	701.96v
The NRA Silver Cross, a Silver Bar and £175.00														
2	Wg. Cdr. DP Calvert	XS	75.15v	74.7v	49.7v	50.7v	49.5v	50.7v	48.2v	75.9v	104.11v	50.6v	75.13v	699.89v £ 4
The NRA Bronze Cross, a Bronze Bar and £150.00														
3	Mr DC Luckman	XS	74.12v	74.9v	49.9v	50.7v	50.8v	50.5v	49.7v	75.15v	103.14v	49.4v	75.11v	698.101v £ 4
An NRA Bronze Cross, a Bronze Bar and £125.00														
4	Miss JH Messer	XS	75.9v	74.12v	50.6v	49.8v	50.5v	50.8v	50.8v	73.10v	104.14v	49.8v	74.11v	698.99v £ 4
An NRA Bronze Cross, a Bronze Bar and £100.00														
5	Dr GCD Barnett	X	75.12v	73.9v	50.9v	50.6v	50.7v	50.8v	49.6v	74.12v	103.14v	49.3v	75.12v	698.98v
6	Mr R Birtwistle	A	74.10v	75.9v	50.6v	50.7v	50.6v	50.7v	46.5v	75.13v	103.16v	50.6v	74.11v	697.96v
An NRA Bronze Cross, a Bronze Bar and £80.00														
7	Major AR McLeod	XS	74.10v	74.11v	50.8v	50.6v	50.7v	50.8v	50.5v	74.9v	103.12v	47.4v	75.13v	697.93v £ 4
8	Mr FWA Coetzee	X	75.7v	74.12v	50.5v	48.4v	50.6v	49.5v	48.4v	75.12v	105.16v	48.4v	75.13v	697.88v
9	Mr M J Purdy	X	75.10v	73.6v	50.9v	49.5v	50.8v	49.4v	49.6v	75.4v	104.13v	49.4v	74.11v	697.80v
10	Mr DR Armstrong	X	75.13v	74.10v	50.9v	49.6v	50.9v	50.7v	48.7v	74.11v	104.11v	50.8v	72.5v	696.96v
An NRA Bronze Cross and 60.00														
11	Mr TJD Raincock	XS	75.13v	74.13v	50.7v	48.5v	50.8v	50.6v	47.5v	75.11v	105.14v	49.5v	73.9v	696.96v £ 4
12	Mr ANR Walker	X	74.9v	74.8v	49.7v	50.8v	49.7v	50.8v	49.7v	74.8v	105.14v	47.6v	75.11v	696.93v
13	Dr JD Warburton	XS	74.8v	74.13v	50.8v	48.5v	50.7v	49.6v	49.8v	75.12v	103.7v	49.5v	75.10v	696.89v £ 4
14	Mr GE Morris	XS	74.8v	75.7v	50.8v	50.7v	50.7v	49.5v	47.4v	74.10v	105.13v	47.6v	75.10v	696.85v £ 4
15	Mr JP Bailey	XS	75.12v	73.8v	49.7v	48.6v	50.7v	48.6v	49.7v	74.12v	105.11v	49.5v	75.14v	695.95v £ 4
16	Mr AD Hunter	X	74.9v	74.9v	48.6v	50.8v	50.7v	49.7v	50.8v	75.14v	102.12v	48.3v	75.10v	695.93v
17	Mr C Rivett-Carnac	A	74.7v	73.9v	50.9v	49.5v	50.7v	49.5v	48.5v	75.10v	103.11v	50.4v	74.12v	695.84v
18	Mr T Drysdale	X	75.7v	74.7v	50.5v	48.4v	50.10v	50.7v	49.6v	75.8v	104.13v	45.3v	75.14v	695.84v
19	Mr T Laing-Baker	A	74.10v	75.9v	50.5v	50.8v	50.8v	49.7v	48.5v	73.9v	101.15v	50.5v	74.12v	694.93v
20	Mr JAM Paton	XS	75.13v	74.7v	49.6v	49.7v	49.6v	50.8v	47.5v	72.9v	105.14v	49.4v	75.13v	694.92v
An NRA Bronze Cross, a Bronze Bar and £40.00														
21	Dr PR Wheeler	XS	72.6v	74.11v	49.8v	49.5v	49.7v	50.7v	50.7v	75.8v	104.16v	48.5v	74.12v	694.92v
22	Mr M J Ensor	X	75.14v	75.13v	49.8v	48.6v	50.7v	49.5v	50.6v	74.12v	102.9v	47.4v	75.7v	694.91v
23	Miss LAE Crowson	XS	74.7v	74.10v	50.8v	48.5v	50.6v	50.5v	46.5v	74.10v	105.17v	49.5v	74.10v	694.88v
24	Mr DG Young	X	73.8v	75.10v	48.5v	49.5v	50.7v	50.7v	50.6v	75.13v	101.10v	48.4v	75.10v	694.85v
25	Mr RCT Jeens	XS	73.10v	74.8v	50.7v	50.7v	49.6v	49.2v	48.5v	74.11v	103.13v	49.6v	75.8v	694.83v
26	Mr S Harding	O	74.9v	73.8v	50.8v	49.5v	50.4v	49.4v	48.4v	75.13v	103.14v	49.5v	74.7v	694.81v
27	Mr DGM Coleman	A	74.12v	74.9v	50.8v	49.6v	49.4v	50.7v	48.7v	75.13v	103.15v	47.4v	74.9v	693.94v
28	Mr NC Mace	XS	74.10v	75.8v	49.5v	49.6v	49.7v	49.7v	47.5v	74.12v	103.11v	49.6v	75.11v	693.88v
29	Dr JO Ahrens	XS	74.12v	74.10v	50.8v	50.5v	49.7v	50.7v	50.5v	75.11v	102.12v	45.2v	74.8v	693.87v
30	Mr SA Thomas	X	73.7v	75.11v	50.6v	49.6v	50.8v	50.6v	50.4v	73.9v	103.12v	46.6v	74.11v	693.86v
31	Mr S Osmond	XS	74.8v	73.4v	50.6v	49.4v	50.7v	50.4v	47.3v	75.9v	103.15v	47.2v	75.15v	693.77v
32	Mr WCP Richards	XS	74.10v	75.13v	50.5v	47.3v	49.7v	50.7v	47.5v	72.7v	103.16v	50.5v	75.11v	692.89v
33	Mr SM Negus	XS	75.11v	73.10v	50.7v	48.5v	50.9v	50.5v	48.4v	74.8v	103.11v	46.4v	75.13v	692.87v
34	Miss EJ Nuttall	X	75.7v	74.13v	50.9v	48.5v	50.3v	49.5v	49.5v	75.7v	101.11v	48.3v	73.13v	692.81v
35	Mr HA Day	X	75.10v	72.10v	50.4v	49.7v	50.6v	50.7v	48.2v	74.8v	102.9v	49.7v	73.10v	692.80v
An NRA Bronze Cross, a Bronze Bar and £20.00														
36	Mr JP Nice	OS	75.10v	74.10v	49.6v	49.6v	50.9v	48.5v	45.3v	75.10v	103.14v	48.3v	75.12v	691.88v £ 4
37	Mr GJ Jeal	O	75.9v	73.7v	49.6v	48.3v	50.6v	49.6v	47.5v	74.10v	103.16v	48.4v	75.11v	691.83v
38	Mr IP Davison	X	75.7v	74.11v	49.7v	48.6v	50.5v	47.4v	47.4v	75.11v	105.14v	47.5v	74.8v	691.82v
39	Mr JM Taylor	A	75.10v	73.9v	50.4v	49.5v	50.8v	47.3v	49.7v	73.10v	102.9v	48.3v	75.12v	691.80v
40	Mr DR Le Quesne	XS	75.11v	74.8v	48.6v	50.4v	50.9v	50.6v	47.3v	74.8v	101.8v	49.6v	73.5v	691.74v
41	Miss JM Rankin	XS	75.11v	75.13v	49.7v	50.8v	49.6v	49.5v	48.4v	74.11v	105.13v	42.2v	74.9v	690.89v
42	Mr JA Watson	XS	75.12v	74.10v	50.8v	49.5v	50.10v	46.1v	50.4v	73.12v	104.16v	48.4v	71.5v	690.87v
43	Mr JC Underwood	XS	75.14v	75.10v	48.8v	47.3v	49.5v	49.7v	47.6v	74.8v	103.11v	48.3v	75.8v	690.83v
44	Mr HAD Howard	AS	75.9v	75.10v	49.6v	50.7v	49.4v	48.6v	46.3v	74.12v	104.12v	47.4v	73.10v	690.83v £ 4
45	Mr C Fitzpatrick	X	75.9v	74.8v	50.7v	47.3v	50.10v	49.4v	47.3v	75.12v	103.12v	47.4v	73.11v	690.83v
46	Mr RJS Curtis	A	74.11v	73.8v	50.6v	50.4v	48.3v	48.5v	49.9v	74.8v	102.10v	47.3v	75.12v	690.79v
47	Mr DE Nuthall	X	75.12v	72.6v	49.4v	48.4v	50.7v	49.4v	49.7v	74.9v	103.11v	47.3v	74.11v	690.78v
48	Mr JP Pugsley	X	74.7v	74.10v	50.7v	50.6v	50.6v	50.6v	44.0v	75.10v	103.12v	45.4v	75.9v	690.77v
49	Mr NJ Verduyn	AS	75.14v	74.8v	49.5v	50.7v	49.6v	49.5v	46.0v	75.8v	104.11v	47.1v	72.7v	690.72v £ 4
50	Mr G Trembath	A	73.7v	74.8v	49.8v	45.4v	50.5v	49.7v	50.10v	74.10v	102.14v	48.4v	75.10v	689.87v

Winner of a Bronze Bar

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
51	Mr GE Grosskreutz	XS	75.11v	73.9v	48.7v	50.6v	50.8v	47.4v	45.5v	75.10v	105.13v	47.2v	74.12v	689.87v
52	Mr H J Golaszewski	X	74.10v	73.7v	50.9v	50.5v	50.8v	48.6v	47.3v	74.13v	103.13v	46.2v	74.11v	689.87v
53	Capt AW Gill	X	75.9v	73.6v	50.6v	47.4v	49.7v	49.9v	47.6v	74.12v	104.11v	47.5v	74.10v	689.85v
54	Mr AB Bell	XS	75.12v	74.8v	50.5v	50.5v	49.7v	49.6v	49.4v	73.11v	101.10v	44.2v	75.14v	689.84v
55	Mr M Mann	OS	75.11v	75.12v	48.8v	47.4v	49.7v	48.4v	49.7v	74.8v	102.11v	48.1v	74.10v	689.83v

£ 4

The Olle Beckett Memorial Trophy

56	Mr RM Roberts	XS	75.13v	72.8v	50.7v	48.5v	50.7v	48.6v	47.4v	74.9v	103.11v	47.2v	75.9v	689.81v
57	Miss AR Southall	A	75.9v	72.6v	48.5v	49.6v	50.7v	49.7v	48.7v	74.9v	102.12v	47.3v	75.9v	689.80v
58	Mr RL Eayrs	X	73.7v	73.11v	49.5v	47.6v	50.7v	50.5v	49.6v	74.8v	105.11v	48.6v	71.7v	689.79v
59	Mr CJ Watson	XS	75.9v	73.8v	48.6v	46.5v	50.9v	48.4v	50.4v	75.8v	101.11v	48.4v	75.11v	689.79v
60	Mr RJ Lygoe	X	75.11v	73.7v	49.6v	48.5v	49.6v	50.7v	47.4v	75.12v	105.7v	44.4v	74.10v	689.79v
61	Mr JEM Bellringer	XS	73.7v	73.7v	49.6v	49.5v	50.7v	48.8v	49.2v	73.8v	104.15v	47.5v	74.8v	689.78v
62	Mr D de Vere	XS	73.10v	74.8v	49.6v	50.7v	49.7v	49.6v	48.3v	74.10v	103.8v	46.4v	74.9v	689.78v
63	Mrs DN Negus	AS	74.7v	75.8v	49.7v	43.2v	49.6v	50.5v	48.5v	75.8v	103.14v	49.6v	74.9v	689.77v
64	Mr OEJ Spencer	O	74.9v	73.7v	46.3v	49.4v	50.5v	50.8v	46.2v	74.9v	105.13v	47.6v	75.10v	689.76v
65	Mr MCJ Button	XS	75.10v	73.4v	49.8v	49.6v	50.8v	49.4v	45.2v	74.9v	104.11v	47.3v	74.11v	689.76v
66	Mr NP Moxon	AS	75.12v	74.8v	49.5v	47.4v	49.4v	49.4v	49.4v	72.6v	103.12v	48.4v	74.8v	689.71v
67	Mr TM Stevenson	O	73.8v	73.8v	47.5v	50.5v	49.1v	50.5v	50.5v	74.8v	103.10v	46.4v	74.8v	689.67v
68	Mr ERT Jeens	XS	73.10v	74.9v	49.8v	47.6v	49.8v	48.4v	48.5v	71.8v	105.16v	49.4v	75.13v	688.91v
69	Mr CN Tremlett	XS	74.11v	73.9v	50.8v	47.6v	49.6v	50.8v	49.4v	73.10v	105.12v	44.3v	74.13v	688.90v
70	Mr DC Crispin	X	74.12v	72.8v	49.6v	49.4v	48.8v	50.8v	46.5v	75.11v	104.13v	49.4v	72.6v	688.85v
71	Mr D Morris	O	71.8v	73.9v	49.6v	49.6v	49.6v	48.6v	47.6v	74.12v	104.10v	49.5v	75.10v	688.84v
72	Mr AD Le Cheminant	XS	72.8v	74.8v	50.5v	49.6v	49.8v	50.8v	47.5v	73.8v	103.14v	47.5v	74.9v	688.84v
73	Dr JR Deane	AS	73.9v	75.10v	50.10v	47.3v	48.4v	50.5v	47.4v	75.12v	99.10v	50.5v	74.10v	688.82v
74	Mr BJ Le Cheminant	XS	75.11v	66.8v	50.7v	48.3v	50.5v	49.4v	48.5v	75.9v	104.13v	49.8v	74.9v	688.82v
75	Mr RSF Shouler	XS	75.10v	71.7v	50.9v	47.5v	50.10v	49.7v	47.4v	74.8v	104.10v	48.3v	73.9v	688.82v
76	Miss EG Joseph	A	74.8v	70.7v	50.9v	48.3v	50.9v	50.6v	47.5v	74.10v	103.11v	47.4v	75.10v	688.82v
77	Mr PC Champagne	O	75.12v	73.8v	50.5v	48.5v	50.7v	48.3v	47.4v	74.11v	102.14v	47.3v	74.8v	688.80v
78	Mr D Rose	XS	74.9v	75.10v	49.5v	47.3v	50.7v	50.9v	47.5v	74.10v	103.11v	45.0v	74.8v	688.77v
79	Mr CJ Morton	XS	75.10v	74.8v	50.5v	48.5v	50.2v	46.5v	50.7v	69.4v	102.14v	49.4v	75.11v	688.75v
80	Mr DJ Archer	A	74.8v	73.9v	49.6v	48.6v	50.4v	50.7v	48.3v	72.7v	102.11v	47.6v	75.7v	688.74v
81	Mr MR Fugeman	A	74.8v	74.10v	48.5v	50.6v	50.7v	49.3v	45.4v	74.7v	103.13v	46.2v	75.7v	688.72v
82	Mr RAH Vary	A	75.11v	72.3v	49.5v	50.5v	50.3v	49.5v	50.4v	73.7v	101.10v	45.3v	74.10v	688.66v
83	Mr BN Craig	AS	74.7v	75.6v	48.5v	47.4v	50.2v	48.2v	48.4v	74.8v	103.10v	48.6v	73.8v	688.62v
84	Mr SD Shouler	XS	74.12v	75.10v	49.6v	46.4v	50.7v	47.5v	47.4v	75.11v	103.15v	47.2v	74.12v	687.88v
85	Mr PD Griggs	A	74.8v	73.10v	50.5v	47.4v	50.7v	50.9v	46.4v	75.10v	102.9v	45.5v	75.11v	687.82v
86	Mr JW Alexander	XS	75.10v	74.10v	50.9v	50.6v	49.6v	48.5v	45.5v	73.8v	102.8v	49.6v	72.7v	687.80v
87	Mr BJ Wood	AS	74.8v	73.7v	49.6v	49.3v	49.6v	47.4v	47.5v	73.7v	103.13v	48.8v	75.12v	687.79v
88	Mr M Liversage	AS	75.11v	74.11v	49.4v	46.2v	50.7v	50.5v	46.6v	74.9v	102.13v	46.1v	75.8v	687.77v
89	Mr CP Weeden	X	75.9v	74.8v	50.7v	50.7v	50.8v	47.2v	47.3v	75.10v	103.10v	43.2v	73.7v	687.73v
90	Mr AC Haley	XS	74.6v	72.5v	48.4v	49.5v	50.6v	49.6v	48.3v	75.11v	99.11v	49.7v	74.8v	687.72v
91	Mr SDJ Glanville	X	75.10v	72.4v	50.6v	48.5v	49.4v	49.5v	49.6v	74.10v	103.11v	47.3v	71.2v	687.66v
92	Mr A Thomson	A	74.9v	73.8v	49.6v	49.6v	50.7v	48.4v	49.5v	74.12v	100.13v	47.4v	73.11v	686.85v
93	Dr JDS Langley	XS	75.9v	70.8v	50.9v	49.5v	50.9v	49.4v	48.6v	74.9v	103.10v	47.4v	71.10v	686.83v
94	Mr GC Childs	X	75.11v	74.9v	48.7v	49.4v	50.9v	47.5v	49.4v	75.10v	99.8v	48.4v	72.9v	686.80v
95	Mr SL Cleveland	OS	73.8v	73.12v	49.8v	49.5v	49.7v	49.4v	48.2v	75.6v	103.13v	43.3v	75.11v	686.79v
96	Mr JRW Postle	X	73.7v	74.8v	48.5v	50.6v	49.6v	49.5v	48.4v	74.8v	103.11v	44.6v	74.12v	686.78v
97	Mr MJJ Charlton	OS	74.4v	72.12v	49.7v	49.5v	47.6v	48.4v	50.5v	72.7v	102.12v	49.5v	74.9v	686.76v
98	Sgt CS Saina	X	74.9v	72.9v	49.7v	45.5v	50.7v	48.6v	50.6v	74.6v	103.9v	48.4v	73.8v	686.76v
99	Mr GA Cann	XS	74.10v	74.10v	48.7v	50.5v	48.4v	47.5v	47.4v	74.12v	105.10v	47.2v	72.7v	686.76v
100	Mr TLW Kidner	AS	72.7v	73.10v	49.9v	48.3v	49.6v	47.5v	49.4v	74.9v	102.8v	50.6v	73.8v	686.75v
101	Mr RJW Smeltzer	XS	73.9v	72.7v	50.5v	50.4v	50.7v	50.7v	48.4v	75.8v	98.9v	45.2v	75.12v	686.74v
102	Mr DF Williams	OS	72.8v	72.8v	50.5v	47.3v	50.8v	48.5v	46.3v	75.12v	102.10v	50.2v	74.8v	686.72v
103	Mr PAE Charlton	XS	75.10v	72.8v	50.3v	47.4v	49.4v	49.8v	48.5v	74.7v	103.11v	46.3v	73.7v	686.70v
104	Mr MI Buchanan	XS	75.9v	74.6v	50.4v	48.3v	50.6v	49.3v	47.6v	75.10v	99.9v	44.2v	75.12v	686.70v
105	Mr MW Silver	A	74.9v	71.5v	49.5v	48.5v	49.7v	50.5v	47.3v	74.9v	102.9v	47.5v	75.6v	686.68v
106	Mr PJR Holden	X	71.6v	74.6v	49.5v	49.7v	49.4v	49.6v	48.3v	75.7v	101.11v	48.4v	73.8v	686.67v
107	Mr P A Hatfield	AS	74.11v	73.9v	49.5v	49.5v	50.7v	48.4v	49.4v	75.9v	102.8v	45.1v	72.3v	686.66v
108	Mr RCQ Martin	OS	73.7v	74.4v	48.7v	50.5v	48.5v	50.4v	48.4v	72.6v	101.9v	48.2v	74.10v	686.63v
109	Mr KO Pugh	X	74.7v	74.7v	49.5v	48.6v	48.6v	50.4v	49.5v	72.7v	103.6v	49.4v	70.5v	686.62v
110	Mr BP Creane	OS	75.11v	74.9v	49.4v	50.3v	50.3v	48.2v	49.5v	69.4v	103.10v	46.3v	73.7v	686.61v
111	Mr RW Hallows	AS	72.9v	72.8v	49.7v	49.8v	50.8v	49.6v	47.6v	74.10v	103.15v	46.6v	74.8v	685.91v
112	Mr C Mitchell	XS	74.9v	73.10v	48.5v	45.2v	50.9v	50.6v	45.6v	75.12v	103.11v	48.4v	74.11v	685.85v
113	Mr JF Lawrie	X	74.11v	73.7v	50.4v	48.4v	50.7v	49.6v	48.5v	74.11v	104.14v	42.4v	73.11v	685.84v
114	Mr RC Oxford	XS	73.9v	73.9v	50.7v	47.6v	49.8v	48.5v	45.4v	74.6v	104.12v	47.5v	75.12v	685.83v
115	Mr M Cooper	AS	74.12v	72.8v	49.6v	50.10v	49.7v	50.4v	44.4v	71.5v	103.12v	48.2v	75.11v	685.81v
116	Mr ITG Shaw	XS	75.11v	72.5v	50.5v	47.3v	50.6v	47.3v	48.7v	71.10v	102.11v	48.5v	75.11v	685.77v
117	Mr J Ford	A	72.9v	72.6v	48.5v	49.7v	50.7v	50.5v	47.4v	71.6v	104.13v	48.4v	74.11v	685.77v
118	Mr JRJ Hinde	OS	72.10v	72.8v	49.4v	50.7v	50.6v	50.5v	47.3v	74.9v	102.11v	46.4v	73.10v	685.77v
119	Mrs LK Mace	A	75.12v	72.6v	49.8v	50.6v	50.6v	48.5v	48.6v	70.2v	101.12v	48.5v	74.8v	685.76v
120	Miss SP Ward	X	73.8v	71.7v	50.8v	49.3v	48.6v	48.4v	46.1v	74.9v	105.16v	48.4v	73.9v	685.75v
121	Miss CA Evans	X	74.11v	72.5v	50.6v	46.2v	50.8v	49.4v	48.6v	74.14v	103.11v	46.1v	73.6v	685.74v
122	Mr RW Sandlant	XS	74.8v	74.12v	48.2v	48.2v	48.3v							

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
126	Mr JA Haward	XS	74.8v	72.6v	48.3v	49.6v	49.6v	49.8v	47.3v	74.6v	104.13v	47.3v	72.8v	685.70v
127	SSgt. RH Kitson	A	74.10v	71.6v	49.5v	49.7v	50.8v	49.7v	47.2v	73.7v	104.9v	46.1v	73.8v	685.70v
128	Mr NNT Kerins	AS	74.8v	73.8v	50.7v	47.2v	49.4v	49.4v	49.4v	75.12v	101.7v	44.1v	74.7v	685.64v
129	Mr JR Tuck	X	73.10v	72.9v	50.6v	47.4v	49.9v	49.5v	48.5v	73.9v	101.10v	50.8v	72.11v	684.86v
130	Mr MJ Barlow	XS	74.9v	73.10v	48.2v	47.5v	49.8v	47.5v	49.9v	73.7v	104.11v	48.6v	72.8v	684.80v
131	Mr TP Hammond	A	73.7v	75.12v	50.6v	47.6v	48.5v	46.4v	47.5v	74.11v	103.12v	46.2v	75.10v	684.80v
132	Mr WJD Broad	XS	71.9v	74.11v	49.4v	48.4v	50.7v	50.6v	49.7v	75.12v	103.11v	45.2v	70.6v	684.79v
133	Mr RWD Ramsey	XS	75.9v	74.10v	50.7v	48.2v	50.7v	46.3v	45.4v	75.12v	102.12v	46.2v	73.10v	684.78v
134	Mr TA Ringer	XS	74.9v	72.6v	49.9v	48.5v	50.7v	50.6v	47.3v	73.8v	100.10v	47.5v	74.9v	684.77v
135	Mr MSE Firman	AS	72.7v	73.10v	50.4v	47.2v	50.6v	47.5v	48.6v	73.8v	102.13v	47.5v	75.11v	684.77v
136	Mr TG Rylands	XS	74.11v	72.9v	48.6v	48.7v	48.4v	49.4v	50.6v	72.9v	103.9v	46.3v	74.8v	684.76v
137	Mr HM Mccaughy	T	73.7v	73.9v	48.7v	49.5v	50.5v	50.5v	49.4v	73.9v	101.10v	45.5v	73.10v	684.76v
138	Mr AJ Haggerty	X	75.11v	72.6v	48.6v	50.7v	50.6v	45.2v	48.5v	73.10v	102.8v	48.4v	73.10v	684.75v
139	Mr R McQuillan	XS	72.10v	73.9v	48.5v	49.5v	48.4v	49.4v	48.7v	74.9v	103.11v	45.1v	75.10v	684.75v
140	Mr C Mallett	XS	75.13v	74.8v	50.4v	48.3v	50.7v	48.6v	46.3v	74.12v	99.7v	47.2v	73.8v	684.73v
141	Ms GMP Jarvis	OS	74.11v	70.5v	50.4v	47.3v	49.7v	49.7v	48.4v	74.10v	103.12v	46.2v	74.8v	684.73v
142	Mr CES Dickenson	A	72.9v	71.0v	50.8v	48.3v	50.7v	47.4v	48.5v	75.10v	100.12v	49.3v	74.10v	684.71v
143	Mr B Langille	XS	72.5v	74.12v	49.6v	49.4v	46.5v	49.6v	48.4v	74.11v	104.8v	46.3v	73.7v	684.71v
144	Mr NRJ Brasier	XS	73.6v	74.10v	49.5v	49.7v	50.5v	49.5v	49.5v	70.5v	102.8v	45.1v	74.10v	684.67v
145	Mr NE Hendrikz	T	74.7v	75.7v	49.3v	45.4v	49.5v	47.2v	49.4v	74.6v	99.11v	49.5v	74.8v	684.62v
146	Mr R Winney	X	74.6v	73.7v	50.8v	49.5v	49.6v	48.4v	47.2v	71.6v	102.11v	47.1v	74.5v	684.61v
147	Mr TP Clarke	X	72.7v	71.6v	49.8v	49.5v	48.7v	50.5v	50.6v	74.12v	98.10v	48.5v	74.9v	683.80v
148	Mr FM Mohideen	X	71.6v	73.9v	50.7v	48.6v	50.8v	49.7v	49.5v	72.6v	101.12v	47.3v	73.8v	683.77v
149	Mr PA Maher	X	75.10v	70.7v	49.8v	46.3v	50.7v	48.6v	48.5v	74.9v	102.9v	46.3v	75.9v	683.76v
150	Mr GS Cotton	XS	74.10v	74.12v	50.9v	49.5v	50.4v	49.8v	44.3v	72.9v	102.10v	45.1v	74.5v	683.76v
151	Mr NB Logan	X	73.6v	74.10v	47.2v	49.8v	48.6v	47.4v	48.6v	74.7v	104.13v	45.2v	74.11v	683.75v
152	Mr AP Barnes	X	74.8v	73.10v	49.5v	46.2v	48.2v	49.5v	49.6v	74.11v	102.10v	46.2v	73.12v	683.73v
153	Mr JWE Lothian	A	72.5v	73.9v	50.9v	47.1v	50.6v	50.9v	43.1v	73.10v	102.9v	48.6v	75.7v	683.72v
154	Mr DA Taylor	AS	75.11v	73.8v	49.7v	50.6v	48.6v	48.4v	49.4v	71.8v	102.8v	47.3v	71.7v	683.72v
155	Mr ORW Russell	X	75.8v	72.9v	47.4v	49.5v	49.6v	48.3v	48.5v	72.6v	103.14v	45.2v	75.10v	683.72v
156	Mr GW Woodman	XS	74.6v	73.9v	49.7v	50.6v	50.4v	48.5v	49.8v	69.6v	102.6v	44.1v	75.11v	683.69v
157	Mr JMA Thompson	XS	75.11v	71.4v	50.5v	50.6v	49.7v	48.4v	47.2v	74.10v	100.7v	46.5v	73.7v	683.68v
158	Mr NJ Ball	XS	73.10v	74.9v	49.8v	50.5v	49.7v	49.5v	47.3v	74.1v	98.6v	46.2v	74.12v	683.68v
159	Mr MJ Wood	A	75.8v	68.4v	49.6v	47.4v	48.5v	49.2v	47.4v	74.8v	105.12v	48.4v	73.6v	683.63v
160	Mr TAW Walters	A	74.10v	72.11v	47.2v	48.8v	50.7v	48.4v	47.4v	75.8v	100.12v	46.4v	75.11v	682.81v
161	Mr JWE Lewis	XS	75.13v	73.8v	48.6v	48.6v	49.5v	49.3v	49.6v	74.10v	96.10v	48.3v	73.9v	682.79v
162	Mr PA Haasbroek	X	73.11v	73.10v	49.6v	50.5v	47.7v	46.3v	49.7v	71.3v	103.11v	46.2v	75.12v	682.77v
163	Mr C Pirouet	OS	73.6v	73.9v	49.6v	50.8v	46.5v	49.5v	49.7v	75.10v	99.8v	46.3v	73.9v	682.76v
164	Mr SC Williamson	A	73.9v	75.12v	49.6v	48.6v	50.7v	47.4v	47.4v	74.9v	103.7v	44.1v	72.10v	682.75v
165	Mr AW Lothian	X	73.9v	75.9v	49.7v	50.4v	48.6v	49.6v	46.4v	73.9v	103.10v	45.1v	71.9v	682.74v
166	Mr BA Horwood	X	73.10v	72.12v	50.4v	48.5v	50.7v	49.5v	48.3v	72.7v	101.11v	50.2v	69.7v	682.73v
167	Mr RA Welford	OS	74.8v	72.9v	47.5v	47.3v	48.6v	48.3v	48.7v	75.9v	104.14v	48.2v	71.7v	682.73v
168	Mr CM Brooks	AS	74.8v	70.6v	50.4v	50.5v	50.5v	49.6v	47.5v	72.7v	100.11v	45.4v	75.11v	682.72v
169	Mr PJ Westlake	XS	72.8v	70.5v	48.5v	50.5v	49.6v	47.4v	48.6v	73.5v	103.12v	48.4v	74.11v	682.71v
170	Mr SJ Carson	X	72.7v	74.7v	48.7v	48.5v	50.8v	48.6v	45.3v	72.7v	103.9v	48.2v	74.10v	682.71v
171	Mr HWD Burden	A	70.8v	72.5v	49.8v	47.2v	50.5v	48.5v	50.6v	74.9v	102.12v	47.3v	73.7v	682.70v
172	Dr MW Wrigley	A	71.8v	73.9v	48.4v	48.5v	49.7v	48.5v	47.2v	75.9v	101.9v	47.3v	75.8v	682.69v
173	Mr D Lowe	O	75.9v	72.8v	48.7v	47.3v	49.3v	50.6v	48.4v	72.7v	101.11v	45.1v	75.10v	682.69v
174	Mr SD Spinney	X	73.7v	71.4v	49.8v	44.2v	49.6v	48.5v	48.4v	74.10v	102.9v	50.4v	74.9v	682.68v
175	Mr AJ Leech	O	71.6v	73.5v	47.4v	48.5v	50.9v	49.4v	48.3v	75.9v	104.10v	46.5v	71.7v	682.67v
176	Mr TL Bedwell	O	69.2v	71.7v	49.4v	50.4v	47.6v	50.5v	49.4v	74.7v	102.9v	46.3v	75.11v	682.62v
177	Mr AJ Sonnenberg	XS	74.8v	72.8v	50.6v	47.2v	49.4v	49.4v	46.0v	73.6v	100.10v	47.1v	75.11v	682.60v
178	Mr SE Young	AS	69.6v	75.13v	50.9v	48.4v	49.5v	50.4v	48.7v	73.10v	101.9v	44.2v	74.12v	681.81v
179	Miss JE Ouston	XS	75.13v	73.7v	49.6v	46.4v	47.4v	49.5v	47.5v	71.7v	104.13v	46.3v	74.12v	681.79v
180	Dr AM Jory	X	74.9v	73.10v	50.9v	48.5v	47.4v	45.4v	49.4v	73.8v	102.13v	48.6v	72.6v	681.78v
181	Mr M D Joyce	AS	71.6v	74.8v	49.6v	49.5v	49.3v	49.8v	45.4v	73.9v	100.11v	47.5v	75.12v	681.77v
182	Mr PJ Chapman-Sheath	A	73.8v	73.10v	46.5v	47.5v	49.8v	48.3v	48.4v	74.12v	100.6v	49.5v	74.10v	681.76v
183	Mr TW Tatchell	AS	73.11v	74.10v	49.5v	49.8v	50.8v	48.5v	43.4v	72.6v	103.6v	47.4v	73.9v	681.76v
184	Miss EJ Cannings	XS	73.9v	74.8v	49.3v	47.4v	48.6v	47.4v	49.4v	72.8v	102.13v	45.5v	75.12v	681.76v
185	Mr SJB Sander	OS	74.10v	72.8v	49.4v	43.6v	50.8v	49.6v	43.4v	74.7v	104.10v	49.4v	74.8v	681.75v
186	Mr P De Voil	A	70.6v	73.7v	50.6v	46.6v	49.5v	47.1v	45.5v	75.10v	105.14v	49.5v	72.7v	681.72v
187	Miss SIM Anderson	X	75.13v	74.6v	49.5v	48.5v	50.3v	48.6v	45.2v	72.5v	103.14v	46.4v	71.8v	681.71v
188	Mr CA Brook	X	75.9v	75.9v	49.8v	46.5v	49.7v	49.4v	46.3v	71.7v	103.10v	47.3v	71.5v	681.70v
189	Mr RDP Knapstein	XS	73.3v	74.12v	50.6v	46.5v	50.8v	50.5v	47.4v	71.4v	100.8v	47.6v	73.8v	681.69v
190	Mr S Belither	XS	74.6v	73.10v	49.6v	50.5v	50.7v	48.3v	45.5v	71.4v	104.10v	43.2v	74.11v	681.69v
191	Mr M Raiber	TS	74.8v	72.9v	50.6v	49.3v	49.4v	49.3v	44.1v	74.10v	103.11v	45.3v	72.10v	681.68v
192	Mr PJ Johnson	A	73.10v	73.8v	47.3v	48.5v	49.3v	49.7v	46.4v	72.4v	105.12v	46.4v	73.7v	681.67v
193	Mr ARW Smith	A	73.10v	73.9v	50.3v	47.5v	50.3v	48.5v	46.4v	73.5v	102.10v	44.2v	75.10v	681.66v
194	Mr S Pearson	A	72.8v	72.9v	48.5v	46.4v	49.3v	46.3v	49.3v	73.5v	103.10v	48.4v	75.11v	681.65v
195	Mr IW Robertson	X	73.9v	75.8v	49.4v	49.4v	48.4v	47.5v	45.1v	73.9v	101.10v	47.3v	74.6v	681.63v
196	Mr PJG Barber	OS	74.5v	73.10v	49.4v	49.4v	49.3v	49.5v	47.3v	74.9v	99.5v	44.1v	74.9v	681.58v
197	Mr PJ Chance	XS	74.8v	70.5v	50.6v	49.5v	48.7v	49.4v	46.1v	74.3v	101.8v	47.3v	73.2v	681.52v
198	Mr DFP Richards	X	73.10v	69.7v	50.6v	48.5v	48.6v	48.5v	49.8v	75.10v	101.11v	45.4v	74.10v	680.82v
199	Mr SNS Penrose	X	73.6v	74.11v	49.6v	46.7v	49.7v	47.5v	49.5v	74.11v	101.13v	45.3v	73.7v	680.81v
200	Dr AJ Pilgrim	X	75.10v	74.9v	48.4v	47.4v	50.8v	46.4v	46.4v	73.10v	103.13v	46.5v	72.9v	680.80v

£ 4

£ 4

201	Mr CB Bowring	O	73.11v	72.7v	50.8v	50.6v	50.5v	46.3v	47.3v	74.10v	104.11v	42.3v	72.9v	680.76v
202	Mr RAV Hebblethwaite	A	68.5v	72.11v	48.6v	47.2v	49.4v	48.3v	49.5v	75.11v	102.11v	48.6v	74.11v	680.75v
203	Miss AJ Clarke	A	74.10v	71.10v	48.6v	47.4v	49.5v	47.3v	46.2v	75.8v	101.10v	47.5v	75.11v	680.74v
204	Mr MF Boucher	O	73.9v	75.11v	49.6v	47.3v	48.7v	47.3v	48.4v	74.10v	103.8v	42.3v	74.10v	680.74v
205	Mr SE Frost	O	73.6v	75.10v	49.5v	50.7v	50.4v	47.4v	47.3v	74.13v	100.11v	43.2v	72.8v	680.73v
206	Dr C I Johnston	X	70.8v	71.6v	50.8v	47.3v	49.7v	48.4v	49.5v	74.8v	102.12v	45.2v	75.9v	680.72v
207	Mr PM Jory	A	72.4v	73.7v	50.7v	47.3v	47.7v	47.4v	48.8v	71.5v	102.9v	48.7v	75.10v	680.71v
208	Mr J Barlow	O	74.8v	71.7v	48.5v	46.4v	50.6v	49.7v	45.4v	72.4v	103.14v	48.3v	74.9v	680.71v
209	Mr RM Macleod	X	74.11v	72.7v	49.5v	48.4v	48.4v	48.3v	47.7v	73.9v	103.9v	44.3v	74.8v	680.70v
210	Mr AC Morley	X	71.5v	73.4v	49.8v	49.6v	48.6v	42.2v	48.6v	72.7v	103.10v	50.6v	75.9v	680.69v
211	Mr C Milton	X	70.7v	72.10v	48.4v	48.5v	49.4v	50.6v	49.3v	71.7v	102.10v	48.4v	73.9v	680.69v
212	Mr D Clark	A	74.9v	73.9v	46.3v	46.3v	50.6v	49.6v	47.4v	74.7v	101.9v	48.3v	72.9v	680.68v
213	Flt Lt RJS Clark	A	72.5v	74.11v	49.7v	48.7v	49.6v	49.4v	45.2v	73.3v	102.10v	45.3v	74.9v	680.67v
214	Miss LR Mckerrell	A	73.5v	73.4v	50.8v	48.6v	49.4v	47.5v	48.3v	74.7v	103.12v	43.2v	72.8v	680.64v
215	Mr CB Cotillard	O	75.8v	71.6v	50.3v	47.5v	49.7v	48.7v	49.5v	74.5v	101.7v	44.2v	72.8v	680.63v
216	Mr MA Kirkillo-Stacewicz	A	74.10v	71.4v	48.5v	48.2v	47.3v	47.4v	49.6v	74.8v	100.5v	47.4v	75.11v	680.62v
217	Dr AI Ashworth	A	74.9v	73.4v	50.5v	50.5v	50.6v	48.4v	44.3v	73.8v	100.8v	46.2v	72.7v	680.61v
218	Lt HCM Bennett	O	73.9v	74.8v	49.5v	49.6v	49.7v	48.7v	42.2v	73.10v	100.10v	48.5v	74.10v	679.79v
219	Mr MG Whicher	A	70.5v	74.10v	49.7v	47.3v	49.5v	49.6v	46.2v	71.6v	103.13v	48.6v	73.11v	679.74v
220	Mrs MM Norman	X	73.11v	73.10v	48.4v	50.7v	48.4v	47.5v	49.5v	72.3v	102.13v	44.2v	73.9v	679.73v
221	Mr RM Hatcher	A	70.6v	71.5v	48.4v	49.4v	50.9v	49.4v	47.4v	73.8v	102.13v	49.6v	71.8v	679.71v
222	Mr JP Pepera-Hibbert	O	74.9v	70.7v	49.4v	49.6v	50.9v	49.6v	46.5v	73.4v	102.11v	45.4v	72.5v	679.70v
223	Cdt T Shalom	O	71.7v	72.6v	47.5v	49.7v	49.4v	49.6v	43.2v	75.11v	103.7v	48.7v	73.7v	679.69v
224	Mr CRM Asquith	O	74.8v	72.7v	47.4v	49.4v	49.4v	49.6v	41.2v	73.6v	105.15v	46.4v	74.9v	679.69v
225	Air Cdre JA Ford	X	72.7v	71.8v	49.4v	49.5v	48.4v	49.8v	47.4v	74.9v	100.8v	46.3v	74.9v	679.69v
226	Mr RI Coventry	O	73.7v	72.7v	50.4v	49.6v	47.4v	47.2v	44.2v	74.10v	102.9v	48.7v	73.10v	679.68v
227	Miss DE Andrews	O	70.6v	71.3v	49.8v	49.5v	49.6v	50.4v	47.4v	73.8v	99.8v	47.5v	75.11v	679.68v
228	Mr MF Martel	A	74.10v	72.9v	49.8v	49.1v	49.5v	50.4v	45.2v	74.11v	98.8v	46.2v	73.6v	679.66v
229	Miss TJ Fitzsimons	A	74.10v	72.7v	48.4v	46.2v	49.6v	49.3v	46.3v	72.9v	102.8v	47.4v	74.9v	679.65v
230	Mr DT Thompson	A	75.12v	74.8v	48.3v	48.5v	49.6v	50.3v	47.3v	70.5v	100.8v	46.4v	72.7v	679.64v
231	Mr HJG Green	O	74.7v	72.8v	49.5v	45.3v	46.4v	48.2v	49.3v	74.6v	103.13v	46.4v	73.9v	679.64v
232	Mr TM Green	A	74.8v	73.5v	48.4v	45.2v	50.5v	50.5v	47.5v	72.9v	102.8v	45.3v	73.6v	679.60v
233	Mr JA Lindsay III	X	75.5v	72.4v	50.5v	46.3v	49.5v	49.4v	45.4v	74.9v	101.11v	45.1v	73.9v	679.60v
234	Col AJW Sturrock	A	72.6v	72.6v	49.7v	47.2v	50.6v	49.4v	47.3v	74.7v	101.8v	45.4v	73.6v	679.59v
235	Mr PB Bromley	X	74.8v	67.9v	50.5v	47.4v	50.9v	50.7v	49.7v	75.9v	98.8v	44.6v	74.12v	678.84v
236	Mr ME Fray	O	72.9v	70.7v	50.7v	44.2v	49.6v	49.5v	44.2v	75.10v	103.13v	47.2v	75.12v	678.75v
237	Mr A F Powell	O	75.8v	70.6v	50.7v	50.7v	47.4v	47.5v	45.2v	70.6v	100.10v	50.9v	74.9v	678.73v
238	Mr K Tumschat	X	74.8v	72.10v	47.7v	50.6v	49.6v	47.4v	46.4v	75.9v	101.8v	44.1v	73.10v	678.73v
239	Cdt OM Hudson	T	72.8v	74.8v	49.6v	49.6v	50.3v	49.6v	46.5v	75.9v	99.10v	42.3v	73.9v	678.73v
240	Eur Ing CA Painting	A	74.11v	72.6v	49.6v	49.5v	48.6v	49.5v	43.4v	73.8v	101.9v	45.5v	75.7v	678.72v
241	Mr N Cole-Hawkins	A	70.9v	73.8v	49.5v	48.4v	50.6v	47.5v	49.2v	74.10v	98.7v	47.3v	73.8v	678.67v
242	Mr MG Reid	O	71.4v	74.9v	47.5v	49.3v	47.6v	49.7v	48.4v	75.10v	100.8v	44.2v	74.7v	678.65v
243	Miss HA Pugsley-Pearse	X	74.10v	75.9v	50.6v	46.2v	49.5v	47.3v	49.6v	74.5v	99.10v	43.3v	72.6v	678.65v
244	Mr AP Smith	O	74.9v	72.7v	49.7v	49.4v	49.6v	45.2v	50.7v	71.7v	100.9v	47.2v	72.4v	678.64v
245	WO T Jones	T	74.10v	73.6v	48.6v	50.5v	48.7v	47.6v	45.2v	71.4v	100.4v	48.1v	74.8v	678.59v
246	Mr SP O'Brien	O	72.7v	73.6v	50.5v	49.5v	47.6v	48.2v	47.3v	73.9v	100.6v	46.3v	73.5v	678.57v
247	Mr GK Alexander	X	74.9v	70.7v	48.7v	49.7v	48.5v	50.4v	46.4v	71.7v	101.10v	46.4v	74.11v	677.75v
248	Mr ATB Tompson	X	72.6v	72.6v	49.6v	45.4v	49.4v	48.6v	46.6v	74.11v	102.13v	46.3v	74.10v	677.75v
249	Mr MJM Black	X	70.7v	71.6v	49.5v	48.6v	50.7v	50.6v	47.4v	72.7v	101.12v	47.3v	72.9v	677.72v
250	Mr RK Sheead	O	70.7v	71.10v	48.6v	47.4v	49.8v	50.4v	46.4v	73.5v	105.14v	47.4v	71.5v	677.71v
251	Mr RW Shaw	X	74.10v	69.5v	48.5v	48.3v	50.8v	48.3v	48.3v	73.9v	99.11v	47.2v	73.10v	677.69v
252	Mr RA Dix	A	73.5v	72.9v	49.6v	45.2v	49.6v	47.4v	46.4v	73.11v	104.12v	47.2v	72.8v	677.69v
253	Mr BP Pepin	X	74.9v	71.6v	50.7v	47.5v	49.7v	49.6v	46.2v	71.5v	101.10v	46.3v	73.9v	677.69v
254	Mr CA Skellett	A	75.9v	70.7v	50.5v	44.4v	49.5v	50.6v	48.2v	74.13v	100.8v	43.0v	74.9v	677.68v
255	Mr MP Watkins	O	72.9v	73.6v	49.6v	48.4v	49.5v	47.4v	47.4v	73.7v	100.10v	47.3v	72.7v	677.65v
256	MWO T Dalin	T	72.7v	71.7v	49.5v	48.5v	49.6v	47.4v	47.3v	74.7v	100.6v	46.2v	74.9v	677.61v
257	Mr PB Vamplew	X	74.5v	73.5v	49.3v	46.2v	49.5v	49.7v	45.4v	74.9v	100.9v	43.1v	75.11v	677.61v
258	Mr SJ East	X	74.7v	71.7v	48.5v	48.5v	47.1v	47.3v	45.4v	74.11v	102.7v	48.5v	73.5v	677.60v
259	Mr AG Harrison	O	71.6v	74.8v	50.7v	47.2v	49.8v	48.3v	46.0v	72.7v	101.11v	45.0v	74.8v	677.60v
260	Dr AF Aspin	A	69.0v	73.8v	48.4v	49.8v	48.4v	47.3v	48.3v	73.7v	101.9v	47.1v	74.12v	677.59v
261	Mr T Smith	A	73.6v	71.3v	49.5v	47.2v	48.6v	47.4v	48.7v	72.3v	104.12v	44.2v	74.6v	677.56v
262	Mr DJ Gass	A	72.4v	72.7v	50.8v	46.2v	50.8v	47.4v	44.4v	74.10v	102.13v	48.4v	71.9v	676.73v
263	Mr TJ Goodger	O	74.10v	72.5v	48.4v	46.4v	50.9v	50.8v	49.6v	73.8v	102.12v	43.1v	69.6v	676.73v
264	Wg. Cdr. CR Smith	X	69.10v	72.2v	49.6v	46.5v	46.5v	48.7v	49.6v	73.9v	104.11v	47.4v	73.7v	676.72v
265	Dr J Mehta	X	73.9v	69.5v	50.8v	48.3v	49.4v	48.5v	45.3v	74.9v	100.12v	49.5v	71.8v	676.71v
266	Mr LMD Cheek	X	71.8v	73.9v	50.7v	48.4v	48.4v	47.3v	49.6v	74.9v	99.6v	44.3v	73.10v	676.69v
267	Mr RA Jobson	O	72.6v	74.10v	47.5v	50.5v	49.8v	46.4v	47.1v	69.7v	104.11v	46.3v	72.8v	676.68v
268	Capt B Fung	T	69.4v	72.7v	49.6v	48.4v	48.4v	49.7v	48.4v	73.8v	101.8v	45.3v	74.11v	676.66v
269	Wg. Cdr. CJ Hockley OBE	X	74.9v	74.6v	49.4v	50.6v	47.6v	47.5v	44.4v	75.5v	99.10v	47.2v	70.6v	676.63v
270	Mr SH Wingrove	O	73.6v	71.7v	48.4v	49.2v	49.4v	48.6v	47.4v	72.8v	100.10v	46.3v	73.9v	676.63v
271	Mr APW Daw	X	72.8v	71.5v	49.6v	48.7v	49.3v	47.4v	45.3v	74.7v	101.7v	48.3v	72.9v	676.62v
272	Mrs RA Wiltshire	X	72.7v	73.6v	47.6v	48.2v	49.5v	48.5v	47.5v	71.5v	100.6v	46.3v	75.12v	676.62v

273	Mr DS Murray	X	74.10v	71.3v	50.4v	50.6v	50.4v	48.5v	45.3v	68.6v	102.11v	47.4v	71.5v	676.61v
274	Mr HJM Awin	A	71.5v	74.7v	50.6v	49.5v	49.7v	48.4v	47.3v	72.3v	101.11v	42.2v	73.8v	676.61v
275	Mr J Cload	X	73.4v	73.8v	47.3v	48.7v	48.5v	50.5v	49.3v	66.4v	101.9v	47.4v	74.7v	676.59v
276	Mr RG Faulkner	O	73.8v	73.8v	48.5v	50.3v	50.7v	47.3v	48.4v	72.7v	103.9v	44.1v	68.3v	676.58v
277	WO2 J Hawke	T	73.9v	73.8v	50.6v	46.4v	48.4v	50.7v	49.4v	68.1v	102.4v	45.1v	72.5v	676.53v
278	Mr BM Millard	X	72.8v	72.8v	48.5v	45.5v	50.6v	49.5v	46.4v	70.5v	101.9v	49.6v	73.8v	675.69v
279	Miss A J C Carnell	O	70.8v	73.10v	49.6v	49.5v	49.8v	48.2v	48.4v	72.6v	100.11v	45.2v	72.7v	675.69v
280	SAC(T) DA Cottrill	O	73.11v	74.9v	49.6v	47.4v	48.2v	48.7v	48.4v	75.8v	100.5v	41.5v	72.8v	675.69v
281	Mr PR Bain	A	73.10v	69.6v	49.5v	49.6v	49.7v	49.5v	45.2v	72.9v	101.7v	48.4v	71.7v	675.68v
282	Mr CD Heales	A	71.9v	73.9v	49.7v	46.5v	49.4v	49.5v	49.5v	71.6v	97.6v	46.3v	75.9v	675.68v
283	Dr GP Nelson	A	74.10v	70.4v	49.6v	50.8v	50.6v	47.4v	47.3v	70.6v	100.11v	45.3v	73.7v	675.68v
284	Miss LG Taylor	A	74.8v	71.8v	49.4v	48.5v	48.5v	49.7v	45.4v	72.6v	100.9v	48.5v	71.6v	675.67v
285	Mr RH Gardiner	A	73.10v	70.5v	48.3v	50.8v	49.3v	43.4v	46.4v	72.9v	103.9v	48.5v	73.5v	675.65v
286	Mr JK Kelleher	A	74.7v	73.4v	47.5v	46.4v	48.7v	49.5v	49.5v	74.10v	101.11v	43.0v	71.6v	675.64v
287	Mr OR Rolfe	X	74.7v	73.4v	50.6v	41.1v	47.5v	49.5v	46.3v	74.8v	102.13v	48.1v	71.6v	675.59v
288	Ms CH Hearn	O	72.7v	72.4v	49.5v	48.4v	49.7v	46.1v	47.1v	73.9v	98.9v	47.5v	74.6v	675.58v
289	Mr BV Cambray	A	69.4v	69.5v	49.5v	49.4v	48.4v	48.5v	46.4v	74.7v	103.6v	49.1v	71.7v	675.52v
290	Mr CP Goad	O	72.7v	72.10v	47.4v	48.6v	48.3v	47.4v	47.3v	71.8v	102.14v	45.3v	75.12v	674.74v
291	Mr ML Cotillard	A	74.12v	71.8v	48.4v	45.4v	48.5v	48.3v	47.2v	69.2v	102.16v	48.4v	74.8v	674.68v
292	Mr RJR Mott	A	73.9v	74.11v	48.5v	49.3v	46.4v	47.2v	44.1v	73.8v	101.14v	45.3v	74.7v	674.67v
293	Mr S Glen	A	69.8v	74.11v	49.6v	48.3v	50.5v	48.3v	46.1v	71.5v	101.10v	46.5v	72.4v	674.61v
294	Mr AP Partridge	A	73.10v	71.6v	49.5v	45.1v	48.2v	48.5v	48.2v	72.8v	101.7v	46.4v	73.11v	674.61v
295	Mr TJ Johnston	O	70.6v	72.5v	49.8v	44.3v	48.3v	48.4v	48.4v	74.5v	100.10v	48.3v	73.7v	674.58v
296	Miss S Ponter	O	70.6v	72.6v	47.3v	48.2v	47.1v	47.3v	50.6v	73.8v	102.14v	44.1v	74.7v	674.57v
297	Mr M Persaud	A	73.8v	73.5v	48.4v	47.2v	48.4v	47.3v	48.4v	72.8v	98.7v	47.1v	73.10v	674.56v
298	Mr SYM Ali	T	72.9v	73.6v	48.4v	48.3v	46.2v	50.4v	49.6v	71.6v	100.7v	43.1v	74.8v	674.56v
299	Mr WR Steward	O	74.11v	73.5v	50.9v	47.5v	45.5v	50.5v	45.2v	72.10v	101.9v	47.4v	69.7v	673.72v
300	Miss KE Pope	O	65.3v	73.10v	46.4v	47.5v	49.6v	48.5v	49.7v	75.9v	102.8v	46.3v	73.8v	673.68v
301	Miss BR Fraser-Burn	X	72.6v	69.4v	49.5v	47.4v	49.8v	48.6v	46.5v	72.8v	103.10v	45.2v	73.10v	673.68v
302	Miss ZN Northam	O	74.8v	73.10v	47.4v	47.5v	49.6v	46.5v	45.2v	72.6v	100.9v	46.3v	74.9v	673.67v
303	Mr M.R. Frost	O	72.7v	72.7v	49.6v	45.4v	49.5v	49.5v	43.4v	72.6v	101.9v	48.4v	73.9v	673.66v
304	Mr AJ Luckman	X	68.5v	71.6v	50.5v	49.7v	49.6v	48.4v	48.7v	67.5v	104.11v	47.5v	72.4v	673.65v
305	Mr T Keen	A	73.8v	71.6v	49.5v	48.5v	48.6v	47.2v	47.2v	69.6v	104.13v	44.4v	73.8v	673.65v
306	Mr DJ Curtis	O	73.9v	70.6v	46.5v	49.2v	50.6v	50.8v	46.4v	72.4v	103.11v	43.3v	71.7v	673.65v
307	Mr YW Thorne	O	71.8v	73.6v	48.3v	50.5v	49.7v	50.5v	46.3v	72.6v	95.4v	45.3v	74.11v	673.61v
308	Mr TJ Bryan	X	73.9v	72.4v	49.7v	47.2v	49.2v	47.4v	48.6v	72.8v	101.9v	43.4v	72.6v	673.61v
309	Mr S Sharma	O	75.11v	71.6v	50.5v	48.6v	49.2v	49.1v	48.5v	71.9v	99.9v	41.0v	72.7v	673.61v
310	Mr LM Peden	X	71.7v	74.9v	49.3v	49.3v	50.5v	47.4v	47.2v	71.4v	98.7v	45.8v	72.7v	673.59v
311	Miss KF Fleck	T	75.9v	71.7v	47.2v	48.4v	50.5v	47.3v	44.2v	74.6v	100.11v	44.3v	73.7v	673.59v
312	Mr ARN Kinross	O	72.6v	70.6v	47.5v	48.4v	48.4v	49.7v	45.3v	73.8v	100.3v	48.5v	73.7v	673.58v
313	Mr ND Gomez	O	74.9v	71.6v	49.6v	47.3v	48.5v	48.4v	44.2v	73.9v	103.10v	46.0v	70.4v	673.58v
314	CSgt WC Compton	T	73.9v	71.4v	49.5v	49.5v	48.2v	49.7v	45.2v	71.5v	102.12v	47.1v	69.5v	673.57v
315	Mr R Hedley	O	73.8v	70.4v	48.5v	47.3v	50.6v	49.4v	45.2v	74.5v	99.7v	44.3v	74.9v	673.56v
316	Mr JN McLaren	X	73.5v	71.5v	47.3v	48.5v	50.7v	48.4v	48.2v	70.6v	99.10v	46.3v	73.5v	673.55v
317	Mr ML Lee	O	75.9v	75.9v	49.2v	47.2v	47.3v	46.1v	46.4v	74.6v	98.7v	41.1v	75.10v	673.54v
318	Major WF Squires	A	73.11v	74.10v	48.5v	46.6v	49.6v	46.5v	47.5v	71.9v	101.10v	44.3v	73.12v	672.82v
319	WO G Gagne	T	73.7v	73.8v	47.6v	43.1v	50.6v	49.7v	47.3v	74.9v	100.12v	43.2v	73.8v	672.69v
320	Mr TAD Lilley	O	73.9v	74.10v	46.4v	48.3v	50.6v	49.3v	49.4v	75.8v	102.11v	33.2v	73.8v	672.68v
321	Mr PT Tremblay	X	73.7v	72.7v	49.4v	49.5v	50.4v	49.8v	42.2v	70.7v	99.7v	46.5v	73.10v	672.66v
322	Lt. Col. CST Lehmann	O	72.6v	72.8v	50.7v	47.3v	45.3v	45.5v	48.7v	73.8v	101.9v	47.2v	72.7v	672.65v
323	Mr DCW Lloyd	O	72.10v	68.5v	46.3v	48.3v	49.2v	48.6v	46.2v	73.10v	99.8v	49.5v	74.10v	672.64v
324	Cpl PL Winter	T	75.11v	71.4v	50.7v	47.4v	47.4v	47.5v	47.2v	72.9v	99.7v	45.3v	72.8v	672.64v
325	Sgt SO Otundo	X	74.11v	72.6v	49.5v	48.4v	49.6v	48.5v	45.1v	73.6v	100.12v	43.2v	71.6v	672.64v
326	Dr MJ Schwarz	A	74.7v	71.7v	49.6v	47.3v	47.6v	48.4v	42.1v	73.11v	101.8v	47.4v	73.6v	672.63v
327	Mr KB Hill	O	73.9v	72.4v	50.6v	47.3v	49.6v	48.5v	42.3v	72.7v	101.11v	47.4v	71.3v	672.61v
328	P Du Toit	T	70.6v	68.6v	50.4v	49.6v	48.3v	46.2v	49.5v	73.10v	101.10v	47.2v	71.6v	672.60v
329	Miss JC Melling	X	72.8v	71.7v	48.4v	48.3v	50.6v	49.5v	46.2v	74.6v	100.9v	44.3v	70.7v	672.60v
330	Mr MJW Willing	O	73.9v	70.9v	46.4v	49.3v	48.4v	48.3v	49.5v	71.6v	98.7v	49.4v	71.5v	672.59v
331	Mr SW Maris	O	72.3v	72.5v	49.5v	46.6v	48.6v	49.4v	47.4v	72.6v	101.11v	43.3v	73.5v	672.58v
332	Mr RBC Baker	X	71.6v	71.6v	47.4v	46.1v	49.6v	48.3v	47.5v	72.6v	100.6v	47.4v	74.8v	672.55v
333	Mr GO Oakland	T	73.4v	72.9v	49.3v	47.1v	45.2v	47.5v	48.3v	73.8v	99.13v	45.1v	74.5v	672.54v
334	Miss DLT Taylor	O	72.3v	73.6v	47.1v	43.2v	48.5v	50.6v	47.5v	72.8v	103.7v	45.2v	72.7v	672.52v
335	Mr JR Stirland	A	71.6v	74.6v	46.3v	49.5v	47.3v	47.4v	49.1v	72.4v	101.10v	44.2v	72.7v	672.51v
336	Mr CA Stewart	O	72.6v	70.5v	49.4v	48.5v	48.4v	48.5v	49.3v	75.5v	102.8v	44.2v	67.4v	672.51v
337	Mr AMS Sadler	O	73.7v	71.5v	48.4v	45.2v	47.4v	47.2v	46.4v	75.7v	102.7v	48.4v	70.4v	672.50v
338	Mr J Purdy	O	73.1v	72.5v	46.3v	50.7v	46.4v	48.3v	46.3v	74.5v	97.5v	46.3v	74.11v	672.50v
339	Mr TO Orpen-Smellie	O	71.9v	74.8v	50.6v	42.2v	50.8v	48.3v	42.3v	74.12v	103.11v	43.2v	74.6v	671.70v
340	Mr T Horrocks	A	68.2v	72.6v	50.7v	48.7v	49.6v	48.5v	41.2v	72.9v	100.10v	50.6v	73.8v	671.68v
341	Mr AI Brown	A	71.9v	73.9v	48.5v	45.3v	47.4v	47.4v	48.4v	72.6v	103.13v	46.5v	71.4v	671.66v
342	Mr N Healy	A	74.10v	73.4v	49.6v	49.3v	50.5v	47.4v	38.2v	71.9v	103.9v	46.3v	71.9v	671.64v
343	WO J Metcalfe	T	71.6v	72.7v	49.6v	46.0v	47.3v	47.4v	45.1v	73.9v	98.11v	48.5v	75.10v	671.62v
344	Mr BA Young	O	73.6v	70.5v	50.5v	48.7v	48.3v	46.4v	47.3v	74.7v	101.11v	43.1v	71.8v	671.60v

345	Miss RL Laird	A	71.8v	72.6v	48.5v	49.1v	49.4v	49.6v	46.1v	73.5v	97.10v	47.2v	70.8v	671.56v
346	Mr CR Hirst	O	73.5v	70.5v	48.2v	45.5v	46.3v	50.1v	48.5v	75.9v	100.11v	46.5v	70.5v	671.56v
347	Miss B Charlton	T	71.7v	73.5v	43.1v	48.1v	48.5v	49.3v	47.3v	73.9v	101.9v	46.6v	72.6v	671.55v
348	Mr R Kloosterman	A	73.7v	72.4v	49.7v	48.4v	48.5v	48.4v	44.1v	74.9v	97.4v	48.3v	70.5v	671.53v
349	Miss CA Staples	O	71.6v	72.8v	47.5v	48.4v	50.7v	49.6v	45.1v	74.10v	99.11v	44.1v	71.9v	670.68v
350	RK Leite	T	71.6v	72.4v	48.5v	50.5v	48.3v	45.4v	43.4v	73.10v	99.10v	47.3v	74.12v	670.66v
351	Mr RW McVeigh	O	69.4v	71.8v	48.4v	48.3v	49.5v	48.5v	46.2v	74.11v	102.13v	46.4v	69.7v	670.66v
352	Mr JI Jobson	O	72.10v	73.8v	47.3v	50.7v	49.4v	48.3v	45.4v	68.4v	99.11v	47.5v	72.6v	670.65v
353	Mr CS Lamont	O	71.6v	71.5v	47.3v	46.4v	49.7v	44.2v	48.4v	74.12v	101.10v	44.3v	75.9v	670.65v
354	Mr HG Goddard	O	71.8v	73.6v	48.3v	44.4v	49.6v	48.4v	46.5v	73.10v	102.10v	45.4v	71.4v	670.64v
355	PA Haasbroek	T	72.7v	74.9v	49.6v	48.4v	47.5v	49.5v	47.1v	71.5v	100.11v	41.2v	72.8v	670.63v
356	JJ Hendrikz	T	71.6v	70.6v	46.6v	50.4v	50.7v	46.2v	48.3v	74.11v	97.6v	47.4v	71.6v	670.61v
357	Mr JPW Waite	A	68.6v	74.7v	48.4v	46.3v	49.5v	48.5v	47.4v	73.7v	99.10v	45.2v	73.8v	670.61v
358	Cdt D Shakhman	T	72.7v	72.7v	49.7v	44.2v	50.5v	50.5v	45.2v	73.7v	102.10v	44.2v	69.6v	670.60v
359	Mr AM Bullen	O	73.8v	71.6v	46.3v	46.4v	47.5v	47.3v	49.5v	74.8v	102.11v	42.1v	73.6v	670.60v
360	Mr PS Gray	A	73.7v	71.8v	49.6v	48.5v	49.5v	46.3v	46.6v	72.4v	101.7v	46.4v	69.4v	670.59v
361	Mr JPL Sweet	X	72.6v	69.5v	46.2v	50.6v	50.6v	49.5v	44.4v	72.7v	101.9v	45.3v	72.6v	670.59v
362	Mr OH Henry	A	70.8v	72.7v	48.5v	50.6v	47.2v	46.4v	49.4v	71.7v	101.6v	42.3v	74.7v	670.59v
363	DR Reineke	T	72.5v	70.3v	49.8v	46.3v	49.6v	46.5v	46.2v	75.7v	100.7v	45.2v	72.6v	670.54v
364	Mr PR Thompson	A	71.6v	73.6v	48.6v	49.4v	49.7v	44.3v	49.5v	72.8v	100.13v	41.2v	73.8v	669.68v
365	Mr SJ Dawes	O	71.6v	70.5v	50.8v	49.5v	48.5v	44.2v	46.4v	75.7v	99.13v	44.2v	73.9v	669.66v
366	Mr AS Errey	O	73.9v	69.5v	47.2v	49.8v	46.2v	50.6v	45.1v	71.8v	98.9v	47.4v	74.10v	669.64v
367	Mr WHC Alexander	O	73.9v	74.9v	49.3v	44.1v	48.5v	49.5v	45.5v	71.9v	101.8v	46.3v	69.7v	669.64v
368	Miss HPC Bramwell	O	72.6v	73.8v	49.5v	44.1v	50.6v	49.5v	46.3v	73.9v	100.11v	41.1v	72.6v	669.61v
369	Mr JJ Jalili	O	73.7v	69.4v	48.5v	47.3v	48.4v	50.7v	48.4v	74.8v	98.8v	45.2v	69.8v	669.60v
370	Mr MD Jenvey	A	69.4v	74.10v	49.6v	46.4v	48.5v	48.4v	47.6v	72.4v	103.10v	40.3v	73.4v	669.60v
371	Mr T Steele	X	73.8v	72.8v	49.4v	48.3v	48.5v	47.5v	43.1v	70.5v	101.9v	47.3v	71.8v	669.59v
372	Mr A Coakes	O	72.8v	70.5v	46.3v	47.6v	48.6v	48.4v	49.1v	70.5v	99.7v	45.3v	75.11v	669.59v
373	Mr RG Scott	O	74.5v	73.8v	47.4v	46.1v	49.5v	47.4v	44.3v	74.9v	99.7v	44.3v	72.8v	669.57v
374	Mr R Bird	T	73.9v	72.6v	49.6v	48.4v	47.1v	45.1v	46.4v	67.5v	104.11v	46.2v	72.6v	669.55v
375	Mr AN Tongue	O	71.7v	72.7v	49.5v	45.2v	49.4v	50.5v	44.0v	72.7v	99.9v	44.2v	74.7v	669.55v
376	Mr PJS Bysshe	O	70.7v	70.5v	49.5v	46.4v	49.6v	49.5v	45.3v	71.6v	102.5v	46.2v	72.6v	669.54v
377	Mr CJ Sherratt	O	71.9v	72.7v	49.7v	48.3v	48.4v	44.3v	43.3v	74.8v	98.11v	47.5v	74.8v	668.68v
378	Miss PG Macdonald	A	73.6v	70.6v	47.6v	43.3v	49.8v	48.6v	47.4v	73.8v	100.9v	44.3v	74.9v	668.68v
379	Wg Cdr IA Mollan	O	69.6v	72.3v	48.6v	48.2v	49.7v	44.2v	45.3v	71.7v	101.13v	47.5v	74.10v	668.64v
380	Mr DH Allen	O	74.9v	73.8v	50.4v	48.6v	49.4v	44.4v	49.3v	71.7v	95.7v	44.4v	71.8v	668.64v
381	CSM M Witherley	T	68.6v	73.7v	49.6v	44.5v	49.7v	49.5v	49.4v	74.6v	99.8v	41.0v	73.10v	668.64v
382	Miss L Watson	X	72.9v	74.9v	50.8v	46.3v	48.7v	45.4v	46.3v	70.5v	102.10v	44.3v	71.2v	668.63v
383	Mr RL Johnson	O	70.7v	74.9v	49.6v	49.3v	49.6v	45.3v	43.1v	73.7v	99.10v	44.3v	73.6v	668.61v
384	Mr I Brechin	A	70.6v	71.4v	48.2v	42.0v	47.7v	49.5v	44.1v	74.7v	101.14v	47.2v	75.12v	668.60v
385	Cpl JS Serem	X	75.7v	70.8v	46.2v	46.3v	49.3v	45.3v	46.5v	71.5v	103.15v	46.3v	71.6v	668.60v
386	Mr ST Taylor	A	73.7v	72.7v	49.6v	45.2v	48.6v	47.5v	45.1v	70.8v	103.7v	45.3v	71.7v	668.59v
387	Mr JGM Webster	A	72.6v	74.6v	49.7v	48.4v	48.5v	46.4v	42.2v	73.4v	100.10v	47.5v	69.4v	668.57v
388	MWO M Kommes	T	67.7v	69.7v	49.4v	47.0v	49.5v	50.5v	43.1v	75.6v	100.10v	46.1v	73.11v	668.57v
389	Mr SH Cox	O	71.8v	71.8v	46.5v	47.2v	48.5v	47.1v	47.1v	73.6v	100.8v	47.5v	71.6v	668.55v
390	Mr JD Webber	O	73.7v	71.6v	50.6v	44.3v	47.4v	47.6v	47.2v	75.9v	101.7v	46.1v	67.4v	668.55v
391	CI JT Thombora	T	71.6v	71.5v	48.6v	46.2v	50.3v	45.3v	47.4v	72.4v	101.10v	47.3v	70.8v	668.54v
392	Mr MJ Brister	A	74.5v	70.4v	50.7v	47.4v	48.4v	48.3v	45.4v	73.5v	96.8v	45.3v	72.6v	668.53v
393	Mr RP Rosling	O	68.6v	73.8v	47.5v	45.2v	48.3v	47.2v	47.2v	73.5v	103.9v	47.3v	70.6v	668.51v
394	WO E Hoyes	T	73.8v	71.3v	47.5v	49.5v	49.6v	49.6v	44.5v	73.8v	100.7v	39.1v	73.7v	667.61v
395	Miss CEM Mawson	O	72.6v	73.8v	48.6v	43.2v	48.5v	47.4v	43.1v	74.7v	102.10v	42.1v	75.10v	667.60v
396	CI PK Kiveleeti	T	74.10v	71.7v	48.1v	48.4v	48.7v	47.6v	42.3v	70.3v	100.10v	45.2v	74.5v	667.58v
397	Mr B Taylor	O	72.8v	71.7v	49.6v	47.3v	48.3v	46.4v	47.5v	73.8v	97.6v	47.0v	70.7v	667.57v
398	Mr PGW Purdy	O	72.7v	72.9v	49.4v	49.7v	47.6v	48.6v	45.3v	70.2v	101.8v	45.0v	69.4v	667.56v
399	LJ Jansen van Rensburg	T	69.8v	70.6v	48.3v	48.5v	50.5v	49.3v	45.4v	72.7v	99.8v	45.0v	72.7v	667.56v
400	Miss S Cheslyn-Curtis	O	71.5v	73.7v	47.5v	48.5v	48.5v	49.5v	47.5v	67.2v	100.7v	43.1v	74.9v	667.56v
401	Mr NL Lehrter	T	71.6v	69.4v	47.5v	48.5v	50.7v	47.4v	46.4v	70.6v	101.10v	46.2v	72.2v	667.55v
402	Mr B Lottritz	O	72.4v	71.3v	49.7v	45.4v	47.4v	48.3v	46.5v	73.8v	99.8v	45.3v	72.6v	667.55v
403	Mr RK Knowles	T	73.5v	74.10v	46.2v	50.5v	50.1v	44.2v	42.2v	74.10v	100.11v	44.2v	70.3v	667.53v
404	Mr RF Barrington	O	70.5v	72.8v	50.5v	48.5v	50.6v	47.4v	45.3v	68.2v	97.6v	48.3v	72.4v	667.51v
405	Mr RA Benest	A	73.7v	69.1v	47.5v	47.4v	49.2v	50.7v	47.2v	71.3v	96.6v	45.2v	73.10v	667.49v
406	Ms BM Moore	O	74.11v	70.8v	49.6v	49.6v	48.6v	49.5v	49.6v	73.7v	102.10v	32.1v	71.4v	666.70v
407	Mr P S Holmes	X	72.7v	71.7v	48.6v	48.6v	45.4v	48.6v	45.4v	68.7v	100.8v	48.4v	73.7v	666.66v
408	Mr J Payne	A	75.13v	71.7v	47.2v	47.4v	47.4v	47.5v	42.0v	72.6v	100.12v	43.0v	75.10v	666.63v
409	Mr PB Cutts	O	75.7v	72.9v	49.5v	46.5v	49.4v	44.2v	45.4v	72.8v	98.8v	42.1v	74.9v	666.62v
410	Mr DN Lindsay	A	73.6v	72.7v	49.7v	47.6v	47.4v	49.3v	47.2v	71.6v	102.13v	44.2v	65.5v	666.61v
411	Miss CM Jones	A	71.7v	66.5v	50.5v	50.6v	49.3v	44.3v	48.5v	73.8v	99.11v	45.2v	71.5v	666.60v
412	Ms TD De La Cour	T	72.6v	71.6v	47.2v	46.2v	47.3v	48.5v	46.4v	73.10v	101.10v	43.3v	72.8v	666.59v
413	Mr RE Ellis	A	75.9v	74.8v	46.3v	41.3v	46.2v	50.8v	46.3v	73.8v	99.5v	43.2v	73.8v	666.59v
414	Mr MJ Creber	O	70.5v	70.3v	49.7v	47.3v	47.5v	49.6v	43.2v	74.7v	98.9v	48.4v	71.6v	666.57v
415	IP SN Ndambuki	X	70.6v	71.5v	48.6v	45.2v	50.5v	50.6v	43.1v	73.4v	100.7v	49.6v	67.7v	666.55v
416	Mr MR Clewer	O	72.5v	72.7v	48.6v	46.1v	47.3v	48.5v	48.3v	72.7v	98.10v	43.3v	72.5v	666.55v

417	Cdt TO Little	T	72.6v	69.4v	49.4v	49.5v	49.6v	47.6v	43.1v	70.6v	100.7v	45.1v	73.8v	666.54v
418	Mr P Dawes	O	70.6v	71.5v	50.8v	47.6v	46.1v	46.2v	48.3v	68.3v	99.7v	47.6v	74.5v	666.52v
419	Mr RJ Quay	O	70.4v	69.6v	48.6v	48.2v	49.5v	49.5v	46.6v	71.5v	102.9v	45.1v	69.3v	666.52v
420	Mr MR Rewston	O	72.6v	74.8v	50.3v	44.1v	48.4v	44.2v	43.3v	73.9v	102.9v	44.2v	72.3v	666.50v
421	Mr J Shanks	O	73.4v	69.7v	50.4v	49.6v	44.2v	49.3v	46.3v	71.4v	100.8v	43.2v	72.4v	666.47v
422	Mr NJ Burnip	O	75.9v	71.6v	47.5v	49.3v	50.4v	45.0v	43.2v	70.2v	101.9v	43.2v	72.5v	666.47v
423	Mr RJ Cade	O	69.4v	71.6v	47.3v	49.4v	47.3v	47.3v	46.1v	73.7v	100.9v	45.3v	72.3v	666.46v
424	Mr J Lei	O	73.10v	70.7v	49.8v	49.5v	47.4v	48.5v	44.3v	73.7v	98.10v	42.3v	72.8v	665.70v
425	Mr DTA Cobb	O	71.8v	70.7v	47.4v	47.5v	45.4v	49.5v	48.4v	72.8v	101.8v	42.2v	73.9v	665.64v
426	Mr SL Larter-Whitcher	O	73.7v	71.7v	49.6v	45.1v	48.6v	49.4v	42.4v	73.8v	98.9v	46.5v	71.6v	665.63v
427	Miss KM Milner	O	72.8v	73.6v	48.4v	48.4v	48.5v	47.3v	45.4v	68.6v	98.9v	46.3v	72.10v	665.62v
428	Mr WJ Johnson	O	74.9v	73.7v	47.4v	40.1v	47.4v	48.3v	46.5v	72.8v	99.8v	45.4v	74.7v	665.60v
429	Mr HK Lottritz	O	73.8v	69.7v	47.4v	42.0v	47.5v	48.4v	48.6v	72.7v	99.7v	46.3v	74.7v	665.58v
430	Mr E Stuart-Bamford	O	71.7v	67.2v	48.5v	46.3v	47.2v	48.6v	49.6v	71.4v	102.9v	44.3v	72.10v	665.57v
431	Cdt BG Chamberlain	O	71.9v	72.6v	49.5v	46.3v	46.3v	48.5v	47.4v	72.6v	95.3v	46.4v	73.8v	665.56v
432	Mrs DA Thompson	A	70.5v	71.6v	49.5v	47.3v	50.4v	45.2v	46.4v	69.6v	104.9v	43.3v	71.7v	665.54v
433	Mr G Hart	O	73.7v	69.7v	47.3v	48.6v	48.3v	49.2v	44.4v	69.4v	102.7v	45.3v	71.6v	665.52v
434	Mr SJ Comins	O	72.11v	72.8v	48.5v	45.3v	48.4v	49.6v	47.3v	71.8v	101.10v	39.2v	72.9v	664.69v
435	Mr WJ Rowland	A	70.3v	71.7v	50.6v	48.6v	47.6v	49.6v	47.7v	72.11v	93.3v	47.3v	70.6v	664.64v
436	Mr ST Treacy	O	73.11v	67.7v	47.3v	48.3v	49.5v	49.5v	41.0v	73.10v	98.8v	46.3v	73.9v	664.64v
437	Mr ISL Dampney	A	72.7v	69.6v	49.8v	44.2v	49.6v	49.3v	47.4v	75.9v	98.10v	43.2v	69.7v	664.64v
438	Mr SMB Maitland Bondonneau	T	68.3v	72.8v	47.5v	50.7v	50.8v	45.3v	47.6v	71.4v	98.11v	45.2v	71.6v	664.63v
439	Mr OD De Gruchy	O	72.6v	69.5v	47.4v	48.4v	48.6v	49.4v	44.3v	71.10v	100.9v	43.2v	73.8v	664.61v
440	Mr EWV Feast	O	71.4v	73.5v	47.4v	45.4v	46.3v	50.7v	48.6v	68.5v	99.9v	48.4v	69.5v	664.56v
441	Mr DN Webber	O	68.5v	72.3v	48.3v	45.1v	47.6v	48.6v	47.3v	73.9v	97.8v	47.5v	72.7v	664.56v
442	Mr HB Lee	O	68.3v	70.6v	49.7v	46.2v	50.8v	46.5v	45.3v	72.4v	100.8v	45.5v	73.4v	664.55v
443	Mr ADE Grounds	O	68.5v	69.8v	47.1v	48.4v	49.5v	45.2v	46.4v	74.6v	101.11v	46.2v	71.6v	664.54v
444	Mr CTS Belk	X	72.5v	70.4v	46.3v	47.4v	48.4v	48.6v	46.2v	72.6v	99.8v	45.4v	71.7v	664.53v
445	Mr CSJ Marlow	O	71.5v	72.5v	48.4v	47.2v	48.4v	46.2v	49.6v	71.7v	103.10v	41.2v	68.5v	664.52v
446	Mr P Glen	A	74.11v	72.6v	49.3v	47.5v	47.3v	48.4v	46.0v	63.0v	100.7v	43.0v	75.8v	664.47v
447	Mr U Soelzer	O	67.7v	69.8v	50.7v	43.3v	49.6v	48.5v	48.4v	73.8v	99.8v	45.3v	72.8v	663.67v
448	Miss CE Davies	O	73.3v	74.7v	48.5v	48.5v	49.6v	49.5v	45.6v	62.3v	98.8v	44.3v	73.9v	663.60v
449	Mr GL Clarke	O	71.5v	69.7v	48.6v	44.1v	49.6v	47.5v	47.2v	69.5v	104.10v	43.1v	72.8v	663.56v
450	Mr EG Lawrence	O	71.4v	73.7v	48.4v	48.4v	47.4v	49.6v	44.3v	69.6v	97.6v	46.3v	71.6v	663.53v
451	Mr S Robinson	O	73.7v	72.8v	48.2v	47.2v	46.4v	42.4v	48.4v	73.5v	100.8v	40.1v	74.8v	663.53v
452	Mr NC Granger	O	71.6v	66.5v	49.5v	46.2v	47.4v	49.3v	45.4v	73.7v	100.9v	46.0v	71.4v	663.49v
453	Miss RH Harrison	T	71.1v	69.5v	46.3v	49.4v	50.6v	48.4v	45.2v	70.4v	99.7v	45.3v	71.6v	663.45v
454	Mr AD De Viventot	T	72.7v	71.6v	50.8v	48.7v	49.3v	46.3v	45.4v	70.4v	99.10v	41.3v	71.8v	662.63v
455	Mr J Golling	X	72.4v	73.5v	47.5v	48.6v	46.5v	48.5v	47.6v	70.6v	101.11v	39.1v	71.8v	662.62v
456	Mr JA Curd	X	72.9v	72.6v	50.8v	45.2v	49.7v	48.4v	44.3v	68.5v	104.11v	40.1v	70.5v	662.61v
457	Lt JW Jenkins	X	71.6v	70.6v	46.1v	49.3v	48.6v	47.4v	49.5v	73.10v	98.9v	40.2v	71.7v	662.59v
458	Mr TR Webster	O	71.6v	68.6v	48.4v	43.1v	49.7v	45.5v	50.2v	71.9v	101.6v	45.4v	71.8v	662.58v
459	Mr S Brewer-Marchant	O	70.7v	71.7v	50.6v	44.2v	49.6v	44.2v	43.2v	70.6v	103.11v	44.2v	74.7v	662.58v
460	Mr GH Bentley	O	71.4v	71.6v	46.3v	48.7v	50.8v	46.2v	47.3v	71.7v	100.9v	42.2v	70.7v	662.58v
461	Mr AC Griffin	O	74.8v	71.5v	47.3v	48.3v	47.2v	47.6v	44.3v	69.5v	97.11v	45.4v	73.7v	662.57v
462	Mr RL Lindsay	T	71.7v	67.5v	48.4v	45.2v	50.5v	48.5v	43.0v	75.14v	101.10v	42.1v	72.4v	662.57v
463	WO1 W Jury-Simpson	T	71.6v	73.8v	44.2v	47.3v	48.2v	46.4v	43.1v	72.7v	101.12v	45.3v	72.6v	662.54v
464	Mr CW Slator	O	73.7v	74.9v	48.4v	49.9v	49.4v	48.1v	44.3v	68.4v	97.6v	40.1v	72.6v	662.54v
465	Mr JR Lindsay	O	71.4v	72.3v	48.4v	45.1v	49.7v	45.1v	46.4v	68.6v	102.10v	44.3v	72.9v	662.52v
466	Mr V Robertshaw	O	70.5v	72.5v	48.5v	48.4v	48.6v	45.3v	44.3v	71.4v	100.9v	47.1v	69.5v	662.50v
467	Mr IF Luckman	O	68.4v	72.8v	49.5v	48.2v	48.6v	48.3v	46.2v	74.4v	100.9v	40.1v	69.6v	662.50v
468	Mr C Ged Hart	O	71.4v	74.7v	46.1v	44.4v	48.1v	46.4v	44.5v	72.7v	101.11v	43.1v	73.4v	662.49v
469	Lt E Bosse	T	71.5v	67.1v	47.4v	48.4v	48.3v	48.3v	47.3v	70.5v	101.8v	44.1v	71.5v	662.42v
470	Mr KR Trowbridge	O	70.5v	71.4v	49.5v	47.3v	45.1v	43.1v	50.4v	72.5v	97.4v	46.2v	72.6v	662.40v
471	Mr SM McGinnis	X	72.6v	72.7v	46.3v	46.4v	50.8v	45.4v	47.4v	72.9v	99.8v	42.3v	70.6v	661.62v
472	D Du Toit	T	72.6v	73.7v	45.3v	49.3v	50.6v	43.4v	40.4v	74.9v	97.7v	46.2v	72.6v	661.57v
473	Mr AJ Jones	O	69.5v	69.6v	48.4v	48.7v	46.4v	46.4v	45.1v	70.4v	101.9v	46.3v	73.8v	661.55v
474	Mr AT Tucker	O	71.6v	71.8v	48.4v	48.4v	48.3v	48.4v	46.2v	69.6v	101.9v	40.1v	71.8v	661.55v
475	Mr DAF Parkinson	O	74.10v	70.4v	48.7v	43.4v	49.4v	47.1v	44.1v	70.5v	96.6v	47.3v	73.9v	661.54v
476	Mr PG Gilleece	O	63.6v	71.5v	47.5v	49.5v	48.3v	46.3v	46.2v	73.10v	101.7v	44.3v	73.5v	661.54v
477	Mr RA Webb	O	69.7v	71.6v	48.7v	44.1v	49.4v	46.4v	46.3v	72.8v	98.5v	46.3v	72.5v	661.53v
478	Mr LM Malcic	T	73.9v	70.5v	50.3v	43.4v	49.4v	47.4v	41.2v	68.4v	101.12v	45.2v	74.4v	661.53v
479	Mr CD Atkins	O	69.6v	69.6v	48.6v	45.3v	48.3v	44.0v	46.4v	72.5v	98.7v	49.5v	73.6v	661.51v
480	Mr C Hughes	O	71.6v	71.7v	48.2v	45.1v	49.5v	48.3v	44.2v	73.8v	102.11v	40.0v	70.5v	661.50v
481	Cuo J Tordoff	T	70.4v	71.4v	49.5v	45.4v	47.6v	49.3v	45.2v	73.9v	96.6v	46.2v	70.3v	661.48v
482	Mr SJ Jauncey	O	69.4v	72.5v	46.3v	50.7v	49.4v	47.3v	46.3v	67.3v	98.7v	47.4v	70.3v	661.46v
483	Mr EA Atkins	T	71.3v	71.4v	48.4v	46.4v	49.4v	47.3v	43.1v	72.6v	97.10v	45.2v	72.4v	661.45v
484	Mr RG Evans	O	70.6v	70.10v	49.9v	42.5v	47.6v	47.1v	46.3v	74.11v	99.11v	44.1v	72.6v	660.69v
485	Mr JE White	O	71.7v	71.6v	48.4v	43.2v	49.4v	47.6v	47.3v	72.6v	99.11v	46.3v	67.5v	660.57v
486	Mr F Bilton	A	68.3v	71.7v	49.5v	48.4v	46.3v	47.5v	44.5v	71.4v	102.11v	48.6v	66.2v	660.55v
487	Mr WC Cowen	O	73.5v	68.3v	47.5v	45.2v	50.4v	49.4v	43.2v	73.8v	99.7v	44.4v	69.5v	660.49v
488	Mr LT Wicker	A	74.8v	69.3v	46.2v	46.3v	46.3v	47.5v	48.3v	72.5v	95.4v	44.2v	73.10v	660.48v

489	Mr PA Goubert	A	73.10v	73.8v	48.4v	45.3v	46.4v	48.4v	47.3v	72.8v	99.7v	37.2v	71.5v	659.58v
490	Mr ID Macdonald	O	70.7v	71.7v	49.8v	46.3v	48.4v	46.3v	47.4v	72.7v	96.5v	45.3v	69.6v	659.57v
491	Mr GR Ratcliff	O	71.6v	67.5v	49.5v	44.1v	47.3v	50.5v	45.2v	74.8v	99.12v	43.2v	70.8v	659.57v
492	Sgt HC Harris	T	75.9v	69.6v	49.7v	46.2v	48.6v	48.5v	44.1v	66.4v	98.8v	45.3v	71.4v	659.55v
493	Mr AM Mcconnell	T	73.4v	69.5v	49.5v	33.3v	50.6v	47.4v	46.4v	72.6v	103.7v	45.3v	72.7v	659.54v
494	Mr JNF Campbell	O	74.5v	69.8v	45.2v	46.3v	48.5v	46.1v	47.5v	72.12v	98.5v	41.2v	73.5v	659.53v
495	Mr SCW Dixon	O	73.5v	71.3v	46.3v	46.0v	49.7v	44.3v	44.4v	72.3v	102.15v	44.2v	68.6v	659.51v
496	Mr ML Le Vasseur	T	71.7v	71.8v	48.3v	46.4v	49.5v	46.1v	43.1v	68.6v	99.7v	46.4v	72.4v	659.50v
497	Mr T S McDowell	O	70.4v	69.7v	47.3v	44.2v	47.3v	42.2v	49.2v	69.4v	102.7v	48.6v	72.3v	659.43v
498	Dr CW Freeman	O	69.4v	70.3v	47.4v	47.3v	49.3v	48.2v	46.3v	70.5v	99.9v	45.1v	69.4v	659.41v
499	Miss C H Sayers	O	74.7v	75.8v	49.4v	45.1v	47.2v	47.5v	50.6v	75.8v	97.8v	44.3v	55.4v	658.56v
500	Sgt DK Kirui	X	73.7v	70.4v	50.5v	43.1v	48.5v	46.6v	43.3v	69.7v	100.10v	45.2v	71.4v	658.54v
501	Cdt BZ Danziger	T	72.5v	71.5v	48.7v	44.3v	47.3v	49.4v	45.5v	73.8v	96.6v	42.1v	71.7v	658.54v
502	Mr MD Wright	O	71.6v	68.7v	48.3v	47.3v	49.3v	49.4v	46.4v	72.9v	97.6v	41.2v	70.5v	658.52v
503	Cdt A Hoo	T	71.5v	70.5v	47.6v	47.5v	48.2v	45.2v	48.4v	73.4v	98.7v	39.2v	72.9v	658.51v
504	Mr JA Mulcahy	O	72.6v	71.7v	47.2v	45.4v	49.5v	49.3v	40.0v	70.3v	101.9v	41.3v	73.4v	658.46v
505	Mr GRP Shapland	O	71.7v	69.3v	50.8v	40.2v	50.6v	49.9v	48.4v	73.7v	93.6v	42.3v	72.7v	657.62v
506	Mr AF Donald	A	73.7v	69.7v	49.5v	45.2v	46.2v	49.5v	43.2v	70.8v	96.9v	44.3v	73.7v	657.57v
507	Mr R Kligge	O	71.7v	65.5v	49.5v	47.3v	50.6v	48.3v	40.1v	72.7v	100.11v	44.2v	71.7v	657.57v
508	WO S Wilkinson-DeRoche	T	73.8v	69.5v	48.4v	40.2v	49.6v	48.7v	44.2v	71.6v	96.5v	47.3v	72.3v	657.51v
509	Mr HN Watson	O	71.8v	73.2v	45.3v	43.1v	49.7v	47.3v	49.5v	73.7v	93.4v	45.3v	69.8v	657.51v
510	Mr NJ Atkins	A	71.8v	69.5v	48.7v	47.4v	47.3v	43.1v	47.2v	70.5v	100.7v	45.3v	70.5v	657.50v
511	Mr R W Ramage	O	69.5v	71.7v	48.7v	47.4v	49.7v	46.3v	44.4v	72.8v	97.8v	43.1v	70.8v	656.62v
512	Mr P Waldron	O	71.8v	72.7v	50.4v	47.3v	48.5v	47.4v	43.2v	66.6v	99.8v	46.2v	67.6v	656.55v
513	Mr KJA Painter	O	73.10v	70.4v	50.6v	47.5v	47.3v	49.4v	43.4v	66.2v	96.9v	44.2v	71.6v	656.55v
514	Mr JS Stewart	T	69.7v	69.6v	47.5v	45.2v	47.2v	47.4v	50.6v	69.6v	96.5v	45.3v	72.7v	656.53v
515	Mr RPF Fagan	O	74.5v	72.5v	42.2v	46.4v	40.4v	47.2v	46.2v	73.8v	100.8v	44.2v	72.8v	656.50v
516	Mr MS Cavie	A	73.7v	72.6v	49.5v	48.3v	49.6v	48.5v	43.1v	71.4v	97.7v	43.2v	63.2v	656.48v
517	Mr LW Wittenburg	T	69.5v	70.6v	49.3v	40.1v	49.6v	48.4v	46.0v	71.8v	100.6v	42.1v	72.6v	656.46v
518	Mr MHH John	O	72.8v	72.8v	47.4v	39.2v	48.6v	41.1v	45.5v	73.7v	101.10v	47.4v	70.5v	655.60v
519	Dr KW Genders	O	72.8v	69.8v	49.5v	45.4v	46.5v	49.5v	43.3v	70.5v	94.5v	47.4v	71.5v	655.57v
520	Mr RF Burden	O	73.6v	73.8v	49.5v	45.4v	49.7v	46.1v	43.2v	71.6v	98.5v	40.0v	68.5v	655.49v
521	Mr RA Mullin	O	70.7v	71.5v	46.4v	49.3v	46.2v	44.3v	44.4v	71.3v	100.9v	43.1v	71.5v	655.46v
522	Dr N P Tucker	O	72.5v	71.6v	49.4v	45.1v	49.3v	46.4v	43.3v	71.4v	97.8v	40.0v	72.8v	655.46v
523	Mrs RM Merridew	O	70.8v	70.7v	48.7v	43.2v	50.6v	44.1v	46.3v	66.3v	101.10v	42.3v	74.9v	654.59v
524	GPJ Nel	T	74.7v	68.7v	50.6v	41.2v	44.0v	48.3v	46.5v	69.6v	97.6v	43.3v	74.10v	654.55v
525	Cdt CPP Brewin	O	71.6v	69.4v	50.6v	43.0v	48.5v	44.1v	44.2v	74.9v	99.12v	44.3v	68.6v	654.54v
526	Mr PL Redstone	X	71.6v	73.5v	48.6v	47.4v	46.4v	43.3v	49.3v	67.2v	95.8v	42.4v	73.6v	654.51v
527	Mr DA Smith	O	69.4v	70.6v	47.0v	47.3v	47.6v	47.4v	44.3v	71.4v	96.9v	45.3v	71.5v	654.47v
528	Mrs RKE Penrose	O	72.7v	71.6v	47.2v	48.3v	46.4v	47.5v	44.1v	68.6v	98.6v	40.0v	73.6v	654.46v
529	Mr JT Kennedy	O	71.4v	68.3v	45.3v	48.4v	46.2v	48.3v	44.3v	72.5v	105.15v	39.0v	68.4v	654.46v
530	Mr JP Page	T	70.4v	72.8v	45.1v	44.2v	45.3v	46.2v	49.8v	68.4v	100.6v	43.0v	72.7v	654.45v
531	Mr IM Markwell	O	70.4v	70.5v	49.4v	48.6v	48.2v	48.6v	42.1v	72.5v	97.6v	44.1v	66.4v	654.44v
532	WO P Karran	T	72.5v	72.5v	46.2v	48.1v	44.1v	48.5v	44.0v	69.5v	98.6v	45.3v	68.6v	654.39v
533	Mr SJA Fielding-Isaacs	O	70.7v	72.6v	48.4v	48.5v	49.5v	45.1v	45.2v	71.7v	99.7v	33.2v	73.9v	653.55v
534	WO E Pritchard	T	68.6v	71.4v	47.7v	43.1v	48.6v	45.3v	47.5v	69.3v	97.8v	47.3v	71.4v	653.50v
535	Cadet CTR Gicquel	T	69.3v	72.7v	49.5v	48.4v	49.3v	47.5v	36.1v	70.4v	99.9v	42.1v	72.6v	653.48v
536	Mr I Brotherston	O	73.3v	70.5v	46.2v	45.2v	48.8v	48.3v	48.4v	64.2v	95.10v	48.3v	68.5v	653.47v
537	Mr CV Van Beveren	T	71.10v	73.8v	45.2v	48.1v	45.2v	47.4v	45.2v	72.7v	99.8v	42.1v	66.2v	653.47v
538	Mr PK Kenmir	T	70.6v	71.7v	46.2v	46.1v	47.4v	47.4v	43.0v	71.4v	99.8v	44.2v	69.6v	653.44v
539	Mr RK Jackson	O	73.7v	72.8v	47.3v	47.1v	48.3v	45.3v	46.2v	65.2v	98.7v	42.2v	70.2v	653.40v
540	Mr E Sewell	O	72.6v	72.7v	46.3v	42.2v	49.7v	48.3v	46.5v	73.7v	95.7v	39.7v	70.6v	652.60v
541	MWO A King	T	71.6v	72.9v	47.5v	44.1v	48.5v	46.4v	46.3v	72.7v	102.13v	32.0v	72.6v	652.59v
542	CWO JA Perron	T	75.9v	72.10v	49.5v	37.0v	48.6v	47.3v	48.4v	71.9v	92.4v	41.2v	72.4v	652.56v
543	WO K Evans	T	72.8v	73.5v	48.2v	47.6v	43.1v	47.1v	43.4v	68.5v	96.10v	42.3v	73.9v	652.54v
544	Mr R Hu	T	67.4v	70.1v	47.3v	37.2v	50.5v	46.1v	46.5v	70.6v	100.12v	46.2v	73.6v	652.47v
545	Mr WB Ross	T	70.5v	69.4v	47.2v	44.3v	46.3v	43.4v	49.4v	68.5v	99.7v	47.3v	70.5v	652.45v
546	Mr HD Werner	O	70.4v	72.6v	48.5v	48.2v	47.3v	44.1v	46.5v	66.5v	99.10v	43.0v	69.4v	652.45v
547	Mr HP Noss	T	70.6v	69.4v	47.4v	41.1v	48.5v	47.2v	47.3v	71.4v	98.6v	45.2v	69.3v	652.40v
548	Mr JS Ritchie	O	71.8v	67.3v	43.2v	47.3v	48.4v	48.5v	47.3v	68.6v	96.7v	46.5v	70.4v	651.50v
549	Cpl PK Kapkundos	T	67.2v	70.5v	45.2v	48.6v	44.3v	47.4v	43.1v	71.5v	99.9v	43.3v	74.8v	651.48v
550	Mr BD Jones	T	62.4v	74.10v	48.6v	46.2v	49.3v	47.2v	45.0v	73.7v	98.6v	40.1v	69.7v	651.48v
551	Mr PCW Rose	O	64.3v	67.4v	50.6v	47.2v	49.4v	45.2v	44.1v	74.9v	97.7v	46.4v	68.5v	651.47v
552	Flt. Lt. CM Fopp	O	69.3v	71.3v	42.3v	43.2v	49.3v	47.5v	47.3v	72.8v	98.9v	45.0v	68.6v	651.45v
553	Mr AR Betts	X	71.8v	70.4v	49.4v	45.1v	45.1v	44.3v	48.6v	68.5v	97.8v	41.2v	73.2v	651.44v
554	Mr F P R Northam	O	69.2v	72.9v	50.5v	46.4v	44.2v	48.3v	45.3v	71.7v	95.4v	41.1v	70.3v	651.43v
555	Mr CH Herter	O	65.3v	68.4v	49.5v	49.5v	46.6v	48.5v	42.3v	68.4v	95.9v	46.4v	74.10v	650.58v
556	MWO G Dusseault	T	72.10v	71.6v	47.4v	37.2v	48.4v	46.3v	42.3v	73.8v	99.5v	42.2v	73.8v	650.55v
557	Mr P Merry	O	70.5v	67.7v	45.3v	45.1v	48.5v	45.4v	45.4v	73.7v	99.11v	43.2v	70.4v	650.53v
558	Sgt WO Odhiambo	O	63.4v	72.7v	46.2v	49.3v	49.3v	48.3v	39.1v	67.6v	103.11v	43.1v	71.5v	650.46v
559	Dr N Hart	A	70.7v	69.3v	47.4v	42.3v	47.5v	47.4v	45.0v	72.5v	92.5v	46.3v	73.6v	650.45v
560	Dr G Stevenson	O	71.3v	69.3v	50.5v	46.3v	45.3v	49.5v	45.1v	68.3v	95.4v	43.3v	69.5v	650.38v

561	Mr IRM Brown	A	71.9v	68.4v	44.3v	45.3v	50.7v	47.4v	35.2v	72.6v	99.9v	45.1v	73.10v	649.58v
562	Cpl W Woods Ballard	T	72.9v	69.6v	48.7v	47.6v	50.5v	50.6v	42.3v	64.2v	96.6v	42.2v	69.6v	649.58v
563	F/Sgt K Peters	T	72.8v	70.7v	48.5v	46.3v	45.3v	40.2v	43.2v	69.4v	100.8v	46.3v	70.5v	649.50v
564	Cpl BCN Southworth	T	74.8v	70.5v	46.4v	37.2v	49.5v	49.6v	45.2v	69.5v	99.7v	36.0v	75.6v	649.50v
565	Wg. Cdr. MJ Gregory	O	70.5v	72.5v	48.3v	42.1v	42.5v	49.4v	43.2v	69.4v	95.6v	48.8v	71.6v	649.49v
566	Mr AK Fitch	O	70.3v	69.3v	45.3v	44.3v	45.3v	49.5v	43.3v	71.7v	99.10v	48.7v	66.1v	649.48v
567	Sgt CK Keenan	T	74.7v	72.4v	46.3v	43.3v	48.6v	47.4v	47.5v	68.5v	94.5v	39.2v	71.4v	649.48v
568	Mr DN Neal	T	69.5v	68.5v	49.6v	47.6v	47.3v	46.1v	42.1v	70.5v	96.3v	42.1v	73.9v	649.45v
569	Mr JS Chapman	O	71.5v	69.3v	46.4v	44.6v	44.0v	47.2v	48.6v	66.5v	97.5v	46.2v	71.6v	649.44v
570	Miss JH Hince	T	72.4v	71.3v	48.7v	48.5v	47.3v	46.2v	43.1v	63.2v	96.5v	46.3v	69.6v	649.41v
571	PC EN Ngetich	X	71.3v	72.10v	47.4v	44.4v	42.3v	46.2v	48.4v	69.5v	97.1v	44.0v	69.5v	649.41v
572	WO B Chaisson	T	72.9v	71.10v	48.6v	49.9v	47.2v	42.2v	44.1v	68.7v	96.6v	41.0v	70.8v	648.60v
573	Mr NW Penn	O	74.10v	73.8v	48.4v	49.5v	46.0v	44.4v	33.1v	67.5v	97.6v	46.4v	71.3v	648.50v
574	Mr AJD Saunders	O	65.5v	69.5v	47.3v	43.1v	46.4v	48.7v	46.3v	71.5v	94.4v	46.4v	73.8v	648.49v
575	Mr R Johnson	T	71.5v	68.7v	45.3v	42.2v	47.3v	48.7v	46.3v	72.4v	96.8v	43.1v	70.6v	648.49v
576	Mr MR Ebbetts	X	70.5v	71.7v	48.3v	49.5v	47.2v	40.2v	44.3v	71.7v	96.5v	41.2v	71.5v	648.46v
577	Mr NR Wells	O	68.3v	70.6v	47.4v	44.4v	49.4v	48.2v	45.4v	68.4v	93.7v	42.0v	74.6v	648.44v
578	G Witthaus	T	72.4v	69.4v	47.4v	43.1v	50.6v	48.3v	46.2v	73.5v	91.1v	40.1v	69.7v	648.38v
579	Judges AP Powell	O	69.4v	72.7v	50.7v	39.2v	45.2v	48.6v	45.3v	73.9v	94.6v	42.1v	70.7v	647.54v
580	MWO D Brais	T	69.3v	69.8v	48.6v	48.4v	46.5v	43.0v	44.2v	73.10v	92.3v	45.2v	70.3v	647.46v
581	Miss ED Dixon	T	73.6v	68.0v	46.2v	50.7v	46.5v	45.2v	42.1v	70.4v	95.8v	43.3v	69.5v	647.43v
582	Cdt S Elliott	T	71.7v	69.5v	48.5v	40.2v	47.6v	46.5v	44.3v	66.4v	102.10v	41.1v	72.10v	646.58v
583	Miss HV Southall	O	68.7v	69.6v	41.1v	47.2v	49.6v	48.4v	47.5v	67.4v	101.12v	46.4v	63.5v	646.56v
584	CI NM Mringie	X	73.8v	69.6v	46.3v	44.3v	46.4v	48.5v	47.4v	68.3v	94.4v	42.2v	69.3v	646.45v
585	Mr TF Kurn	O	68.1v	68.5v	45.1v	48.4v	46.4v	45.4v	48.5v	69.6v	97.5v	45.4v	67.5v	646.44v
586	Mr GH Porter	O	68.4v	68.2v	48.5v	47.2v	47.4v	48.5v	45.2v	69.6v	100.11v	36.0v	70.3v	646.44v
587	Mr EL Legei	X	72.3v	72.5v	48.5v	46.1v	48.3v	42.4v	43.2v	72.5v	94.6v	39.0v	70.5v	646.39v
588	Mr H Durkie	T	67.6v	64.5v	38.1v	46.1v	49.7v	48.4v	47.3v	69.4v	99.8v	47.5v	71.5v	645.49v
589	Mr TM Mason	O	69.5v	71.4v	50.7v	47.2v	44.2v	47.3v	45.1v	72.9v	100.10v	29.0v	71.6v	645.49v
590	Mr BP Etienne	O	67.5v	70.3v	45.3v	49.5v	47.3v	49.6v	41.1v	71.6v	94.6v	42.1v	70.5v	645.44v
591	Mr SE Edwards	T	67.4v	70.3v	48.2v	47.6v	48.5v	45.1v	47.3v	67.3v	96.7v	38.2v	72.3v	645.39v
592	Miss AL Matthews	O	71.5v	66.3v	47.3v	47.4v	46.5v	46.1v	38.0v	74.10v	96.7v	40.7v	73.6v	644.51v
593	Mr R Jackson	O	68.2v	70.5v	46.5v	45.5v	47.5v	46.4v	45.3v	70.5v	97.9v	45.2v	65.3v	644.48v
594	Cdt LCpl MDE Larcombe	T	70.4v	69.6v	48.2v	42.1v	47.4v	45.4v	37.0v	72.8v	100.12v	43.0v	71.4v	644.45v
595	Cpl J Wallis	T	69.5v	68.3v	47.1v	41.5v	47.5v	49.5v	46.3v	72.8v	98.4v	39.0v	68.5v	644.44v
596	Mr HRM Bailie	O	70.6v	67.3v	49.3v	47.5v	49.3v	44.0v	39.0v	69.5v	95.8v	43.0v	72.6v	644.39v
597	Mr JA Marshall	X	70.7v	61.1v	48.5v	45.4v	44.3v	48.5v	43.2v	72.7v	98.6v	45.1v	69.8v	643.49v
598	Miss EL Sweet	O	68.1v	67.4v	47.4v	45.4v	48.3v	45.4v	46.4v	67.6v	99.5v	42.3v	69.8v	643.46v
599	Miss KL Lindsay	T	71.5v	69.7v	46.4v	44.1v	46.4v	43.2v	42.2v	71.7v	98.5v	42.2v	71.7v	643.46v
600	Sgt CS Neuhauser	T	71.6v	67.5v	47.5v	46.3v	47.2v	45.5v	45.3v	72.5v	91.2v	40.1v	72.8v	643.45v
601	Mr F Cade	T	64.1v	67.5v	48.3v	47.2v	45.2v	48.1v	46.3v	71.4v	94.2v	42.2v	71.5v	643.30v
602	Miss ME Kenyon	T	68.2v	69.6v	47.4v	46.3v	48.3v	48.6v	40.2v	74.11v	97.6v	36.1v	69.5v	642.49v
603	Mr DF Nesbitt	O	70.6v	68.8v	48.5v	45.4v	43.3v	47.5v	47.2v	72.7v	92.4v	41.1v	69.2v	642.47v
604	Mr R Murray	T	71.5v	69.3v	47.4v	46.6v	48.3v	38.1v	43.1v	69.5v	98.6v	42.0v	71.7v	642.41v
605	Mr KG Firth	O	67.2v	68.5v	43.2v	46.3v	47.3v	47.3v	42.2v	69.6v	99.6v	43.2v	71.4v	642.38v
606	Mr JS Scambler	T	69.6v	70.5v	44.5v	45.2v	44.1v	43.0v	45.3v	73.5v	100.7v	39.0v	70.3v	642.37v
607	MWO A Bewli	T	73.11v	71.3v	46.4v	47.6v	48.6v	40.2v	34.0v	69.4v	98.8v	45.1v	70.7v	641.52v
608	Sgt R Walley	T	67.2v	69.5v	48.4v	44.1v	48.6v	49.8v	44.2v	69.3v	90.5v	43.2v	70.7v	641.45v
609	Mr J Hollingdale	T	67.5v	68.6v	47.2v	42.0v	49.4v	47.4v	46.2v	65.4v	97.6v	43.4v	70.5v	641.42v
610	Cpl JT Thorp	T	69.5v	65.1v	50.3v	46.4v	45.1v	48.5v	43.2v	70.5v	93.8v	44.2v	68.5v	641.41v
611	Dr JC Jobb	O	70.6v	66.3v	45.3v	45.1v	46.3v	45.2v	47.4v	72.3v	94.6v	44.2v	67.5v	641.38v
612	Miss KM Muhammad	T	66.2v	71.3v	46.3v	45.5v	50.6v	46.5v	44.1v	69.1v	96.8v	40.0v	68.4v	641.38v
613	Mr JM de Bruyn	O	66.3v	72.5v	46.4v	44.2v	45.6v	47.2v	42.2v	69.1v	100.7v	41.0v	69.4v	641.36v
614	Mr OM Conway	T	68.6v	65.3v	47.4v	45.1v	46.3v	43.1v	48.1v	72.3v	98.7v	43.2v	66.4v	641.35v
615	Mr DT Taylor	O	70.7v	72.6v	43.2v	34.3v	48.7v	49.5v	44.1v	72.8v	99.11v	36.2v	73.7v	640.59v
616	Mr MP Perez	O	69.4v	70.7v	48.6v	40.3v	48.5v	41.2v	48.3v	68.6v	98.10v	38.2v	72.7v	640.55v
617	CDT TP Shaw	T	70.4v	72.8v	45.5v	49.2v	45.4v	41.2v	44.1v	69.3v	92.3v	43.2v	70.7v	640.41v
618	Mr CAD Flanagan	T	72.4v	68.5v	48.6v	47.5v	44.2v	46.1v	40.2v	72.5v	93.3v	37.1v	73.6v	640.40v
619	Mr CMT Truman	O	69.2v	68.5v	46.2v	42.1v	48.2v	44.3v	48.3v	68.3v	97.4v	39.3v	71.7v	640.35v
620	Mr D Hanson	O	74.9v	68.5v	46.3v	44.1v	42.2v	48.2v	45.3v	71.6v	90.7v	38.1v	73.7v	639.46v
621	Mr RJ Clegg	T	69.8v	71.7v	44.2v	42.2v	48.6v	46.4v	43.3v	69.4v	93.6v	45.0v	69.2v	639.44v
622	Mr MG Grimdsell	O	71.6v	68.2v	47.5v	41.1v	45.2v	44.1v	44.3v	70.5v	92.7v	47.4v	70.5v	639.41v
623	Mr C Waldron	O	68.3v	70.3v	48.7v	42.1v	48.4v	46.4v	46.0v	65.2v	97.5v	40.2v	69.5v	639.36v
624	Mr TW Harrison	O	67.1v	68.6v	48.6v	47.4v	43.1v	47.3v	44.2v	62.0v	99.5v	44.2v	70.3v	639.33v
625	Mr EJT Thomas	O	72.8v	66.6v	48.6v	47.4v	47.4v	47.7v	43.2v	62.1v	94.5v	40.1v	72.7v	638.51v
626	Mr PD Le Poidevin	O	67.2v	70.7v	49.3v	46.2v	45.4v	44.1v	45.4v	67.4v	93.7v	41.1v	71.7v	638.42v
627	Mr P F M Ryan	O	69.4v	69.5v	45.3v	46.3v	46.3v	45.4v	41.0v	65.4v	95.6v	46.3v	71.6v	638.41v
628	Miss ML Wilkins	O	70.3v	72.7v	47.1v	46.7v	45.4v	45.2v	46.3v	63.2v	94.3v	46.3v	64.3v	638.38v
629	Mr AJ Le Cheminant	T	70.4v	69.4v	42.2v	46.3v	45.6v	43.2v	40.1v	72.8v	97.5v	43.1v	71.2v	638.38v
630	Mr DJ Stewart	O	66.3v	66.1v	46.4v	41.3v	46.3v	43.2v	46.1v	72.3v	99.3v	44.3v	69.5v	638.31v
631	CSM GW Holland	T	71.6v	68.2v	43.2v	45.2v	44.1v	47.4v	38.2v	69.5v	96.9v	46.3v	70.5v	637.41v
632	Major N Stebbings	O	69.6v	68.2v	46.3v	44.3v	48.3v	46.2v	47.4v	68.4v	95.6v	44.3v	62.2v	637.38v

633	Mr AV Vitart	T	65.2v	70.6v	43.1v	46.1v	47.3v	41.3v	49.6v	68.3v	95.8v	44.2v	69.3v	637.38v
634	Mr JLC Christian	T	72.7v	67.3v	47.1v	46.3v	49.4v	43.2v	45.2v	67.5v	88.3v	42.1v	71.5v	637.36v
635	Mr JD Dixon	T	69.3v	68.3v	46.2v	44.1v	44.3v	46.3v	45.2v	66.2v	96.8v	44.3v	69.4v	637.34v
636	Cpl AL Chapman	T	72.9v	70.6v	48.3v	41.2v	49.7v	49.7v	41.1v	71.7v	90.5v	35.1v	70.4v	636.52v
637	Mr EM Brice	O	69.4v	63.2v	47.5v	42.2v	48.6v	47.4v	48.4v	67.4v	93.8v	43.2v	69.6v	636.47v
638	Mr MB Bree	O	68.4v	68.4v	46.4v	31.0v	47.5v	43.2v	50.2v	72.3v	98.8v	41.2v	72.8v	636.42v
639	Mr JN Nicholls	T	68.3v	70.8v	46.2v	41.1v	45.3v	42.2v	45.4v	68.3v	94.7v	47.2v	70.6v	636.41v
640	Miss HR Mackintosh	O	62.2v	70.8v	48.4v	48.4v	47.5v	45.3v	38.0v	68.3v	94.5v	43.1v	73.6v	636.41v
641	Mr CD Dart	O	70.8v	69.3v	46.5v	42.0v	48.5v	43.2v	37.1v	73.5v	94.4v	45.2v	69.3v	636.38v
642	Mr RL Sampson	O	73.8v	72.6v	47.2v	47.5v	47.4v	48.4v	45.3v	69.5v	67.3v	46.3v	74.7v	635.50v
643	Mr MH Horrell	O	64.4v	65.4v	44.2v	46.4v	48.7v	46.1v	46.2v	70.5v	99.9v	36.1v	71.8v	635.47v
644	Mr TF Fermor	T	73.6v	66.3v	46.4v	48.4v	46.2v	46.3v	41.1v	69.7v	89.4v	41.2v	70.4v	635.40v
645	Cpl M Bamford	T	71.3v	69.2v	42.1v	49.2v	45.1v	37.0v	44.4v	65.3v	98.8v	46.4v	69.3v	635.31v
646	Mr PD Pelly	O	67.5v	65.5v	49.5v	46.4v	44.3v	43.2v	47.5v	67.4v	101.8v	37.1v	68.3v	634.45v
647	Miss AC Melling	T	69.4v	68.6v	45.4v	48.4v	47.3v	43.3v	44.2v	65.4v	94.6v	43.3v	68.3v	634.42v
648	Mr OGE Howard-Vyse	T	67.3v	67.4v	46.2v	44.3v	43.2v	42.1v	43.1v	68.4v	98.6v	43.1v	73.2v	634.29v
649	Cpl OJA Money-Kyrle	T	67.3v	71.7v	47.3v	45.3v	46.3v	46.5v	42.2v	73.6v	96.7v	27.1v	73.9v	633.49v
650	Mr CC Mallett Jnr	O	65.2v	73.4v	45.1v	44.2v	44.3v	43.3v	47.4v	65.4v	92.8v	46.3v	69.4v	633.38v
651	Mr SR Robinson	T	69.4v	68.4v	45.1v	49.4v	45.4v	46.3v	41.2v	68.6v	96.4v	38.1v	68.5v	633.38v
652	Mr T Galliers	O	68.4v	64.3v	45.3v	41.2v	46.4v	40.1v	47.2v	67.7v	100.7v	44.2v	70.5v	632.40v
653	SSgt J Furness	T	72.7v	66.5v	47.4v	45.1v	47.6v	44.0v	42.1v	71.4v	93.4v	37.0v	68.7v	632.39v
654	LCpl WCW Howseman	T	71.7v	66.3v	48.3v	48.6v	47.3v	47.4v	37.0v	59.1v	98.6v	41.1v	70.2v	632.36v
655	Miss SJ Dick	O	67.2v	69.5v	42.3v	40.1v	49.2v	44.1v	48.6v	71.6v	93.4v	39.1v	70.3v	632.34v
656	Mr MP Sheppard	T	69.7v	67.6v	47.2v	35.2v	41.1v	48.4v	44.4v	70.6v	95.1v	43.2v	72.7v	631.42v
657	Mr JX Xiao	T	67.1v	68.7v	44.3v	43.3v	44.2v	43.3v	44.2v	68.5v	98.8v	43.1v	69.5v	631.40v
658	Mr PJ Holden	O	73.5v	60.5v	47.2v	44.3v	47.4v	45.1v	47.4v	68.5v	95.3v	39.1v	66.4v	631.37v
659	Mr THD Dodds	A	71.8v	71.7v	50.8v	50.6v	47.5v	48.3v	0.0v	73.8v	101.8v	45.2v	73.9v	629.64v
660	Mr CC Clifford	T	72.8v	68.6v	48.5v	45.4v	44.3v	47.5v	45.3v	67.3v	93.5v	37.0v	63.5v	629.47v
661	Mr HGM Mooiman	O	67.5v	70.4v	43.2v	50.6v	42.2v	42.3v	46.5v	69.7v	91.6v	45.4v	64.2v	629.46v
662	Mr MC Connole	T	68.7v	66.5v	48.5v	43.2v	48.5v	45.2v	40.2v	71.6v	97.8v	38.1v	65.1v	629.44v
663	Mr SWM Freeborn	T	68.3v	63.5v	45.3v	48.5v	46.2v	46.5v	36.3v	70.5v	94.4v	48.3v	65.4v	629.42v
664	Mr LJ Smith	T	69.4v	67.3v	45.3v	48.4v	45.3v	48.3v	35.0v	73.5v	100.11v	30.0v	69.5v	629.41v
665	Cdt CSM CT Dawes	T	71.9v	63.0v	47.3v	42.2v	49.4v	46.3v	42.1v	67.5v	90.6v	44.2v	68.5v	629.40v
666	Cdt J Moor	T	66.2v	69.5v	47.5v	46.2v	48.5v	43.0v	38.1v	66.6v	94.6v	41.1v	71.5v	629.38v
667	Mr RM Culverwell	O	66.3v	66.3v	44.2v	42.2v	46.3v	47.3v	46.3v	68.4v	92.6v	46.2v	66.5v	629.36v
668	Mr PM Weston	O	68.3v	67.6v	45.3v	44.2v	46.2v	41.2v	39.0v	66.1v	96.6v	44.0v	72.6v	628.31v
669	Miss R Piper	T	68.2v	71.5v	46.2v	44.3v	48.8v	39.0v	46.6v	61.3v	95.6v	42.3v	67.4v	627.42v
670	Mr OH Hood	T	68.4v	69.5v	42.2v	40.0v	46.5v	46.3v	43.1v	71.4v	96.6v	34.1v	72.7v	627.38v
671	Mrs CIM Le Poidevin	O	71.6v	69.3v	43.2v	47.4v	46.2v	46.2v	38.1v	68.6v	94.7v	42.1v	63.2v	627.36v
672	Mr LR Reid	T	70.3v	67.2v	47.3v	46.3v	46.1v	47.4v	45.2v	61.3v	95.8v	31.0v	72.5v	627.34v
673	L Cpl EJ Dell	T	64.2v	67.4v	44.2v	39.1v	44.1v	44.2v	47.4v	69.4v	95.3v	40.0v	73.7v	626.30v
674	Mr TJ Jaggard	T	67.5v	65.4v	44.0v	42.0v	45.1v	46.4v	44.4v	70.5v	91.2v	47.5v	64.5v	625.35v
675	WO J Bernier	T	69.7v	69.4v	44.3v	38.0v	47.4v	46.3v	44.3v	68.2v	96.5v	43.2v	61.0v	625.33v
676	Surg Lt Cdr GMC Hunter	T	67.5v	62.1v	44.1v	41.2v	47.5v	49.4v	44.0v	67.2v	91.5v	44.2v	69.3v	625.30v
677	Miss J Powell	T	69.3v	68.6v	46.0v	42.1v	47.4v	47.2v	41.1v	67.3v	93.2v	41.0v	64.2v	625.24v
678	Mr HEJ Welch	T	69.3v	69.8v	48.4v	48.3v	44.1v	47.1v	41.2v	69.5v	94.4v	25.1v	69.6v	623.38v
679	LCpl TA Elvin	T	69.4v	69.5v	45.3v	40.2v	47.4v	44.3v	44.2v	68.5v	85.4v	46.3v	66.1v	623.36v
680	Mr ML Kirkillio-Stacewicz	T	68.3v	70.4v	42.1v	42.1v	46.4v	44.1v	42.3v	67.2v	98.4v	37.1v	67.7v	623.31v
681	Mr AH Hood	T	68.3v	69.6v	44.4v	29.0v	49.4v	46.3v	36.1v	73.9v	98.7v	41.2v	68.6v	621.45v
682	Sgt WMR Jowett	T	73.8v	63.3v	48.3v	36.5v	41.0v	32.0v	46.4v	69.5v	102.9v	40.2v	68.5v	618.44v
683	Mr RM Smith	T	70.2v	68.5v	48.3v	43.1v	48.7v	40.2v	45.2v	68.3v	91.4v	41.1v	56.2v	618.32v
684	Mr JJ Parsons	T	64.9v	67.4v	48.5v	46.2v	49.4v	39.2v	40.2v	71.5v	93.5v	32.1v	68.5v	617.44v
685	Mr HD Donovan	T	74.4v	70.6v	47.4v	44.3v	45.2v	43.1v	46.5v	70.1v	64.5v	45.6v	69.6v	617.43v
686	Mr SWM McBain	T	68.5v	70.4v	47.6v	45.3v	44.0v	44.3v	41.2v	64.2v	90.5v	32.0v	72.4v	617.34v
687	Mr J Bowsher	T	66.4v	64.3v	45.2v	43.1v	46.2v	47.2v	43.1v	65.2v	94.5v	42.1v	62.4v	617.27v
688	Mr HP Bielefeldt	T	71.5v	70.5v	48.5v	0.0v	47.2v	47.3v	48.3v	72.6v	100.8v	44.4v	69.2v	616.43v
689	Mr RB Brewer - Marchant	T	67.4v	63.6v	43.1v	43.4v	43.0v	43.1v	46.3v	69.5v	97.8v	38.1v	64.4v	616.37v
690	Cdt R Tancred	T	70.5v	67.3v	46.1v	49.2v	40.1v	43.2v	39.0v	62.3v	96.8v	38.1v	66.1v	616.27v
691	Mr DJ Fourie	X	69.3v	67.2v	46.4v	45.1v	47.3v	48.2v	0.0v	72.5v	102.9v	47.5v	72.5v	615.39v
692	Cadet LD Davies	T	71.7v	66.4v	45.2v	43.1v	46.3v	42.1v	40.2v	70.6v	95.5v	25.0v	71.6v	614.37v
693	Mr AW Sainter	T	66.1v	70.4v	48.4v	43.2v	38.2v	44.3v	43.1v	61.2v	94.7v	40.1v	67.4v	614.31v
694	Sgt CEA Depla	T	67.1v	65.4v	45.2v	44.1v	41.2v	43.1v	44.0v	65.5v	91.6v	43.1v	66.2v	614.25v
695	Miss H P McCullough	X	73.8v	73.8v	49.6v	49.7v	46.3v	49.1v	49.2v	0.0v	104.14v	46.2v	74.7v	612.58v
696	Mr C Vonchek	T	68.4v	64.2v	48.4v	48.2v	44.1v	45.5v	42.3v	63.2v	84.0v	36.1v	70.5v	612.29v
697	Mr JR Robinson	T	64.2v	70.5v	41.3v	39.2v	47.5v	38.1v	42.1v	69.6v	87.5v	43.3v	70.4v	610.37v
698	Mr RK Modenbach	X	70.7v	65.2v	48.4v	44.3v	47.4v	46.4v	0.0v	72.5v	97.10v	46.4v	73.5v	608.48v
699	Mr MK Townsend	O	71.6v	69.6v	46.2v	48.5v	42.2v	40.0v	47.5v	67.4v	60.0v	46.3v	72.8v	608.41v
700	Cdt LCpl ATJ Smith	T	64.4v	68.5v	43.1v	43.1v	40.1v	42.1v	41.2v	66.4v	96.9v	40.1v	65.4v	608.33v
701	Miss KH Hinkly	T	67.4v	65.1v	42.3v	46.4v	45.3v	46.1v	37.0v	65.7v	91.2v	40.0v	64.6v	608.31v
702	Mr G Meijer	O	69.4v	70.3v	49.4v	43.1v	47.4v	0.0v	48.6v	72.4v	94.8v	49.8v	66.3v	607.45v
703	WO V Melanson	T	63.3v	67.2v	44.3v	42.1v	49.4v	39.2v	39.3v	65.4v	94.6v	34.0v	70.4v	606.32v
704	Mr ZS Martin	T	62.3v	67.3v	43.2v	46.2v	44.1v	42.1v	44.3v	66.3v	83.3v	42.1v	65.3v	604.25v

