

NRA 148th Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr DR Armstrong	X	75.13v	75.11v	49.6v	49.6v	50.8v	49.4v	50.6v	75.10v	105.15v	48.5v	0.0v	625.84v
2	Mr CJ Watson	X	74.12v	75.10v	50.8v	50.7v	50.9v	50.9v	47.5v	75.13v	103.15v	50.8v	0.0v	624.96v
3	Mr P Patel	X	75.12v	75.14v	50.6v	48.3v	50.8v	50.10v	49.3v	75.13v	103.15v	49.7v	0.0v	624.91v
4	Mr GE Morris	X	74.10v	74.7v	49.6v	50.7v	50.7v	48.6v	49.6v	74.8v	105.15v	50.4v	0.0v	623.76v
5	Mr GCD Barnett	X	74.11v	75.14v	49.5v	50.6v	48.7v	50.10v	49.7v	75.13v	103.11v	49.5v	0.0v	622.89v
6	Mr DC Luckman	X	75.10v	75.13v	50.8v	49.8v	50.8v	49.9v	48.4v	75.10v	104.15v	47.4v	0.0v	622.89v
7	Mr RSF Shouler	X	75.10v	74.12v	49.8v	49.7v	50.8v	50.4v	49.5v	75.13v	104.16v	47.5v	0.0v	622.88v
8	Wg Cdr DP Calvert	X	74.11v	75.12v	49.7v	50.4v	49.7v	48.6v	49.6v	74.11v	104.16v	50.7v	0.0v	622.87v
9	Mr WJD Broad	X	75.10v	75.11v	50.6v	49.3v	50.10v	49.7v	49.7v	75.14v	103.14v	47.4v	0.0v	622.86v
10	Dr HHG Pollock	X	75.12v	75.12v	49.6v	50.8v	50.8v	50.7v	47.5v	74.13v	103.13v	48.2v	0.0v	621.86v
11	Dr PR Wheeler	X	75.12v	75.9v	48.6v	47.6v	50.8v	49.7v	50.6v	75.12v	104.12v	48.6v	0.0v	621.84v
12	Mr J Corbett	X	75.13v	75.14v	49.7v	50.6v	50.9v	50.5v	48.5v	75.12v	103.10v	46.3v	0.0v	621.84v
13	Dr JO Ahrens	X	74.11v	74.10v	50.6v	49.5v	50.9v	50.4v	47.5v	74.10v	104.16v	49.4v	0.0v	621.80v
14	Mr JC Underwood	X	74.9v	74.9v	50.9v	50.8v	49.5v	50.4v	49.7v	75.11v	103.11v	47.3v	0.0v	621.76v
15	Miss JH Messer	X	74.11v	74.8v	49.7v	49.3v	49.8v	50.8v	48.4v	74.10v	105.11v	49.5v	0.0v	621.75v
16	Mr JW Alexander	X	73.10v	75.10v	49.6v	49.6v	50.8v	50.4v	49.5v	72.8v	104.11v	50.5v	0.0v	621.73v
17	Mr K Ramsey	X	75.8v	74.11v	48.3v	50.7v	49.6v	50.7v	49.5v	74.10v	104.11v	48.4v	0.0v	621.72v
18	Mr FWA Coetzee	X	75.13v	75.14v	50.8v	49.7v	49.8v	49.6v	45.4v	75.12v	104.12v	49.5v	0.0v	620.89v
19	Mr GA Cann	X	73.9v	75.14v	50.6v	48.8v	49.4v	50.5v	49.7v	73.9v	105.16v	48.7v	0.0v	620.85v
20	Mr ITG Shaw	X	75.13v	75.12v	49.3v	48.6v	50.8v	50.8v	47.4v	74.10v	104.12v	48.5v	0.0v	620.81v
21	Mr DA Richardson	X	75.13v	75.11v	49.7v	50.8v	49.6v	49.6v	48.2v	73.10v	104.14v	48.4v	0.0v	620.81v
22	Mr ANR Walker	X	74.11v	74.9v	49.7v	49.7v	50.6v	50.7v	48.5v	75.8v	103.14v	48.3v	0.0v	620.77v
23	Capt N Healy	A	75.12v	75.11v	49.4v	47.2v	50.10v	48.6v	50.4v	73.6v	105.15v	48.6v	0.0v	620.76v
24	Mr SA Thomas	X	72.8v	75.11v	50.5v	48.5v	50.7v	49.8v	48.3v	75.10v	103.11v	50.7v	0.0v	620.75v
25	Mr NBS Logan	X	75.13v	72.5v	50.4v	50.5v	50.7v	50.7v	50.6v	75.12v	100.10v	48.4v	0.0v	620.73v
26	Miss LAE Crowson	X	75.15v	75.13v	50.8v	49.7v	47.4v	50.6v	47.6v	73.10v	105.15v	48.6v	0.0v	619.90v
27	Mr MRM Millar	X	74.9v	73.10v	50.9v	49.6v	50.7v	50.7v	47.6v	72.7v	104.16v	50.7v	0.0v	619.84v
28	Mr M J Ensor	X	74.9v	74.11v	49.7v	49.5v	49.6v	49.5v	50.8v	75.12v	103.13v	47.4v	0.0v	619.80v
29	Mr AD Hunter	X	74.9v	74.10v	50.7v	50.8v	50.6v	50.8v	48.3v	72.10v	105.13v	46.3v	0.0v	619.77v
30	Mr T Drysdale	X	74.11v	75.11v	47.4v	49.6v	49.4v	48.4v	49.7v	74.7v	105.14v	49.7v	0.0v	619.75v
31	Mr M Cooper	A	74.12v	75.7v	50.5v	50.7v	45.4v	49.6v	48.4v	75.11v	104.10v	49.4v	0.0v	619.70v
32	Mr S Osmond	X	75.8v	75.13v	49.7v	48.4v	49.6v	50.7v	46.4v	74.12v	105.14v	47.5v	0.0v	618.80v
33	Mr TJD Raincock	X	74.9v	75.13v	50.7v	49.3v	48.7v	49.6v	46.5v	75.13v	104.15v	48.1v	0.0v	618.79v
34	Mr SM Negus	X	73.10v	70.9v	48.4v	49.3v	50.7v	50.7v	50.7v	75.15v	105.13v	48.3v	0.0v	618.78v
35	Mr AD Le Cheminant	X	74.10v	73.9v	50.7v	50.5v	49.8v	49.8v	50.5v	73.7v	104.10v	46.3v	0.0v	618.72v
36	Mr RN Stebbings	A	74.6v	75.9v	49.7v	47.6v	50.8v	50.7v	47.6v	73.7v	105.12v	48.3v	0.0v	618.71v
37	Dr AM Jory	X	74.10v	75.11v	49.3v	48.5v	50.7v	47.6v	50.5v	75.5v	104.16v	46.3v	0.0v	618.71v
38	Mr TA Ringer	X	74.9v	75.11v	49.5v	49.5v	48.3v	49.7v	50.7v	74.11v	104.11v	46.0v	0.0v	618.69v
39	Mr RJS Clark	A	74.7v	75.5v	49.5v	48.5v	50.5v	47.3v	46.2v	75.8v	105.14v	49.5v	0.0v	618.59v
40	Miss EJ Nuttall	X	74.13v	74.11v	48.6v	49.8v	50.7v	50.9v	47.6v	75.11v	105.20v	45.4v	0.0v	617.95v
41	Dr JDS Langley	X	74.11v	75.11v	49.8v	48.7v	50.5v	50.7v	48.6v	72.9v	105.16v	46.3v	0.0v	617.83v
42	Lt Col AM Bell	X	75.11v	75.10v	48.6v	48.6v	48.5v	49.5v	49.6v	75.11v	104.13v	46.5v	0.0v	617.78v
43	Mr DE Nuthall	X	75.12v	75.10v	49.2v	48.6v	49.8v	50.6v	47.4v	75.12v	104.13v	45.5v	0.0v	617.78v
44	Mr JRJ Hinde	A	75.13v	74.10v	49.5v	49.4v	50.9v	48.6v	48.8v	71.5v	103.9v	50.5v	0.0v	617.74v
45	Mr EC Dickson	A	74.9v	75.6v	50.8v	49.4v	49.8v	48.5v	46.3v	75.10v	105.15v	46.4v	0.0v	617.72v
46	Mr PAE Charlton	X	74.9v	74.7v	50.6v	49.3v	46.5v	50.9v	50.5v	75.11v	101.9v	48.4v	0.0v	617.68v
47	Mr PJ Chapman-Sheath	A	73.9v	75.11v	49.3v	49.3v	50.5v	49.7v	48.6v	73.4v	103.15v	48.3v	0.0v	617.66v
48	Mr S Belither	X	73.6v	73.6v	50.7v	47.4v	50.5v	49.7v	50.3v	73.9v	104.12v	48.5v	0.0v	617.64v
49	Mr JP Tapster	X	74.10v	74.8v	46.4v	48.8v	50.7v	50.7v	48.4v	75.13v	104.14v	47.3v	0.0v	616.78v
50	Mr ERT Jeens	X	73.9v	75.12v	49.7v	49.7v	48.6v	50.6v	48.6v	75.9v	102.9v	47.4v	0.0v	616.75v
51	Mr MCJ Button	X	74.11v	74.11v	50.6v	49.4v	49.5v	49.4v	48.8v	74.8v	102.15v	47.3v	0.0v	616.75v
52	Miss M Patrick	X	72.7v	75.11v	49.4v	48.4v	50.7v	49.7v	50.6v	75.12v	101.11v	47.5v	0.0v	616.74v
53	Mr PB Bromley	X	74.12v	73.13v	49.5v	49.3v	49.4v	49.4v	50.9v	74.9v	103.10v	46.4v	0.0v	616.73v
54	Mr B Creane	A	74.6v	74.8v	50.6v	49.6v	49.6v	49.6v	46.3v	75.8v	104.18v	46.4v	0.0v	616.71v
55	Mr JAM Paton	X	75.10v	75.9v	50.5v	47.4v	50.7v	50.5v	45.4v	74.8v	104.17v	46.2v	0.0v	616.71v
56	Mr WCP Richards	X	75.10v	74.8v	50.4v	49.5v	50.7v	48.7v	48.5v	74.7v	102.12v	46.4v	0.0v	616.69v

57	Mr DS Murray	X	74.13v	75.11v	46.5v	47.2v	49.3v	50.7v	47.2v	75.8v	104.12v	49.5v	0.0v	616.68v
58	Mr PJ Westlake	X	75.11v	73.6v	49.7v	48.4v	49.7v	49.4v	50.7v	73.9v	103.10v	47.1v	0.0v	616.66v
59	Mr N Cole-Hawkins	A	74.10v	74.8v	49.5v	50.2v	47.1v	50.8v	49.4v	75.9v	102.13v	46.5v	0.0v	616.65v
60	Mr S Wingrove	O	75.9v	73.4v	49.5v	50.7v	50.7v	49.6v	49.5v	74.8v	100.8v	47.5v	0.0v	616.64v
61	Mr TM Stevenson	A	75.11v	73.7v	50.5v	49.5v	49.4v	48.3v	46.2v	74.10v	104.12v	48.3v	0.0v	616.62v
62	Mr NRJ Brasier	X	73.10v	74.12v	49.7v	50.7v	48.8v	49.4v	47.4v	74.9v	102.12v	49.7v	0.0v	615.80v
63	Mr NC Mace	X	73.9v	74.12v	50.6v	47.5v	50.7v	49.8v	48.5v	74.11v	104.12v	46.5v	0.0v	615.80v
64	Mr TG Rylands	A	75.13v	74.8v	49.7v	49.9v	48.6v	48.6v	49.5v	73.10v	102.10v	48.5v	0.0v	615.79v
65	Mr BJ LeCheminant	X	72.9v	73.9v	49.5v	49.7v	50.7v	50.8v	50.8v	74.12v	101.9v	47.5v	0.0v	615.79v
66	Dr GP Nelson	A	74.10v	73.8v	50.7v	49.5v	49.6v	50.7v	47.5v	75.9v	103.16v	45.2v	0.0v	615.75v
67	Mr J Pepera-Hibbert	O	74.12v	72.9v	49.2v	48.6v	49.6v	49.5v	49.5v	75.10v	103.17v	47.1v	0.0v	615.73v
68	Mr CRM Asquith	X	75.7v	73.8v	50.7v	49.7v	49.8v	49.5v	49.7v	72.10v	104.10v	45.2v	0.0v	615.71v
69	Mr GC Childs	X	74.9v	75.11v	49.5v	47.6v	50.5v	46.3v	50.6v	73.9v	102.11v	49.3v	0.0v	615.68v
70	Mr KO Pugh	X	73.7v	74.9v	49.4v	50.8v	49.5v	48.4v	49.8v	73.8v	103.11v	47.4v	0.0v	615.68v
71	Prof. AR Horrocks	A	72.5v	74.10v	49.8v	47.5v	50.5v	50.8v	50.6v	73.8v	103.9v	47.4v	0.0v	615.68v
72	Dr JD Warburton	X	73.4v	73.8v	50.4v	48.6v	48.5v	48.7v	48.6v	75.9v	105.15v	47.4v	0.0v	615.68v
73	Mr PWG Glen	A	74.10v	75.9v	49.4v	48.3v	49.6v	48.7v	48.4v	72.6v	105.13v	47.5v	0.0v	615.67v
74	Mr KB Hill	O	73.8v	73.8v	48.3v	47.2v	50.7v	49.7v	48.5v	75.8v	104.12v	48.4v	0.0v	615.64v
75	Mr C Milton	X	75.10v	74.6v	49.6v	50.3v	48.6v	48.3v	50.4v	73.11v	99.8v	49.5v	0.0v	615.62v
76	Mrs LK Mace	A	74.7v	74.8v	48.4v	48.5v	50.6v	49.6v	47.3v	73.6v	104.10v	48.5v	0.0v	615.60v
77	Mr RM Roberts	X	74.11v	75.9v	49.7v	47.4v	49.5v	48.8v	46.4v	74.9v	105.18v	47.4v	0.0v	614.79v
78	Mr MG Whicher	O	73.10v	75.13v	48.5v	49.6v	46.4v	50.8v	47.4v	74.12v	103.12v	49.4v	0.0v	614.78v
79	Cdt D Shakhman	O	74.8v	74.13v	49.8v	49.5v	50.7v	48.7v	47.3v	73.8v	104.13v	46.4v	0.0v	614.76v
80	Mr JP Pugsley	X	75.9v	75.11v	48.4v	48.4v	50.7v	49.7v	47.6v	75.9v	101.12v	46.5v	0.0v	614.74v
81	Mr DGM Coleman	X	74.8v	74.9v	46.4v	50.3v	50.7v	48.3v	50.10v	74.11v	104.15v	44.2v	0.0v	614.72v
82	Miss SP Ward	X	73.11v	75.11v	47.2v	49.6v	49.5v	48.4v	48.4v	72.8v	104.13v	49.7v	0.0v	614.71v
83	Mr C Mitchell	X	75.9v	73.8v	49.8v	48.6v	49.7v	50.7v	47.3v	73.8v	104.12v	46.3v	0.0v	614.71v
84	Mr CJ Morton	X	74.7v	74.9v	48.5v	49.5v	50.7v	50.9v	48.5v	75.12v	102.8v	44.4v	0.0v	614.71v
85	Mr S Glen	O	74.11v	74.10v	48.2v	46.4v	48.2v	49.5v	47.3v	73.11v	105.15v	50.6v	0.0v	614.69v
86	Mr R Kloosterman	O	73.7v	71.5v	50.7v	50.5v	48.5v	48.4v	48.5v	73.12v	104.16v	49.3v	0.0v	614.69v
87	Mr HM Wong Shui	X	74.6v	73.4v	47.4v	50.6v	49.6v	50.8v	50.5v	74.14v	102.13v	45.3v	0.0v	614.69v
88	Dr BJ Winney	O	73.8v	74.8v	49.8v	48.5v	50.4v	49.6v	47.4v	72.7v	104.11v	48.6v	0.0v	614.67v
89	Miss A Southall	A	74.7v	75.10v	49.4v	46.2v	50.6v	48.6v	49.7v	75.11v	101.11v	47.3v	0.0v	614.67v
90	Mr JEM Bellringer	X	75.7v	72.8v	49.5v	47.3v	47.4v	50.9v	47.4v	72.7v	105.14v	50.5v	0.0v	614.66v
91	Mr AC Haley	X	75.12v	72.9v	48.3v	46.3v	49.5v	50.1v	48.4v	75.12v	102.13v	49.4v	0.0v	614.66v
92	Mr SJ Carson	X	75.8v	72.6v	45.7v	49.4v	50.7v	49.2v	48.6v	74.7v	103.13v	49.5v	0.0v	614.65v
93	Mr CA Stewart	O	75.6v	74.10v	50.8v	49.4v	48.5v	50.7v	45.3v	74.12v	102.5v	47.5v	0.0v	614.65v
94	Mr R W Ramage	O	72.7v	74.8v	50.8v	48.4v	49.4v	50.6v	49.6v	73.6v	102.12v	47.4v	0.0v	614.65v
95	LCol PF Cambridge	X	74.9v	73.8v	49.6v	49.4v	50.7v	47.3v	48.3v	75.12v	104.12v	45.0v	0.0v	614.64v
96	Mr JP Nice	X	75.10v	75.10v	48.4v	48.5v	49.6v	48.2v	49.5v	71.4v	104.13v	47.4v	0.0v	614.63v
97	Mr RM Hatcher	A	74.9v	75.10v	48.5v	49.7v	50.7v	50.8v	47.5v	69.11v	105.11v	46.3v	0.0v	613.76v
98	Mr FM Mohideen	X	74.10v	73.8v	48.5v	48.7v	48.5v	48.6v	49.6v	74.9v	104.12v	47.6v	0.0v	613.74v
99	Mr GD Palmer	O	73.11v	75.9v	49.5v	48.4v	49.6v	50.6v	50.5v	72.12v	102.12v	45.3v	0.0v	613.73v
100	Mr MI Buchanan	X	73.8v	73.8v	50.4v	50.7v	49.6v	49.4v	48.5v	74.9v	105.18v	42.4v	0.0v	613.73v
101	Mr ORW Russell	X	73.6v	75.9v	48.5v	49.7v	50.9v	50.6v	48.5v	73.7v	101.14v	46.4v	0.0v	613.72v
102	Mr JPS Bloomfield	X	75.11v	74.11v	49.6v	50.3v	48.6v	49.5v	49.5v	74.8v	102.15v	43.2v	0.0v	613.72v
103	Mr G Jarret	O	73.10v	75.8v	48.6v	49.5v	50.5v	48.6v	49.7v	74.8v	101.13v	46.3v	0.0v	613.71v
104	Mr P Holden	X	74.5v	73.8v	49.8v	47.2v	46.5v	50.9v	48.3v	73.11v	105.13v	48.6v	0.0v	613.70v
105	Mr J Brooking	X	74.7v	75.12v	49.6v	48.6v	49.5v	50.7v	44.5v	73.7v	103.9v	48.6v	0.0v	613.70v
106	Mr RJ Curtis	X	73.9v	74.9v	49.3v	49.5v	49.6v	48.5v	47.2v	74.10v	102.15v	48.4v	0.0v	613.68v
107	Dr G Stewart	X	75.9v	75.8v	49.5v	48.5v	48.6v	47.2v	49.7v	75.12v	103.10v	44.4v	0.0v	613.68v
108	Mr BA Horwood	X	74.10v	74.8v	49.6v	49.5v	50.7v	49.6v	47.3v	75.10v	104.12v	42.1v	0.0v	613.68v
109	Mr M Liversage	X	72.8v	75.10v	48.4v	49.6v	50.8v	45.2v	50.5v	74.10v	103.9v	47.4v	0.0v	613.66v
110	Mr AC Morley	X	75.8v	74.7v	48.3v	47.6v	50.7v	49.7v	48.6v	73.8v	103.10v	46.3v	0.0v	613.65v
111	Mr DC Crispin	X	73.4v	74.12v	48.4v	47.3v	49.5v	49.4v	46.3v	74.11v	103.13v	50.4v	0.0v	613.63v
112	Mr MJJ Charlton	A	72.9v	75.8v	47.4v	50.7v	49.2v	50.5v	48.4v	74.8v	103.11v	45.2v	0.0v	613.60v
113	Mr PJ Chance	X	74.9v	73.5v	49.5v	47.3v	48.5v	49.5v	50.3v	75.10v	101.12v	47.1v	0.0v	613.58v
114	Mr JR Tuck	A	74.10v	74.8v	50.7v	47.5v	50.8v	47.4v	47.6v	73.10v	104.14v	46.5v	0.0v	612.77v
115	Mr TL Bedwell	A	73.8v	75.13v	49.5v	50.7v	47.4v	48.5v	50.9v	73.8v	102.15v	45.3v	0.0v	612.77v
116	Mrs N Rossignol	X	75.11v	74.11v	47.4v	50.6v	50.6v	49.6v	46.5v	75.13v	103.14v	43.1v	0.0v	612.77v
117	Mr HA Day	X	72.10v	74.10v	48.5v	48.4v	50.9v	49.7v	47.5v	73.11v	103.9v	48.6v	0.0v	612.76v
118	Dr CD Haley	X	75.13v	74.8v	47.7v	48.6v	49.5v	49.4v	48.4v	72.7v	103.13v	47.7v	0.0v	612.74v
119	Mr R Birtwistle	X	74.10v	73.9v	49.5v	47.4v	50.7v	46.4v	49.5v	73.7v	104.17v	47.4v	0.0v	612.72v
120	Mr DF Williams	X	74.10v	73.6v	49.6v	50.9v	50.6v	49.4v	50.7v	74.8v	101.12v	42.3v	0.0v	612.71v
121	Capt J Cook	X	74.11v	71.4v	49.6v	46.3v	48.4v	50.7v	47.4v	75.10v	104.15v	48.5v	0.0v	612.69v
122	Mr C Fitzpatrick	X	74.10v	75.5v	49.6v	50.8v	49.7v	49.6v	44.4v	73.11v	103.9v	46.3v	0.0v	612.69v
123	Mr LM Peden (G.M.)	X	74.9v	74.11v	49.3v	50.5v	48.3v	50.8v	45.4v	75.8v	101.11v	46.5v	0.0v	612.67v
124	Mr J Ford	A	74.8v	74.8v	49.5v	49.6v	48.6v	48.6v	50.5v	72.9v	103.11v	45.2v	0.0v	612.66v
125	Mr CES Dickenson	A	72.2v	74.11v	49.6v	49.5v	48.6v	50.6v	47.4v	73.8v	101.13v	49.4v	0.0v	612.65v
126	Mr G Bendik	X	73.8v	74.9v	45.3v	49.5v	49.4v	50.7v	48.6v	73.8v	102.12v	49.3v	0.0v	612.65v
127	Mr M Mann	A	73.8v	73.9v	47.3v	49.8v	50.8v	48.3v	49.4v	74.9v	102.11v	47.2v	0.0v	612.65v
128	Mr H J Golaszewski	X	74.8v	74.12v	48.6v	49.4v	48.4v	50.6v	48.5v	75.11v	102.8v	44.1v	0.0v	612.65v

201	Mr IP Davison	X	74.8v	74.8v	48.7v	48.2v	49.8v	47.3v	45.3v	75.12v	104.11v	44.2v	0.0v	608.64v
202	Mr B Mehrtens	A	73.9v	74.5v	48.3v	49.7v	48.4v	49.6v	48.4v	72.8v	100.11v	47.6v	0.0v	608.63v
203	Mr A Jones	O	74.9v	74.7v	47.3v	49.5v	49.7v	48.3v	49.9v	75.9v	101.11v	42.0v	0.0v	608.63v
204	Mr PA Hatfield	A	73.7v	74.6v	48.5v	49.5v	49.6v	50.5v	49.7v	74.8v	96.10v	46.3v	0.0v	608.62v
205	Mr AJ Sonnenberg	A	75.11v	72.10v	49.5v	47.3v	48.5v	49.4v	46.4v	74.9v	105.10v	43.1v	0.0v	608.62v
206	Mr SNS Penrose	X	73.6v	75.5v	48.4v	49.8v	48.5v	49.7v	46.5v	74.7v	102.11v	44.3v	0.0v	608.61v
207	Miss JE Ouston	X	73.7v	73.7v	49.6v	49.8v	47.5v	48.4v	50.4v	72.6v	103.12v	44.2v	0.0v	608.61v
208	Mr GA Aitchison	X	75.7v	74.8v	46.6v	50.5v	49.8v	49.5v	45.3v	73.8v	104.7v	43.3v	0.0v	608.60v
209	Mr MF Martel	A	72.7v	74.7v	46.2v	49.5v	48.4v	47.5v	48.4v	72.10v	104.10v	48.5v	0.0v	608.59v
210	Mr AW Lothian	X	74.11v	73.11v	49.3v	47.3v	48.6v	46.5v	48.2v	72.4v	103.7v	48.6v	0.0v	608.58v
211	Mr T Keen	A	74.8v	75.3v	47.4v	47.3v	49.4v	48.6v	46.4v	73.8v	101.12v	48.6v	0.0v	608.58v
212	Mr SJ East	A	72.6v	75.9v	46.3v	47.3v	49.5v	48.3v	48.5v	74.9v	104.9v	45.3v	0.0v	608.55v
213	Mr TM Green	A	72.6v	74.8v	47.5v	48.3v	49.5v	50.4v	49.6v	74.7v	102.9v	43.2v	0.0v	608.55v
214	Miss HA Pugsley	X	73.8v	74.11v	47.5v	48.5v	48.3v	50.3v	49.3v	70.2v	101.9v	48.4v	0.0v	608.53v
215	Mr SP O'Brien	O	75.6v	75.8v	49.5v	48.2v	47.5v	48.5v	47.3v	74.4v	101.10v	44.1v	0.0v	608.49v
216	Mr JM Taylor	X	73.9v	72.7v	49.9v	49.5v	48.7v	47.5v	49.5v	73.11v	104.15v	43.2v	0.0v	607.75v
217	Cdt M Vinarski	T	75.10v	72.9v	49.4v	46.3v	47.6v	50.6v	45.5v	71.7v	104.13v	48.7v	0.0v	607.70v
218	Mr JC Evans	O	72.6v	74.11v	45.3v	50.4v	50.6v	47.2v	48.6v	75.12v	100.11v	46.6v	0.0v	607.67v
219	Mr JA Anderson	A	73.10v	73.8v	47.6v	48.4v	47.4v	48.6v	48.6v	74.8v	104.13v	45.2v	0.0v	607.67v
220	Mr RCT Jeens	X	66.1v	75.12v	48.6v	49.7v	47.4v	50.10v	48.5v	74.8v	103.11v	47.2v	0.0v	607.66v
221	Mr TJ Johnston	O	72.4v	74.13v	48.6v	50.7v	50.4v	48.7v	47.5v	75.7v	103.12v	40.1v	0.0v	607.66v
222	Mr JMA Thompson	X	73.7v	75.10v	50.5v	48.5v	49.5v	46.4v	50.6v	71.7v	103.11v	42.3v	0.0v	607.63v
223	Mr SE Young	A	75.9v	73.8v	47.4v	48.3v	50.5v	45.3v	50.7v	75.10v	103.11v	41.2v	0.0v	607.62v
224	Mr O Hudson	X	74.11v	74.10v	44.2v	45.3v	50.7v	50.6v	48.5v	69.3v	104.11v	49.3v	0.0v	607.61v
225	Mrs MM Norman	X	71.5v	75.10v	47.2v	46.5v	50.5v	47.4v	46.6v	75.6v	104.14v	46.4v	0.0v	607.61v
226	Mr MA Kirillo-Stacewicz	A	74.7v	74.10v	50.5v	46.4v	49.5v	48.6v	49.3v	73.7v	101.12v	43.2v	0.0v	607.61v
227	Dr JS Rennie	X	73.12v	73.8v	49.6v	48.3v	48.4v	47.5v	49.5v	73.6v	104.10v	43.1v	0.0v	607.60v
228	Mr DB Ball	T	70.7v	73.9v	46.5v	46.3v	49.4v	50.8v	47.2v	75.5v	104.12v	47.4v	0.0v	607.59v
229	Mr D Lowe	A	73.10v	72.4v	47.6v	49.3v	50.4v	47.5v	48.4v	74.8v	101.11v	46.4v	0.0v	607.59v
230	Dr CW Freeman	O	73.9v	72.6v	48.4v	47.4v	47.4v	50.4v	47.5v	73.6v	103.11v	47.3v	0.0v	607.56v
231	Wg. Cdr. CJ Hockley OBE	X	74.6v	73.8v	48.4v	48.3v	48.1v	49.7v	46.2v	71.7v	102.6v	48.3v	0.0v	607.47v
232	Miss CE Davies	O	72.9v	71.8v	48.4v	49.4v	47.6v	49.5v	47.5v	73.9v	101.15v	49.4v	0.0v	606.69v
233	Mr J Thombora	O	73.10v	74.12v	45.3v	49.6v	49.4v	49.7v	48.4v	73.8v	100.11v	46.4v	0.0v	606.69v
234	Mr PM Jory	X	75.13v	72.6v	48.5v	45.2v	50.7v	48.4v	46.3v	73.9v	104.16v	45.4v	0.0v	606.69v
235	Miss LR Mckerrell	A	74.12v	74.10v	50.8v	49.7v	50.7v	48.6v	45.2v	73.8v	101.7v	42.2v	0.0v	606.69v
236	Mr RT MacLeod	X	73.10v	72.6v	48.7v	47.4v	49.3v	49.6v	48.5v	73.9v	101.12v	46.6v	0.0v	606.68v
237	Mr C Rivett-Carnac	X	75.11v	75.11v	48.3v	49.5v	49.5v	48.5v	39.2v	75.12v	102.11v	46.2v	0.0v	606.67v
238	Mr C Mallett	X	74.9v	73.8v	48.2v	48.7v	50.8v	48.6v	46.4v	72.8v	102.12v	45.1v	0.0v	606.65v
239	Mr AJ Haggerty	X	74.8v	72.10v	44.3v	49.6v	49.5v	48.6v	50.5v	75.11v	102.8v	43.3v	0.0v	606.65v
240	Mr GR Ratcliff	O	72.8v	71.8v	48.5v	50.7v	47.4v	49.6v	50.7v	73.7v	100.9v	46.3v	0.0v	606.64v
241	Mr AN Tongue	O	74.11v	73.8v	47.4v	47.2v	49.6v	48.7v	49.3v	72.5v	102.13v	45.4v	0.0v	606.63v
242	Mr RW Shaw	A	72.7v	74.9v	48.4v	47.4v	47.5v	48.4v	49.7v	74.10v	100.8v	47.4v	0.0v	606.62v
243	Mr JRW Postle	X	71.6v	74.6v	47.6v	48.5v	48.4v	49.5v	49.6v	71.8v	103.12v	46.3v	0.0v	606.61v
244	Mr H Donovan	T	69.4v	75.12v	49.4v	46.2v	48.6v	50.6v	46.4v	75.9v	102.11v	46.3v	0.0v	606.61v
245	Mr CA Skellett	A	72.10v	73.6v	49.4v	48.5v	48.5v	48.5v	48.4v	73.10v	99.8v	48.3v	0.0v	606.60v
246	Mr JJ Parsons	T	73.6v	70.6v	47.5v	44.3v	50.4v	50.6v	49.5v	75.9v	101.13v	47.3v	0.0v	606.60v
247	Miss TJ Fitzsimons	A	73.7v	74.5v	45.4v	48.6v	50.6v	49.6v	43.3v	75.6v	100.9v	49.6v	0.0v	606.58v
248	Mr R A Webb	O	73.5v	71.6v	45.3v	49.5v	50.8v	48.6v	49.3v	73.7v	102.12v	46.3v	0.0v	606.58v
249	Mrs G Jarvis	A	74.9v	75.10v	48.3v	48.4v	47.4v	49.5v	47.3v	73.9v	105.11v	40.0v	0.0v	606.58v
250	Wg Cdr IA Mollan	O	73.8v	74.11v	49.4v	47.7v	50.5v	48.5v	50.5v	74.6v	98.6v	43.0v	0.0v	606.57v
251	Mr D Kirui	X	75.9v	71.5v	49.6v	46.3v	48.5v	49.5v	48.4v	73.7v	101.6v	46.5v	0.0v	606.55v
252	Cdt Cpl RG Woodger	T	73.11v	74.13v	50.7v	46.5v	49.5v	48.5v	48.5v	74.9v	103.12v	40.2v	0.0v	605.74v
253	Mr JWE Lothian	A	74.8v	74.10v	42.3v	50.4v	50.6v	49.8v	46.4v	73.10v	100.12v	47.8v	0.0v	605.73v
254	Miss HNL Butler	T	75.12v	72.8v	48.5v	49.5v	46.5v	49.6v	46.4v	74.12v	99.10v	47.2v	0.0v	605.69v
255	Dr J Mehta	X	75.12v	72.6v	48.6v	50.6v	48.7v	49.6v	48.4v	74.8v	97.11v	44.1v	0.0v	605.67v
256	Mr SC Postins	X	74.10v	74.11v	45.3v	47.4v	49.5v	49.1v	48.5v	74.9v	102.15v	43.2v	0.0v	605.65v
257	Dr MW Wrigley	X	73.11v	73.7v	49.6v	47.3v	48.6v	49.4v	47.5v	74.9v	104.10v	41.2v	0.0v	605.63v
258	Mr SJ Whitby	O	75.11v	72.10v	50.4v	48.4v	45.3v	48.1v	47.5v	73.10v	101.10v	46.4v	0.0v	605.62v
259	Mr PA Maher	X	71.5v	74.9v	47.3v	49.7v	49.3v	50.9v	46.2v	74.9v	100.14v	45.1v	0.0v	605.62v
260	Miss LE Kennedy	O	74.12v	73.5v	48.3v	47.2v	50.9v	46.2v	48.4v	74.10v	101.12v	44.3v	0.0v	605.62v
261	Mr M Todd	T	75.8v	72.8v	47.4v	48.2v	50.7v	46.4v	46.4v	73.11v	101.9v	47.4v	0.0v	605.61v
262	Major AR McLeod	X	74.12v	74.12v	48.4v	50.5v	49.5v	49.7v	43.1v	72.7v	103.8v	43.0v	0.0v	605.61v
263	Miss HV Southall	O	73.9v	74.10v	45.3v	49.4v	48.3v	49.4v	48.6v	73.11v	99.8v	47.2v	0.0v	605.60v
264	Mr NNT Kerins	A	74.9v	75.10v	49.4v	47.3v	47.5v	46.3v	46.1v	75.13v	101.10v	45.2v	0.0v	605.60v
265	Mr AF Donald	A	75.7v	73.10v	48.3v	49.5v	47.5v	49.5v	49.7v	73.6v	99.5v	43.3v	0.0v	605.56v
266	Mr A Thomson	A	70.2v	74.7v	50.6v	49.5v	48.2v	50.6v	48.3v	73.10v	101.13v	42.1v	0.0v	605.55v
267	Mr THD Dodds	A	75.7v	75.10v	47.5v	45.3v	48.4v	44.3v	49.4v	74.10v	101.7v	47.1v	0.0v	605.54v
268	Mr J Bullock	O	73.8v	74.6v	49.5v	46.2v	48.5v	50.7v	49.3v	74.7v	100.10v	42.1v	0.0v	605.54v
269	Mr SH Dickson	O	74.6v	73.8v	47.2v	49.6v	48.5v	50.5v	47.4v	74.5v	101.8v	42.2v	0.0v	605.51v
270	Mr CM Brooks	A	72.4v	72.8v	49.5v	49.4v	49.3v	47.3v	50.5v	73.6v	100.10v	44.1v	0.0v	605.49v
271	Mrs EG Charlton	A	69.4v	74.12v	45.4v	46.2v	49.8v	49.6v	49.7v	74.10v	103.13v	46.4v	0.0v	604.70v
272	Sgt GM Irish	A	73.9v	74.11v	47.2v	50.9v	49.5v	47.3v	47.5v	71.9v	101.12v	45.3v	0.0v	604.68v

345	Miss K Fleck	O	72.6v	72.4v	46.3v	45.1v	48.5v	49.3v	45.7v	70.4v	105.11v	48.5v	0.0v	600.49v
346	Mr W Johnson	O	72.5v	73.6v	48.3v	47.5v	48.3v	48.5v	44.3v	75.6v	102.10v	43.3v	0.0v	600.49v
347	Mr J Scambler	T	72.7v	74.12v	46.3v	48.0v	48.2v	48.2v	47.4v	74.9v	104.9v	39.0v	0.0v	600.48v
348	Mr N Mringie	X	73.8v	72.3v	46.3v	47.0v	46.6v	49.2v	48.5v	73.6v	103.12v	43.2v	0.0v	600.47v
349	Mr JA Lindsay III	X	74.9v	74.10v	48.4v	48.5v	47.5v	46.5v	45.7v	72.10v	101.14v	44.1v	0.0v	599.70v
350	Mr APW Daw	X	73.10v	75.12v	45.4v	49.6v	48.5v	47.3v	49.4v	73.8v	101.9v	39.2v	0.0v	599.63v
351	Mr J Purdy	O	69.6v	72.10v	47.2v	46.4v	48.6v	48.4v	50.5v	75.11v	99.9v	45.1v	0.0v	599.58v
352	Mr C Saina	X	72.9v	74.7v	46.5v	45.2v	45.5v	48.2v	48.5v	74.7v	101.11v	46.4v	0.0v	599.57v
353	Mr S Otundo	X	75.11v	73.6v	49.4v	48.4v	48.5v	48.3v	41.2v	73.6v	102.10v	42.4v	0.0v	599.55v
354	Mr WJ Rowland	A	73.7v	71.7v	45.1v	47.2v	49.8v	50.7v	50.5v	74.8v	98.8v	42.1v	0.0v	599.54v
355	Mr R Winney	X	73.9v	73.6v	44.3v	47.3v	47.5v	47.5v	46.4v	72.7v	103.8v	47.3v	0.0v	599.53v
356	Mr GL Clarke	O	70.8v	75.9v	50.2v	46.2v	48.5v	50.5v	47.2v	73.9v	102.10v	38.0v	0.0v	599.52v
357	Mr AI Brown	A	73.9v	73.6v	47.6v	49.4v	47.4v	48.5v	46.3v	72.3v	99.9v	45.2v	0.0v	599.51v
358	Mr M Horton-Baker	T	72.6v	74.11v	48.6v	43.4v	48.4v	50.7v	49.4v	73.8v	103.12v	38.2v	0.0v	598.64v
359	Mr MJ Creber	A	73.10v	70.7v	48.5v	45.3v	48.5v	47.4v	48.5v	73.9v	98.9v	48.6v	0.0v	598.63v
360	Mr R Bird	O	71.9v	69.6v	48.5v	48.7v	48.1v	42.1v	49.6v	74.7v	104.13v	45.3v	0.0v	598.58v
361	Air Cdre JA Ford	X	67.5v	73.6v	49.3v	48.5v	49.3v	48.7v	47.4v	69.7v	101.12v	47.4v	0.0v	598.56v
362	Miss S Cheslyn-Curtis	O	72.9v	73.8v	47.3v	50.5v	47.3v	44.6v	48.4v	72.7v	103.9v	42.2v	0.0v	598.56v
363	Mr DN Lindsay	A	73.9v	74.8v	46.2v	49.5v	41.2v	48.5v	45.1v	73.10v	103.9v	46.4v	0.0v	598.55v
364	Mr DFP Richards G.M.	X	71.7v	71.5v	48.5v	45.2v	48.4v	47.5v	48.2v	70.2v	101.13v	49.9v	0.0v	598.54v
365	Mr MJ Creber	O	73.8v	73.8v	50.5v	44.4v	48.4v	46.2v	45.2v	72.8v	100.9v	47.4v	0.0v	598.54v
366	Mr AR Betts	X	75.10v	73.6v	49.6v	48.2v	47.3v	43.1v	45.2v	72.8v	99.9v	47.5v	0.0v	598.52v
367	Mr RMR Stearn	O	74.9v	73.8v	47.1v	43.2v	49.7v	49.5v	48.5v	70.3v	103.12v	42.0v	0.0v	598.52v
368	Mr LT Wicker	A	73.7v	71.5v	49.7v	46.3v	46.3v	49.6v	46.3v	72.6v	101.8v	45.3v	0.0v	598.51v
369	Mr E Atkins	O	73.6v	73.10v	48.4v	43.4v	49.4v	48.2v	46.3v	72.7v	101.6v	45.3v	0.0v	598.49v
370	Mr TAD Lilley	A	73.10v	72.9v	46.2v	48.4v	45.3v	50.8v	46.2v	73.11v	100.10v	44.0v	0.0v	597.59v
371	Mrs DA Thompson	O	72.7v	73.8v	47.4v	48.6v	49.5v	41.3v	48.4v	74.7v	101.10v	44.1v	0.0v	597.55v
372	Mr AW Hellings	T	71.6v	73.5v	43.1v	47.5v	47.4v	47.3v	48.6v	74.11v	102.9v	45.3v	0.0v	597.53v
373	Cdt W Lam	T	70.7v	75.3v	46.6v	47.4v	50.5v	46.4v	47.5v	72.7v	100.10v	44.1v	0.0v	597.52v
374	Lt. Col. CST Lehmann	O	72.7v	72.6v	47.5v	48.7v	48.1v	47.4v	49.6v	71.5v	99.8v	44.2v	0.0v	597.51v
375	Cdt J Kavanagh	T	75.7v	73.6v	45.0v	48.4v	46.5v	48.4v	49.5v	73.8v	102.9v	38.2v	0.0v	597.50v
376	Mr PJG Barber	A	71.8v	73.6v	46.1v	48.6v	46.4v	47.4v	47.2v	74.9v	99.7v	46.2v	0.0v	597.49v
377	Mr HRA Goddard	O	72.11v	71.3v	46.2v	48.5v	47.4v	49.7v	42.2v	75.8v	102.7v	45.0v	0.0v	597.49v
378	Mr MP Watkins	O	74.10v	72.8v	46.0v	48.3v	47.6v	50.3v	45.2v	74.5v	100.9v	41.3v	0.0v	597.49v
379	Miss SG Gould	T	70.6v	70.8v	47.5v	46.4v	49.4v	49.7v	50.6v	71.7v	99.9v	45.4v	0.0v	596.60v
380	Cdt M Clark	T	72.7v	73.10v	48.3v	47.5v	48.4v	49.6v	47.5v	70.8v	94.6v	48.3v	0.0v	596.57v
381	Mr AG Harrison	O	72.9v	73.7v	47.5v	48.4v	49.5v	49.5v	50.4v	74.7v	101.9v	33.1v	0.0v	596.56v
382	Mr JA Curd	X	71.6v	73.9v	47.5v	45.3v	50.7v	48.3v	47.6v	73.6v	101.7v	41.3v	0.0v	596.55v
383	Mr J Barlow	O	73.8v	74.10v	47.3v	45.4v	50.4v	47.4v	48.5v	72.6v	101.9v	39.1v	0.0v	596.54v
384	Mr RBC Baker	A	69.8v	71.6v	48.5v	48.3v	49.4v	48.3v	44.3v	72.8v	102.10v	45.3v	0.0v	596.53v
385	Mr CS Lamont	O	71.4v	71.6v	43.2v	45.4v	48.7v	48.3v	48.6v	74.10v	103.9v	45.1v	0.0v	596.52v
386	Mr S Brewer-Marchant	O	74.8v	73.9v	47.4v	43.1v	47.2v	46.3v	48.3v	71.7v	103.12v	44.3v	0.0v	596.52v
387	Mr P Dawes	O	71.6v	71.6v	47.4v	47.5v	47.3v	47.3v	46.4v	75.8v	96.7v	49.4v	0.0v	596.50v
388	Mr JRCB Stanford-Beale	T	72.6v	68.3v	48.7v	48.5v	48.4v	49.6v	47.5v	70.2v	100.7v	46.5v	0.0v	596.50v
389	Mr DCW Lloyd	O	70.6v	71.6v	46.4v	47.4v	48.4v	46.4v	50.6v	69.5v	103.8v	46.2v	0.0v	596.49v
390	Mr JPL Sweet	X	71.6v	70.5v	46.3v	48.3v	48.5v	48.3v	45.3v	72.7v	101.10v	47.2v	0.0v	596.47v
391	Mr PJS Bysshe	A	70.3v	73.8v	48.5v	49.8v	48.5v	49.2v	41.2v	74.3v	98.8v	46.3v	0.0v	596.47v
392	Mr G Oakland	O	71.1v	71.4v	47.6v	47.3v	49.4v	48.5v	45.2v	67.6v	102.8v	49.4v	0.0v	596.43v
393	Mr TR Webster	O	72.9v	73.8v	47.3v	46.1v	47.6v	47.5v	48.5v	71.7v	99.13v	45.4v	0.0v	595.61v
394	Mr MR Rewston	O	74.10v	74.12v	40.1v	47.5v	49.5v	49.6v	47.5v	70.4v	102.8v	43.4v	0.0v	595.60v
395	Mr WC Cowen	O	72.8v	75.10v	46.5v	47.3v	49.4v	49.7v	45.2v	66.4v	102.11v	44.4v	0.0v	595.58v
396	Mr O Rolfe	X	72.11v	73.8v	47.2v	48.7v	48.4v	46.6v	50.5v	65.4v	103.9v	43.2v	0.0v	595.58v
397	Dr N Hart	A	72.10v	73.10v	48.3v	43.2v	47.5v	45.3v	50.7v	73.9v	103.8v	41.0v	0.0v	595.57v
398	Mr S Ndambuki	X	73.9v	71.8v	46.3v	47.2v	46.3v	43.3v	47.3v	72.6v	103.15v	47.4v	0.0v	595.56v
399	Cdt M Naidu	T	68.4v	72.8v	49.5v	46.3v	48.7v	50.8v	48.0v	72.9v	99.9v	43.2v	0.0v	595.55v
400	Mr B Jones	O	71.7v	72.7v	46.3v	49.4v	48.5v	49.6v	48.5v	68.5v	102.13v	42.0v	0.0v	595.55v
401	Mr PB Cutts	O	69.6v	72.7v	47.4v	47.5v	46.1v	48.6v	46.4v	73.5v	98.12v	49.4v	0.0v	595.54v
402	Mr L O'lynn	T	74.11v	69.4v	49.6v	45.1v	47.5v	45.3v	46.5v	74.6v	99.9v	47.4v	0.0v	595.54v
403	Miss O Hutt	T	72.8v	74.8v	45.3v	45.2v	46.4v	49.3v	49.5v	70.5v	102.13v	43.3v	0.0v	595.54v
404	Mr CP Goad	X	73.8v	74.9v	49.2v	49.3v	49.6v	46.4v	44.4v	71.7v	97.8v	43.3v	0.0v	595.54v
405	Mr SJA Fielding-Isaacs	O	74.4v	65.7v	49.3v	47.4v	48.5v	46.2v	48.5v	69.6v	102.10v	47.6v	0.0v	595.52v
406	Mr HK Lottritz	O	69.4v	74.11v	47.3v	50.6v	50.5v	48.3v	46.3v	72.5v	102.9v	37.2v	0.0v	595.51v
407	Mr JT Kennedy	O	73.5v	70.2v	43.3v	46.5v	49.5v	48.5v	48.4v	75.10v	101.9v	42.1v	0.0v	595.49v
408	Mr JIB Halahan	O	72.5v	72.5v	49.5v	44.2v	48.4v	45.4v	47.1v	72.8v	102.12v	44.1v	0.0v	595.47v
409	Mr B Lottritz	O	72.7v	68.3v	49.3v	46.4v	50.3v	47.4v	47.3v	72.3v	100.8v	44.3v	0.0v	595.41v
410	Cdt A Huang	T	68.6v	73.8v	48.5v	48.6v	47.6v	49.6v	49.4v	75.11v	98.9v	39.2v	0.0v	594.63v
411	Cdt TO Little	O	74.9v	74.9v	47.6v	47.4v	48.5v	46.4v	46.4v	68.5v	100.9v	44.4v	0.0v	594.59v
412	Miss S Ponter	O	70.6v	75.9v	47.5v	47.2v	50.8v	43.2v	45.4v	73.8v	105.13v	39.1v	0.0v	594.58v
413	Mr M D Joyce	A	72.9v	72.6v	49.5v	45.1v	47.6v	49.6v	47.3v	73.8v	101.9v	39.4v	0.0v	594.57v
414	Lt JW Jenkins	X	72.9v	72.8v	47.3v	49.4v	49.6v	46.5v	48.2v	72.7v	102.12v	37.1v	0.0v	594.57v
415	Mr AP Smith	O	73.9v	74.9v	49.5v	46.5v	47.2v	44.3v	47.5v	73.7v	98.9v	43.2v	0.0v	594.56v
416	Mr JE White	O	69.6v	72.10v	48.6v	49.3v	49.5v	48.6v	49.6v	69.4v	101.8v	40.2v	0.0v	594.56v

417	Mr RG Evans	O	70.7v	70.8v	47.4v	49.6v	48.3v	48.2v	48.6v	72.6v	99.6v	43.2v	0.0v	594.50v
418	Cdt D Hewitt	T	70.5v	70.4v	46.2v	48.6v	45.2v	47.4v	46.3v	74.9v	99.8v	49.6v	0.0v	594.49v
419	Mr JB Wallis	T	69.3v	73.8v	45.1v	46.3v	48.5v	46.3v	47.3v	73.10v	102.10v	45.3v	0.0v	594.49v
420	Mr I Brechin	A	72.10v	68.3v	44.1v	43.1v	49.7v	50.3v	48.5v	72.6v	102.10v	46.2v	0.0v	594.48v
421	Mr SC Williamson	A	73.6v	72.1v	47.3v	47.7v	47.3v	50.7v	45.3v	73.8v	98.8v	42.2v	0.0v	594.48v
422	Mr SJ Comins	O	71.3v	68.4v	46.4v	45.4v	48.5v	47.4v	49.3v	73.7v	101.9v	46.3v	0.0v	594.46v
423	Mr RCG Knight	O	75.11v	73.7v	48.6v	46.4v	47.4v	47.5v	47.6v	75.14v	101.14v	34.0v	0.0v	593.71v
424	Mr F Bilton	A	72.9v	74.10v	48.7v	45.3v	48.6v	44.3v	44.3v	69.5v	104.11v	45.3v	0.0v	593.60v
425	Miss A J C Carnell	O	69.6v	75.10v	46.2v	44.3v	49.6v	50.7v	47.5v	72.5v	99.10v	42.3v	0.0v	593.57v
426	Miss DE Andrews	O	72.8v	67.7v	46.4v	48.3v	48.4v	48.4v	49.6v	75.8v	102.11v	38.1v	0.0v	593.56v
427	Mr DH Allen	O	71.9v	71.5v	49.4v	45.3v	49.5v	48.6v	44.3v	71.6v	100.12v	45.1v	0.0v	593.54v
428	Mr ADE Grounds	A	70.7v	71.6v	49.5v	49.5v	48.4v	46.2v	48.4v	73.8v	94.9v	45.2v	0.0v	593.52v
429	Dr Al Ashworth	A	73.9v	73.7v	47.3v	45.3v	49.4v	45.3v	44.3v	75.9v	102.8v	40.3v	0.0v	593.52v
430	SAC(T) DA Cottrill	A	73.9v	73.10v	45.3v	43.3v	49.3v	49.3v	44.2v	73.2v	99.14v	45.2v	0.0v	593.51v
431	Mr M Horrell	O	70.5v	72.6v	47.4v	45.3v	48.2v	44.4v	47.5v	72.5v	104.12v	44.3v	0.0v	593.49v
432	Miss H Bramwell	O	70.4v	74.4v	45.3v	46.4v	50.6v	47.5v	45.4v	71.9v	103.9v	42.1v	0.0v	593.49v
433	Mr SW Maris	O	72.9v	72.9v	46.1v	49.3v	48.5v	49.3v	48.5v	72.8v	95.6v	42.0v	0.0v	593.49v
434	Dr KW Genders	O	73.8v	71.4v	45.3v	40.0v	48.2v	47.3v	49.8v	74.8v	100.9v	46.3v	0.0v	593.48v
435	Mr ISL Dampney	O	72.3v	73.8v	47.3v	42.4v	47.4v	49.4v	45.1v	73.9v	98.7v	47.3v	0.0v	593.46v
436	Mr A Lloyd	O	67.2v	70.5v	45.2v	48.0v	48.3v	47.4v	50.5v	73.10v	102.6v	43.1v	0.0v	593.38v
437	Mrs RA Wiltshire	O	71.7v	70.6v	48.7v	47.3v	48.6v	48.4v	46.4v	75.6v	96.12v	43.3v	0.0v	592.58v
438	Mr GR Jeal	X	63.1v	74.8v	46.5v	48.7v	50.5v	48.5v	50.6v	74.10v	97.8v	42.1v	0.0v	592.56v
439	Mr GV Feast	A	73.9v	73.5v	47.4v	46.5v	48.5v	45.2v	46.3v	72.8v	98.6v	44.4v	0.0v	592.51v
440	Cdr M Jordan	O	71.7v	73.6v	46.4v	48.4v	44.3v	46.4v	49.4v	69.4v	99.8v	47.6v	0.0v	592.50v
441	Mr A Tucker	O	69.5v	74.7v	47.4v	48.4v	46.1v	47.5v	47.5v	72.7v	99.8v	43.3v	0.0v	592.49v
442	Mr JRJ Kennedy	O	72.6v	72.9v	47.2v	42.2v	48.5v	48.5v	45.2v	74.7v	101.9v	43.2v	0.0v	592.49v
443	Mr P Reddish	T	72.4v	71.4v	47.2v	39.1v	47.4v	50.8v	48.3v	72.7v	100.8v	46.3v	0.0v	592.44v
444	Mr TD De La Cour	T	73.8v	70.3v	46.2v	48.5v	48.3v	46.4v	45.3v	74.5v	100.9v	42.2v	0.0v	592.44v
445	Mr C Hughes	O	74.5v	71.8v	47.4v	46.4v	48.6v	48.6v	45.2v	74.11v	100.11v	38.0v	0.0v	591.57v
446	Miss KE Pope	A	70.6v	71.5v	46.5v	45.1v	46.4v	47.2v	50.8v	73.11v	98.10v	45.2v	0.0v	591.54v
447	Miss S Sindoi	T	72.9v	73.9v	46.2v	46.4v	48.4v	48.5v	47.4v	72.5v	98.8v	41.2v	0.0v	591.52v
448	Mr JL Poulin	O	73.9v	73.7v	46.2v	47.1v	47.4v	47.5v	48.5v	68.5v	96.9v	46.4v	0.0v	591.51v
449	Mr W Ross	O	72.7v	72.7v	46.1v	46.3v	49.3v	49.3v	46.5v	72.8v	98.10v	41.4v	0.0v	591.51v
450	Mr RA Mullin	O	70.7v	73.6v	48.3v	44.5v	50.7v	43.2v	45.3v	74.6v	98.8v	46.3v	0.0v	591.50v
451	Cdt M Liu	T	73.5v	74.11v	47.3v	41.1v	49.6v	47.2v	48.6v	71.3v	99.10v	42.2v	0.0v	591.49v
452	Mr U Soelzer	O	70.5v	70.3v	48.5v	48.5v	49.5v	47.5v	44.6v	73.5v	101.10v	41.0v	0.0v	591.49v
453	Mr LJ Smith	T	73.5v	73.10v	48.4v	47.4v	46.5v	48.4v	44.1v	69.3v	100.11v	43.1v	0.0v	591.48v
454	Mr O Henry	X	72.6v	71.2v	49.6v	44.5v	47.3v	45.5v	47.2v	74.8v	97.7v	45.3v	0.0v	591.47v
455	Mr JR Stirland	A	73.8v	72.7v	48.4v	46.2v	48.4v	45.2v	43.1v	72.8v	101.8v	43.3v	0.0v	591.47v
456	Mr E Lawrence	O	74.9v	74.4v	46.3v	46.2v	48.6v	49.1v	41.1v	70.8v	101.11v	42.2v	0.0v	591.47v
457	Cdt D Laflamme	T	72.5v	73.6v	44.4v	48.3v	49.4v	46.2v	45.4v	75.6v	100.11v	39.2v	0.0v	591.47v
458	Mr PGW Purdy	O	69.5v	75.8v	46.5v	47.4v	47.3v	48.3v	45.3v	69.6v	98.4v	47.4v	0.0v	591.45v
459	Mr P Kapkundos	T	67.6v	73.6v	45.6v	48.3v	48.3v	45.3v	48.4v	71.5v	101.8v	45.1v	0.0v	591.45v
460	C/Smg J Kelly	T	71.6v	71.7v	44.1v	49.5v	48.4v	47.5v	47.5v	73.5v	97.5v	44.2v	0.0v	591.45v
461	Mr RF Burden	O	71.6v	74.5v	49.5v	48.6v	44.2v	48.1v	47.4v	68.5v	100.10v	42.1v	0.0v	591.45v
462	Mr KR Trowbridge	O	71.4v	73.4v	45.2v	48.3v	48.3v	48.4v	48.2v	70.5v	97.6v	43.1v	0.0v	591.34v
463	Cdt WP Cubitt	T	72.9v	70.5v	47.5v	45.4v	46.2v	44.0v	44.4v	72.9v	103.10v	47.6v	0.0v	590.54v
464	Cdt I Guy	T	70.5v	72.8v	48.4v	37.3v	46.3v	48.4v	48.3v	72.7v	104.12v	45.3v	0.0v	590.52v
465	Mr TJ Jones	T	75.7v	72.6v	48.5v	48.5v	46.4v	47.4v	47.4v	70.5v	99.7v	38.1v	0.0v	590.48v
466	Mr CAD Flanagan	T	69.6v	74.9v	46.5v	47.2v	42.2v	47.3v	49.3v	72.4v	99.10v	45.3v	0.0v	590.47v
467	Ms BM Moore	O	70.6v	72.9v	44.1v	47.2v	48.3v	48.7v	45.0v	72.6v	99.10v	45.2v	0.0v	590.46v
468	Mr OD De Gruchy	O	73.5v	70.5v	46.2v	42.1v	46.3v	48.5v	43.2v	75.11v	100.7v	47.3v	0.0v	590.44v
469	Mr C Waldron	O	71.5v	73.5v	46.3v	47.5v	48.2v	45.2v	47.4v	73.8v	99.6v	41.1v	0.0v	590.41v
470	Mr J Hollingdale	T	73.10v	71.8v	48.5v	43.5v	49.5v	50.8v	41.1v	72.6v	99.9v	43.3v	0.0v	589.60v
471	Cdt J Desjardins	T	73.10v	70.6v	41.4v	47.4v	49.5v	44.3v	50.6v	72.7v	98.12v	45.2v	0.0v	589.59v
472	Mr M Le Vasseur	T	72.9v	73.7v	45.5v	48.5v	49.7v	45.3v	50.7v	73.7v	99.7v	35.0v	0.0v	589.57v
473	Mr MHH John	O	69.3v	73.10v	45.3v	47.2v	48.8v	45.4v	46.6v	70.8v	100.9v	46.3v	0.0v	589.56v
474	Mr DAF Parkinson	O	70.6v	71.6v	47.5v	48.5v	45.4v	46.5v	48.5v	71.7v	99.6v	44.3v	0.0v	589.52v
475	Mr RP Rosling	O	72.10v	69.6v	44.2v	48.5v	47.3v	48.5v	47.5v	71.4v	98.8v	45.3v	0.0v	589.51v
476	Cdt LCpl S Flanagan	T	68.3v	71.5v	45.3v	48.2v	47.2v	50.5v	45.4v	71.8v	98.12v	46.4v	0.0v	589.48v
477	Mr MD Wright	O	73.6v	71.8v	47.4v	45.1v	44.1v	49.3v	46.4v	73.10v	99.7v	42.3v	0.0v	589.47v
478	Mr B Taylor	O	73.6v	68.4v	46.6v	49.3v	46.5v	45.4v	45.2v	71.4v	100.10v	46.2v	0.0v	589.46v
479	Mr BV Cambray	A	71.8v	75.6v	49.5v	45.3v	49.3v	48.2v	45.3v	68.4v	97.9v	42.3v	0.0v	589.46v
480	Cdt D Zhou	T	70.6v	75.9v	47.6v	48.5v	50.6v	47.2v	43.3v	75.9v	103.12v	30.0v	0.0v	588.58v
481	Mr R Murray	T	75.10v	70.4v	48.7v	45.4v	45.3v	47.5v	49.4v	66.3v	100.9v	43.3v	0.0v	588.52v
482	Mr RJ Cade	O	73.7v	71.8v	45.4v	41.1v	48.4v	46.2v	49.6v	71.6v	98.11v	46.1v	0.0v	588.50v
483	Mr I Farbon	T	72.6v	73.9v	46.3v	47.4v	48.5v	48.6v	44.2v	72.8v	98.7v	40.0v	0.0v	588.50v
484	Cdt M Fata	T	73.6v	71.7v	48.4v	44.3v	50.9v	48.2v	46.3v	74.7v	96.6v	38.2v	0.0v	588.49v
485	Lt Col TH Emck MBE	O	75.7v	71.9v	47.1v	48.4v	46.4v	46.7v	43.1v	69.6v	98.6v	45.3v	0.0v	588.48v
486	Mr CC Mallett Jnr	O	67.7v	73.8v	45.3v	43.0v	47.3v	46.4v	43.3v	75.10v	104.9v	45.0v	0.0v	588.47v
487	Miss K Milner	O	72.4v	69.5v	47.4v	46.5v	50.8v	44.3v	42.1v	70.5v	103.9v	45.1v	0.0v	588.45v
488	Mr CW Slator	O	72.9v	72.7v	49.3v	44.1v	48.6v	45.3v	41.1v	74.10v	102.13v	40.0v	0.0v	587.53v

489	Mr A McConnell	O	72.7v	70.8v	48.4v	48.3v	46.3v	35.1v	49.6v	73.6v	97.8v	49.6v	0.0v	587.52v
490	Mrs RM Merridew	O	69.7v	72.6v	50.6v	49.5v	47.5v	44.4v	45.4v	69.6v	98.5v	44.1v	0.0v	587.49v
491	Mr D Morris	A	70.6v	72.8v	46.2v	45.0v	48.4v	47.6v	42.2v	72.7v	102.11v	43.3v	0.0v	587.49v
492	Wg. Cdr. MJ Gregory	O	71.6v	72.5v	42.3v	42.3v	47.4v	49.3v	47.3v	70.3v	100.12v	47.6v	0.0v	587.48v
493	Mr MR Clewer	O	70.7v	70.5v	46.3v	46.1v	48.4v	44.2v	48.4v	68.2v	101.13v	46.2v	0.0v	587.43v
494	Mr L Wittenburg	T	69.5v	74.11v	43.2v	47.6v	46.1v	47.3v	46.2v	68.3v	102.9v	45.1v	0.0v	587.43v
495	Mr DA Taylor	A	69.2v	67.3v	46.2v	46.3v	47.4v	47.5v	46.5v	72.8v	97.5v	50.5v	0.0v	587.42v
496	Mr PS Gray	A	70.5v	71.5v	46.3v	46.5v	47.3v	49.3v	47.1v	72.8v	97.7v	42.2v	0.0v	587.42v
497	Mr E Stuart-Bamford	O	73.8v	69.5v	48.1v	48.6v	48.2v	47.5v	44.3v	66.1v	98.6v	46.3v	0.0v	587.40v
498	CDT TP Shaw	T	72.6v	71.5v	48.4v	47.2v	47.4v	49.2v	48.4v	69.4v	99.5v	37.0v	0.0v	587.36v
499	Mr DM Epton	T	74.1v	71.4v	46.3v	40.2v	47.4v	46.1v	46.2v	72.5v	100.5v	45.4v	0.0v	587.31v
500	Mr CJ Sherratt	O	72.4v	69.6v	49.3v	45.5v	45.6v	47.5v	48.2v	74.10v	100.8v	37.1v	0.0v	586.50v
501	Mr RG Faulkner	O	73.9v	71.7v	46.3v	48.5v	49.3v	38.2v	44.2v	75.8v	99.8v	43.1v	0.0v	586.48v
502	Mr AR Thomas	T	70.7v	71.10v	47.3v	48.3v	48.5v	48.5v	43.1v	70.3v	99.10v	42.1v	0.0v	586.48v
503	Mr GRN Kinross	O	69.7v	69.4v	46.3v	47.7v	48.1v	48.6v	49.5v	71.7v	97.7v	42.0v	0.0v	586.47v
504	Sqn Ldr CM Fopp	O	70.7v	68.5v	47.5v	46.2v	50.7v	47.2v	45.4v	70.3v	100.9v	43.2v	0.0v	586.46v
505	NJ Belousov	T	71.8v	72.6v	48.3v	47.2v	46.1v	47.5v	47.3v	71.4v	100.11v	37.1v	0.0v	586.44v
506	Cdt H Glaswon	T	69.5v	73.6v	43.3v	47.3v	50.8v	46.3v	49.1v	67.6v	101.6v	41.1v	0.0v	586.42v
507	Mr J Johnston	T	70.4v	67.3v	45.2v	47.5v	48.0v	46.2v	46.5v	71.5v	97.7v	49.7v	0.0v	586.40v
508	Mrs T Newbold	O	72.9v	71.5v	46.3v	46.5v	47.6v	45.4v	50.7v	71.4v	95.4v	42.0v	0.0v	585.47v
509	Mr NW Penn	O	73.7v	73.9v	47.3v	49.6v	46.2v	45.2v	44.0v	69.6v	99.8v	40.2v	0.0v	585.45v
510	Mr T S McDowell	O	69.7v	72.5v	48.5v	46.4v	46.3v	44.1v	47.4v	73.7v	97.7v	43.1v	0.0v	585.44v
511	Mr CR Hirst	O	74.8v	68.3v	47.3v	44.4v	45.4v	48.5v	46.1v	70.4v	100.11v	43.1v	0.0v	585.44v
512	Mr A Chown	O	71.5v	72.3v	46.3v	48.5v	48.3v	44.2v	42.4v	70.3v	94.7v	50.3v	0.0v	585.38v
513	Miss AH Howell	T	71.7v	71.4v	46.4v	48.3v	46.2v	49.6v	46.1v	71.6v	91.3v	46.1v	0.0v	585.37v
514	Dr NP Tucker	O	69.4v	71.6v	46.1v	49.2v	47.3v	45.0v	45.2v	68.1v	102.10v	43.3v	0.0v	585.32v
515	Mr TW Harrison	O	71.7v	72.7v	47.5v	44.4v	45.4v	47.5v	47.5v	72.7v	93.8v	46.4v	0.0v	584.56v
516	LCpl J Keates	T	68.5v	72.5v	48.4v	47.6v	45.3v	48.6v	43.3v	71.4v	97.12v	45.4v	0.0v	584.52v
517	Mr DA Smith	O	70.7v	70.5v	48.6v	45.3v	47.5v	44.4v	48.3v	73.7v	99.10v	40.2v	0.0v	584.52v
518	Cdt T Cubitt	T	72.7v	71.6v	43.3v	43.3v	49.6v	49.3v	46.4v	73.11v	93.4v	45.3v	0.0v	584.50v
519	Mr LP Parkins	T	70.6v	72.7v	43.3v	48.4v	47.3v	47.4v	48.4v	72.6v	96.8v	41.2v	0.0v	584.47v
520	Mr V Robertshaw	O	72.7v	73.5v	47.3v	44.3v	47.5v	49.6v	48.4v	65.1v	98.8v	41.2v	0.0v	584.44v
521	Mr JA Caske	O	70.5v	70.4v	47.4v	46.2v	47.3v	44.2v	44.3v	71.6v	100.11v	45.3v	0.0v	584.43v
522	Mr AP Powell	O	68.3v	70.6v	48.7v	48.3v	46.3v	46.4v	45.4v	70.5v	98.7v	45.1v	0.0v	584.43v
523	Mr M Raps	T	71.6v	71.7v	48.6v	43.0v	46.2v	47.3v	46.3v	73.8v	97.5v	42.2v	0.0v	584.42v
524	Mr GRP Shapland	O	72.9v	69.3v	48.4v	43.1v	48.6v	47.4v	46.3v	72.7v	97.4v	42.1v	0.0v	584.42v
525	Mr JR Rennie	T	71.5v	70.5v	45.3v	44.3v	49.5v	48.3v	48.5v	71.2v	94.2v	44.3v	0.0v	584.36v
526	Mr G Meijer	O	72.5v	70.6v	47.5v	43.4v	49.5v	48.5v	47.4v	69.5v	98.10v	40.1v	0.0v	583.50v
527	Mr RC Holloway	O	71.7v	71.6v	43.1v	46.4v	47.3v	47.2v	47.6v	72.8v	100.9v	39.4v	0.0v	583.50v
528	Mr R McVeigh	O	69.5v	73.6v	45.2v	48.7v	45.4v	46.2v	43.1v	73.7v	99.11v	42.3v	0.0v	583.48v
529	Mr GH Porter	O	69.5v	71.10v	45.4v	48.4v	45.2v	47.4v	44.1v	70.5v	101.9v	43.3v	0.0v	583.47v
530	Miss P Evans	O	70.4v	68.4v	43.3v	49.4v	44.5v	46.3v	47.2v	70.6v	100.9v	46.4v	0.0v	583.44v
531	Mr MT Dodd	O	69.3v	71.5v	49.6v	45.4v	41.2v	47.2v	46.4v	73.6v	98.10v	44.2v	0.0v	583.44v
532	Mr RA Jobson	O	70.3v	74.9v	45.2v	45.1v	49.2v	44.3v	49.4v	69.7v	95.7v	43.2v	0.0v	583.40v
533	Mr JT Thorp	T	70.6v	71.6v	49.2v	47.2v	44.3v	45.3v	46.3v	69.4v	97.8v	45.1v	0.0v	583.38v
534	Mr PD Pelly	O	69.4v	73.5v	47.4v	44.3v	44.1v	49.5v	46.5v	70.4v	100.4v	41.1v	0.0v	583.36v
535	Mr BDJ Jones	O	74.8v	72.8v	50.5v	47.5v	49.3v	47.4v	48.3v	72.8v	101.12v	22.0v	0.0v	582.56v
536	Mr C Kiptarus	T	72.5v	72.8v	46.2v	40.3v	45.4v	49.6v	47.4v	65.4v	102.11v	44.3v	0.0v	582.50v
537	Mr A Booker	T	69.5v	71.6v	46.3v	46.3v	41.4v	49.7v	48.7v	74.7v	96.7v	42.1v	0.0v	582.50v
538	Mr JS Ritchie	O	71.8v	72.6v	45.2v	43.2v	49.6v	46.1v	48.3v	70.7v	95.9v	43.1v	0.0v	582.45v
539	Mr NC Granger	O	68.4v	70.6v	48.4v	43.4v	49.6v	47.4v	45.3v	74.9v	96.4v	42.1v	0.0v	582.45v
540	Miss CH Cuming	T	67.4v	74.9v	47.1v	43.3v	48.4v	48.6v	43.3v	75.7v	96.7v	41.1v	0.0v	582.45v
541	Mr HRM Bailie	O	71.6v	72.9v	47.5v	46.5v	48.3v	43.1v	47.2v	70.6v	97.6v	41.0v	0.0v	582.43v
542	Cdt A Perry	T	70.3v	72.4v	46.2v	48.4v	50.5v	49.4v	47.4v	65.6v	94.8v	41.1v	0.0v	582.41v
543	Mr JR Lindsay	O	71.4v	68.4v	46.3v	48.4v	48.5v	48.6v	41.2v	69.3v	99.6v	44.2v	0.0v	582.39v
544	Miss AL Matthews	O	67.3v	75.7v	46.3v	46.2v	47.5v	44.4v	46.2v	70.5v	96.5v	45.2v	0.0v	582.38v
545	Mr J Dixon	T	68.5v	72.10v	47.5v	46.1v	47.5v	50.4v	43.2v	73.10v	98.8v	37.2v	0.0v	581.52v
546	Mr EM Brice	O	71.8v	68.4v	48.6v	47.4v	45.3v	44.3v	47.2v	68.5v	99.11v	44.3v	0.0v	581.49v
547	Cdt D Neal	O	71.7v	71.4v	43.3v	44.3v	47.4v	47.6v	46.3v	67.5v	101.7v	44.4v	0.0v	581.46v
548	Mr P Waldron	O	72.8v	72.7v	44.2v	48.4v	47.3v	44.5v	49.4v	72.4v	94.4v	39.2v	0.0v	581.43v
549	Mr JMS Samson	O	72.6v	67.3v	45.4v	48.4v	46.3v	44.3v	49.5v	73.9v	99.6v	38.0v	0.0v	581.43v
550	Mr JM de Bruyn	O	71.5v	70.7v	47.2v	44.2v	49.3v	49.3v	43.3v	71.6v	94.7v	43.2v	0.0v	581.40v
551	Dr EL Sweet	O	71.8v	68.6v	41.2v	48.5v	45.4v	46.3v	41.2v	73.4v	101.10v	46.5v	0.0v	580.49v
552	Mr P Dobell	X	71.5v	70.6v	45.4v	45.2v	47.4v	47.3v	43.0v	75.9v	98.10v	39.3v	0.0v	580.46v
553	Mr ML Kirkillo-Stacewicz	T	71.4v	74.10v	44.3v	43.1v	45.4v	48.4v	46.5v	69.5v	97.6v	43.2v	0.0v	580.44v
554	Mr T Steele	X	63.8v	73.7v	48.3v	46.5v	46.1v	45.1v	42.0v	70.7v	101.8v	46.3v	0.0v	580.43v
555	Mr DS Goodwin	O	73.4v	71.8v	43.3v	46.3v	49.5v	44.2v	46.2v	71.8v	97.6v	40.1v	0.0v	580.42v
556	Mr RK Jackson	O	68.4v	71.6v	42.3v	45.3v	49.4v	49.6v	44.2v	72.5v	97.4v	43.1v	0.0v	580.38v
557	Mr RBF Fitzsimmons	O	70.5v	68.3v	48.4v	43.2v	46.1v	49.4v	46.4v	72.8v	99.6v	39.1v	0.0v	580.38v
558	Mr S Edwards	T	71.6v	72.4v	45.3v	47.3v	48.5v	46.2v	45.2v	70.5v	95.4v	41.1v	0.0v	580.35v
559	Miss DJ Armstrong	T	73.8v	72.7v	50.9v	42.2v	49.5v	46.2v	47.4v	69.6v	100.7v	31.0v	0.0v	579.50v
560	Cadet J Murphy	T	73.5v	74.6v	47.2v	46.4v	44.2v	45.5v	48.4v	68.6v	95.8v	39.2v	0.0v	579.44v

561	Mr L Reid	T	69.5v	70.5v	43.3v	46.4v	48.4v	43.2v	49.7v	73.6v	96.5v	42.2v	0.0v	579.43v
562	Mr NR Wells	O	72.8v	73.6v	47.5v	47.5v	41.2v	43.1v	44.1v	71.5v	97.5v	44.4v	0.0v	579.42v
563	Mr R Batchelor	T	70.5v	71.7v	49.2v	47.5v	45.4v	43.2v	41.1v	67.5v	102.10v	44.1v	0.0v	579.42v
564	Mr JA Fox	T	71.3v	74.7v	43.2v	48.5v	48.3v	44.3v	40.1v	69.6v	98.9v	44.1v	0.0v	579.40v
565	Mr DJ Stewart	O	68.3v	70.4v	42.2v	45.3v	48.3v	47.6v	47.3v	68.5v	100.6v	44.4v	0.0v	579.39v
566	Mr SWM Freeborn	T	68.5v	72.4v	43.2v	44.3v	49.3v	45.3v	50.5v	71.3v	94.5v	43.1v	0.0v	579.34v
567	Mr RM Culverwell	O	72.5v	72.8v	44.1v	45.1v	47.2v	45.3v	43.1v	68.3v	98.5v	45.2v	0.0v	579.31v
568	Cdt R Tancred	T	71.6v	68.4v	42.2v	47.6v	48.4v	47.3v	45.2v	70.3v	100.14v	40.2v	0.0v	578.46v
569	Mr CSJ Marlow	O	74.7v	72.4v	45.2v	48.6v	47.3v	47.3v	33.1v	73.8v	95.4v	44.2v	0.0v	578.40v
570	Miss R Harrison	T	64.0v	70.6v	47.4v	44.4v	47.3v	46.2v	44.1v	74.8v	100.9v	42.3v	0.0v	578.40v
571	Mr HEJ Welch	T	63.1v	70.5v	46.4v	41.3v	46.0v	48.7v	48.2v	70.5v	101.8v	45.2v	0.0v	578.37v
572	Mr T Fermor	O	67.2v	67.4v	44.3v	45.4v	46.2v	48.4v	47.4v	72.5v	99.8v	43.1v	0.0v	578.37v
573	Mr MK Townsend	O	68.5v	67.4v	47.4v	48.5v	48.3v	48.0v	47.3v	68.6v	96.4v	41.2v	0.0v	578.36v
574	CSgt A Wilson	T	67.2v	70.5v	47.3v	42.2v	49.4v	48.6v	33.1v	73.8v	101.7v	47.3v	0.0v	577.41v
575	Mr C Gray	O	71.7v	70.1v	44.2v	43.0v	46.5v	39.1v	49.3v	70.8v	101.4v	44.2v	0.0v	577.33v
576	Mr F Cade	T	72.6v	71.6v	44.4v	47.5v	46.2v	46.3v	45.3v	72.6v	96.5v	37.2v	0.0v	576.42v
577	Cdt Cpl G Templar	T	72.9v	71.4v	45.2v	45.3v	46.5v	47.2v	45.2v	67.7v	93.3v	45.1v	0.0v	576.38v
578	Miss K Lindsay	T	68.3v	71.7v	46.2v	47.2v	48.5v	46.4v	42.2v	66.3v	99.4v	43.4v	0.0v	576.36v
579	Mr JM Baldwin	O	69.7v	71.4v	45.2v	48.4v	43.3v	46.2v	44.3v	70.5v	96.7v	43.2v	0.0v	575.39v
580	Mr SA Hunting	O	69.2v	66.2v	46.0v	43.2v	49.5v	42.3v	48.5v	68.5v	98.11v	46.3v	0.0v	575.38v
581	Sgt J Nicholls	T	65.2v	74.5v	46.1v	46.2v	42.1v	48.5v	46.4v	66.3v	98.5v	44.1v	0.0v	575.29v
582	Mr NJ Burnip	O	72.6v	73.8v	46.1v	45.4v	48.4v	46.4v	38.2v	65.3v	100.10v	41.1v	0.0v	574.43v
583	Mr CM Moore	T	66.4v	71.8v	46.3v	47.4v	45.3v	48.5v	47.3v	70.5v	94.4v	40.3v	0.0v	574.42v
584	Mr BG Greasley	T	69.7v	70.4v	47.4v	40.2v	45.3v	47.3v	48.4v	71.4v	98.6v	39.2v	0.0v	574.39v
585	Maj CP Judge	O	71.7v	71.2v	46.2v	39.2v	49.2v	42.2v	45.1v	74.9v	95.10v	42.0v	0.0v	574.37v
586	Mr WM Mulholland	T	70.5v	69.4v	47.2v	39.1v	48.4v	47.6v	45.8v	71.7v	97.7v	40.3v	0.0v	573.47v
587	Miss E Dixon	O	70.7v	68.5v	44.2v	45.3v	44.0v	42.2v	47.4v	71.4v	102.13v	40.2v	0.0v	573.42v
588	Mr TF Kurn	O	69.3v	65.6v	46.4v	47.3v	48.4v	46.3v	44.2v	71.8v	95.6v	42.2v	0.0v	573.41v
589	Mr P Kiveleeti	T	69.5v	67.5v	41.1v	47.2v	48.1v	48.4v	44.3v	69.6v	102.14v	38.0v	0.0v	573.41v
590	Mr AJCB de Launay	O	70.6v	70.7v	45.3v	47.1v	46.2v	47.2v	45.3v	68.6v	90.3v	45.4v	0.0v	573.37v
591	Mr JRD Clegg	O	69.4v	72.7v	45.3v	45.4v	48.3v	44.1v	46.4v	68.6v	93.5v	43.0v	0.0v	573.37v
592	Mr R Johnson	T	72.9v	68.4v	42.0v	45.5v	46.3v	39.0v	48.4v	69.4v	99.6v	45.1v	0.0v	573.36v
593	SSgt PJ Kenmir	T	70.4v	70.4v	45.4v	46.3v	48.3v	41.3v	47.3v	70.6v	95.5v	41.0v	0.0v	573.35v
594	Mr RJ Clegg	T	69.5v	67.4v	43.1v	46.1v	47.2v	45.3v	47.5v	73.8v	97.5v	39.1v	0.0v	573.35v
595	Miss PL Winter	O	72.4v	68.4v	48.5v	44.3v	47.4v	49.5v	46.2v	65.2v	95.3v	39.1v	0.0v	573.33v
596	Dr G Stevenson	O	73.3v	67.4v	46.5v	44.1v	44.2v	44.2v	44.1v	70.5v	96.7v	45.2v	0.0v	573.32v
597	Mr LR Coventry	T	66.1v	71.8v	45.2v	44.1v	45.4v	44.0v	48.1v	72.4v	99.6v	39.1v	0.0v	573.28v
598	Mr RA Benest	A	65.1v	63.3v	46.3v	49.7v	45.5v	48.5v	46.3v	70.7v	94.7v	46.1v	0.0v	572.42v
599	Col N Stebbings	O	74.6v	70.5v	46.4v	45.4v	44.2v	45.3v	46.3v	65.4v	95.7v	42.3v	0.0v	572.41v
600	Miss BJ James	T	71.7v	68.2v	43.3v	48.2v	45.3v	44.5v	49.4v	64.3v	100.9v	40.1v	0.0v	572.39v
601	Cdt HMC Ardern	T	72.5v	72.5v	45.3v	46.2v	47.4v	45.2v	45.3v	71.2v	89.2v	40.2v	0.0v	572.30v
602	Cdt BZ Danziger	O	72.8v	73.5v	47.4v	44.3v	49.7v	48.3v	49.7v	72.5v	99.10v	18.1v	0.0v	571.53v
603	Mr IRM Brown	A	69.9v	70.6v	47.4v	43.3v	46.2v	41.1v	46.3v	66.2v	98.6v	45.3v	0.0v	571.39v
604	Mr LRM Irungu	X	68.4v	66.5v	46.2v	45.4v	46.3v	47.4v	46.1v	70.5v	97.7v	40.1v	0.0v	571.36v
605	Mr JS Chapman	O	70.5v	65.2v	48.1v	45.3v	40.1v	48.5v	48.4v	70.7v	98.3v	39.0v	0.0v	571.31v
606	Mr JA Maguire	O	71.3v	68.4v	48.4v	45.0v	43.0v	47.3v	44.0v	67.4v	98.9v	40.2v	0.0v	571.29v
607	Mr BJ Wood	A	72.9v	73.8v	46.2v	49.6v	49.6v	48.5v	46.6v	74.8v	67.9v	46.3v	0.0v	570.62v
608	Mr M Palmer	T	58.2v	73.5v	40.3v	44.4v	48.4v	47.3v	45.3v	72.10v	100.10v	43.1v	0.0v	570.45v
609	Mr J Robinson	T	70.6v	72.7v	45.2v	43.1v	44.3v	46.4v	47.2v	71.5v	94.5v	38.2v	0.0v	570.37v
610	Mr DT Taylor	T	71.8v	68.6v	46.1v	39.2v	46.3v	48.5v	47.3v	69.13v	97.4v	38.0v	0.0v	569.45v
611	Mr TG Garfield-Bennett	T	71.5v	70.3v	38.3v	43.2v	48.7v	43.3v	48.4v	71.7v	98.7v	39.0v	0.0v	569.41v
612	Miss A Burrows	T	70.7v	71.8v	47.3v	36.3v	46.5v	45.3v	42.2v	72.7v	99.7v	40.4v	0.0v	568.49v
613	Mr A Bennett-Wallis	T	68.4v	70.3v	45.4v	42.2v	44.1v	47.7v	46.3v	71.11v	95.3v	40.2v	0.0v	568.40v
614	Mr KG Firth	O	70.6v	68.4v	47.4v	45.3v	46.3v	45.2v	40.2v	73.8v	94.6v	40.0v	0.0v	568.38v
615	Mr A Smith	T	69.3v	72.7v	30.1v	48.3v	47.3v	46.2v	48.4v	70.4v	96.6v	42.1v	0.0v	568.34v
616	Dr C I Johnston	X	75.11v	75.9v	48.6v	46.3v	50.8v	49.7v	0.0v	74.9v	102.11v	48.3v	0.0v	567.67v
617	Mr P Merry	O	72.6v	66.3v	38.0v	42.3v	48.3v	45.7v	45.5v	72.4v	97.7v	42.4v	0.0v	567.42v
618	Mr JP Beaumont	T	70.6v	64.4v	44.1v	40.0v	46.6v	43.4v	47.3v	66.4v	102.11v	45.2v	0.0v	567.41v
619	Mr R Islam	T	70.4v	74.4v	40.1v	39.1v	45.4v	43.1v	46.2v	72.7v	97.4v	41.1v	0.0v	567.29v
620	Mr AJ Leech	A	74.6v	73.6v	49.6v	47.5v	46.2v	49.9v	48.3v	71.6v	66.6v	43.0v	0.0v	566.49v
621	Cdt W/O HL Wigston	T	70.7v	70.5v	45.3v	42.1v	48.4v	42.2v	37.0v	71.6v	98.12v	43.2v	0.0v	566.42v
622	Mr PG Kelly	O	70.5v	70.6v	43.1v	48.3v	43.4v	42.3v	41.0v	68.4v	99.13v	42.3v	0.0v	566.42v
623	Mr JW Walley	T	71.7v	70.5v	41.0v	40.2v	46.1v	38.2v	46.4v	73.7v	100.9v	41.0v	0.0v	566.37v
624	Mr B Soelzer	T	71.5v	72.6v	43.2v	47.3v	47.6v	44.2v	48.2v	64.5v	87.2v	43.0v	0.0v	566.33v
625	Mr T Douglas	T	65.3v	69.5v	46.4v	46.3v	46.1v	44.3v	45.5v	65.3v	98.6v	41.1v	0.0v	565.34v
626	Mr DC Crook	T	67.3v	71.6v	45.4v	34.3v	43.1v	48.4v	48.6v	70.3v	105.13v	33.0v	0.0v	564.43v
627	Miss Z Latimer	O	70.3v	72.6v	43.0v	48.4v	44.2v	47.5v	39.3v	70.6v	88.6v	43.3v	0.0v	564.38v
628	Mr H Percival	T	67.3v	67.4v	46.4v	48.4v	46.5v	42.1v	47.4v	67.4v	93.7v	41.2v	0.0v	564.38v
629	Mr DF Nesbitt	O	71.6v	67.3v	42.2v	47.3v	46.3v	37.1v	46.2v	70.6v	96.4v	42.2v	0.0v	564.32v
630	Mr GFH Nichols	T	70.7v	71.8v	42.2v	49.4v	44.2v	42.1v	48.4v	71.3v	90.5v	36.1v	0.0v	563.37v
631	Mr O Farrell	T	65.1v	71.5v	44.3v	41.1v	47.2v	47.2v	43.3v	63.2v	94.6v	48.4v	0.0v	563.29v
632	Mr D Howseman	T	66.4v	68.5v	40.2v	44.4v	44.4v	45.4v	41.0v	69.6v	98.5v	47.3v	0.0v	562.37v

633	Miss SJ Dick	O	71.9v	71.6v	44.3v	42.1v	46.2v	46.4v	44.1v	69.4v	92.4v	36.0v	0.0v	561.34v
634	Miss CH Hudson	T	68.4v	69.4v	44.2v	41.2v	45.3v	43.4v	46.2v	68.4v	95.8v	41.1v	0.0v	560.34v
635	Mr T Baillon	T	72.6v	70.4v	45.5v	45.0v	45.0v	46.3v	38.2v	67.3v	94.5v	37.0v	0.0v	559.28v
636	Mr CM Nunan	O	69.4v	71.3v	43.0v	46.2v	41.1v	44.2v	43.2v	68.4v	97.8v	37.1v	0.0v	559.27v
637	Cdt K Kapustina	T	66.4v	73.5v	43.4v	40.1v	44.1v	45.2v	39.3v	72.5v	99.6v	37.1v	0.0v	558.32v
638	Miss V Bieger	T	68.5v	72.6v	45.6v	40.2v	43.3v	42.2v	44.2v	72.8v	91.2v	40.2v	0.0v	557.38v
639	Cdt AJ Todd	T	70.7v	71.5v	43.4v	38.0v	41.3v	45.0v	40.2v	71.2v	96.7v	42.2v	0.0v	557.32v
640	LCpl A Egereva	T	70.5v	70.7v	42.1v	38.0v	48.3v	49.4v	45.3v	73.8v	78.7v	43.2v	0.0v	556.40v
641	Mr PJ Holden	O	71.6v	65.3v	42.1v	44.4v	45.3v	44.5v	46.5v	65.4v	91.3v	43.3v	0.0v	556.37v
642	Mr PM Weston	O	66.5v	69.5v	45.1v	46.3v	43.3v	42.1v	45.1v	67.4v	98.7v	35.2v	0.0v	556.32v
643	Mr G Bible	T	68.5v	69.5v	41.1v	48.3v	38.2v	37.1v	48.4v	72.7v	93.4v	41.2v	0.0v	555.34v
644	Mr SJ Bates	O	68.3v	71.6v	44.2v	43.4v	43.3v	41.0v	42.1v	70.6v	101.5v	32.1v	0.0v	555.31v
645	Mr MRJ Pybus	T	69.3v	70.4v	43.1v	48.4v	41.3v	46.5v	44.4v	60.4v	95.7v	38.0v	0.0v	554.35v
646	Cdt M Corkum	T	69.5v	67.5v	46.2v	43.4v	40.2v	44.3v	44.2v	68.3v	96.6v	36.0v	0.0v	553.32v
647	Mr MJ Whatton	O	73.3v	71.7v	46.3v	47.2v	49.4v	49.3v	45.3v	72.3v	62.2v	39.1v	0.0v	553.31v
648	Mr RJ Booth	X	73.9v	71.8v	49.7v	44.2v	50.6v	49.6v	0.0v	70.7v	98.10v	47.1v	0.0v	551.56v
649	Miss K Hinkly	T	64.5v	68.6v	46.1v	47.5v	44.2v	43.3v	46.4v	65.4v	87.4v	41.3v	0.0v	551.37v
650	Mr EWV Feast	O	60.2v	71.7v	41.1v	42.2v	43.2v	47.3v	45.4v	69.5v	93.5v	40.3v	0.0v	551.34v
651	Mr MS Sayers	T	68.4v	66.5v	42.2v	44.1v	46.4v	37.3v	48.4v	68.4v	87.1v	45.2v	0.0v	551.30v
652	Mr WO Odhiambo	O	73.10v	73.9v	44.5v	46.2v	0.0v	49.5v	47.6v	73.11v	104.11v	41.3v	0.0v	550.62v
653	Mr ID Markwell	O	63.3v	66.4v	41.1v	41.2v	43.3v	45.3v	47.6v	66.4v	96.6v	42.0v	0.0v	550.32v
654	Mr J Goss	T	67.5v	68.4v	44.2v	46.2v	46.2v	37.0v	46.6v	69.4v	100.6v	26.0v	0.0v	549.31v
655	Mr S Pigeon	T	65.3v	69.5v	46.0v	45.4v	40.0v	42.1v	47.5v	63.4v	92.3v	39.1v	0.0v	548.26v
656	Mr T Galliers	O	65.2v	64.2v	43.1v	42.1v	42.1v	44.3v	43.2v	65.1v	96.4v	44.3v	0.0v	548.20v
657	Mr OM Conway	T	59.0v	69.8v	43.4v	40.3v	43.0v	41.4v	47.6v	69.9v	93.5v	43.2v	0.0v	547.41v
658	Mr TM Mulholland	T	71.5v	71.8v	44.3v	42.1v	43.0v	37.0v	39.1v	62.4v	98.6v	40.2v	0.0v	547.30v
659	Miss ML Wilkins	O	68.5v	68.4v	45.0v	45.3v	48.6v	47.6v	44.2v	73.6v	65.6v	43.2v	0.0v	546.40v
660	CWO R Melhuish	T	66.1v	67.3v	42.1v	43.3v	39.2v	47.4v	47.3v	63.2v	94.4v	38.1v	0.0v	546.24v
661	Mr C Vonchek	T	65.3v	71.4v	45.2v	48.6v	40.2v	45.4v	41.1v	64.4v	82.6v	44.1v	0.0v	545.33v
662	Mr WT Tiffin	T	68.2v	73.9v	45.3v	0.0v	46.4v	48.6v	49.4v	75.6v	99.10v	41.2v	0.0v	544.46v
663	Mr AS Smyth	T	73.8v	71.6v	45.3v	46.1v	48.4v	47.3v	0.0v	74.9v	98.9v	42.0v	0.0v	544.43v
664	Mr G Yates	T	68.5v	67.4v	36.1v	45.2v	46.3v	42.0v	47.5v	59.2v	93.7v	41.2v	0.0v	544.31v
665	Mr RM Smith	T	68.4v	66.5v	45.3v	44.1v	39.1v	42.2v	47.2v	65.5v	86.4v	41.2v	0.0v	543.29v
666	Mr S Mason	T	68.4v	65.2v	43.1v	44.0v	41.2v	46.1v	45.2v	66.6v	95.5v	30.2v	0.0v	543.25v
667	Mr G Bramwell	T	67.5v	66.5v	46.5v	35.1v	44.4v	43.1v	45.2v	62.1v	95.5v	39.1v	0.0v	542.30v
668	Cdt T Tancred	T	62.1v	69.1v	45.1v	38.2v	44.4v	36.2v	47.5v	61.2v	94.8v	45.2v	0.0v	541.28v
669	Mr GAE Larcombe	O	71.9v	73.4v	47.2v	45.4v	47.1v	46.4v	0.0v	74.5v	94.4v	43.2v	0.0v	540.35v
670	Miss S Rorison	T	70.6v	68.4v	45.2v	44.3v	39.1v	44.2v	45.4v	58.2v	90.4v	37.0v	0.0v	540.28v
671	Mr RK Sheead	A	72.4v	71.4v	43.1v	45.4v	47.2v	47.4v	0.0v	71.7v	98.7v	44.1v	0.0v	538.34v
672	Mr M Connole	T	67.2v	60.1v	45.3v	36.4v	46.3v	46.3v	46.9v	62.3v	88.10v	40.1v	0.0v	536.39v
673	Mr SR Sutton	T	63.2v	63.1v	43.0v	48.3v	39.0v	36.2v	38.3v	68.5v	96.4v	42.3v	0.0v	536.23v
674	Mr HGM Mooiman	O	74.7v	72.8v	48.3v	42.1v	40.2v	44.1v	0.0v	70.5v	100.6v	45.4v	0.0v	535.37v
675	Mr D Markie	O	68.3v	71.5v	46.2v	44.1v	47.6v	48.2v	46.1v	69.5v	94.5v	0.0v	0.0v	533.30v
676	Mr CB Stone	O	69.3v	66.1v	41.1v	43.2v	40.3v	35.1v	48.5v	63.3v	83.4v	44.4v	0.0v	532.27v
677	Miss R Allan	T	68.4v	66.5v	42.2v	45.4v	36.0v	45.1v	41.1v	63.4v	85.2v	41.1v	0.0v	532.24v
678	Mr BJ North	T	68.4v	68.4v	37.2v	45.2v	44.2v	42.1v	43.2v	66.3v	82.2v	36.1v	0.0v	531.23v
679	Cpl EJ Dell	O	73.11v	69.6v	46.2v	44.4v	0.0v	46.4v	44.1v	68.4v	98.6v	41.2v	0.0v	529.40v
680	Miss EC Colgan	T	67.2v	71.5v	45.6v	46.3v	42.2v	41.1v	45.3v	72.5v	97.10v	3.0v	0.0v	529.37v
681	Cdt H Vaugh-Johnson	T	68.5v	73.8v	46.4v	45.2v	43.3v	47.6v	0.0v	69.6v	98.9v	37.1v	0.0v	526.44v
682	Mr MP Sheppard	T	68.4v	71.6v	45.3v	43.4v	42.3v	46.4v	47.2v	64.5v	100.8v	0.0v	0.0v	526.39v
683	Sgt O Money-Kyrle	T	71.3v	69.6v	45.3v	48.4v	49.4v	47.7v	48.5v	0.0v	103.13v	45.4v	0.0v	525.49v
684	Mr SA Ching	T	67.3v	68.4v	45.2v	46.4v	46.2v	0.0v	42.3v	72.6v	96.3v	42.3v	0.0v	524.30v
685	Mr JW Whitaker	T	52.1v	70.6v	45.2v	43.2v	41.1v	39.0v	42.1v	61.6v	94.6v	37.2v	0.0v	524.27v
686	Lt Cdr GMC Hunter	T	72.7v	66.2v	42.2v	42.1v	47.2v	0.0v	45.3v	72.5v	98.4v	40.0v	0.0v	524.26v
687	Mr AK Fitch	O	71.3v	65.2v	44.3v	44.3v	41.1v	47.1v	46.3v	66.4v	98.7v	0.0v	0.0v	522.27v
688	Mr LT Taylor	T	63.1v	66.3v	40.0v	41.1v	36.0v	47.3v	43.0v	70.9v	86.1v	29.1v	0.0v	521.19v
689	Miss LT Thomas	T	65.2v	63.4v	41.2v	25.0v	42.2v	38.2v	45.3v	62.4v	97.7v	41.2v	0.0v	519.28v
690	Miss KJ Foye	T	68.4v	67.2v	39.0v	45.2v	42.3v	40.0v	40.1v	57.3v	96.8v	24.1v	0.0v	518.24v
691	Mr S Murray	T	70.4v	73.3v	44.2v	40.2v	45.3v	41.1v	0.0v	66.5v	97.6v	40.2v	0.0v	516.28v
692	Miss G Shearer	T	60.2v	67.3v	40.2v	47.4v	22.0v	45.4v	44.1v	60.2v	88.7v	41.0v	0.0v	514.25v
693	Miss MB Bamford	T	68.3v	68.3v	40.0v	32.4v	38.1v	47.2v	43.0v	55.2v	81.2v	42.2v	0.0v	514.19v
694	Mr AG Rooney	T	69.3v	61.1v	43.3v	42.2v	37.0v	45.4v	43.1v	57.1v	88.5v	28.0v	0.0v	513.20v
695	Mr S Benson	T	64.7v	66.3v	40.0v	41.4v	44.1v	37.0v	35.1v	66.4v	82.3v	37.0v	0.0v	512.23v
696	Mr T Jaggard	O	65.2v	64.2v	23.0v	39.0v	47.3v	45.3v	40.1v	57.0v	92.7v	40.0v	0.0v	512.18v
697	Cdt A Amoroso	T	70.4v	73.12v	45.4v	43.3v	47.5v	49.4v	45.4v	0.0v	102.9v	37.2v	0.0v	511.47v
698	Mr S Giannikas	T	61.3v	72.5v	49.5v	42.6v	47.4v	36.1v	0.0v	65.1v	98.5v	40.1v	0.0v	510.31v
699	Mr W Jowett	O	68.5v	62.5v	44.1v	39.3v	44.1v	47.5v	0.0v	70.5v	98.7v	31.1v	0.0v	503.33v
700	Mr LO O'Connell	T	65.4v	63.4v	38.2v	44.4v	42.0v	39.0v	39.4v	55.0v	86.4v	30.2v	0.0v	501.24v
701	Cpl A Fantozzi	T	58.0v	62.2v	38.1v	39.1v	37.1v	41.3v	41.1v	62.4v	90.6v	33.1v	0.0v	501.20v
702	Miss EF Graham	T	57.2v	62.2v	39.2v	40.1v	39.1v	44.2v	39.1v	57.0v	87.3v	37.2v	0.0v	501.16v
703	Mr MG Grimdsell	O	0.0v	69.3v	44.3v	43.3v	47.3v	40.1v	49.1v	67.5v	89.6v	45.2v	0.0v	493.27v
704	Mr F P R Northam	O	73.7v	71.6v	45.1v	41.2v	0.0v	44.3v	46.2v	73.9v	98.6v	0.0v	0.0v	491.36v

