

Grand Aggregate

	DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	POW	Lovell	Corp	Total	
The DCRA Challenge Shield, The NRA Gold Cross, a Gold Bar and £200.00														
1 Mr J Corbett	X	75.12v	74.11v	50.9v	48.3v	50.7v	45.5v	50.9v	75.14v	103.13v	75.7v	49.7v	48.5v	742.102v
The NRA Silver Cross, a Silver Bar and £175.00														
2 Mr JAM Paton	XS	75.13v	75.9v	50.4v	49.8v	49.5v	50.7v	50.8v	70.9v	105.17v	74.8v	45.4v	50.8v	742.100v £ 4
The NRA Bronze Cross, a Bronze Bar and £150.00														
3 Mr ANR Walker	XS	73.10v	75.11v	49.5v	50.8v	50.6v	48.3v	50.4v	74.9v	104.13v	74.8v	48.4v	47.4v	742.85v £ 4
An NRA Bronze Cross, a Bronze Bar and £125.00														
4 Dr PD Sykes	OS	74.7v	75.8v	50.7v	47.6v	50.7v	50.6v	50.6v	75.13v	104.13v	74.12v	47.4v	44.2v	740.91v £ 4
An NRA Bronze Cross, a Bronze Bar and £100.00														
5 Dr CD Haley	X	74.12v	75.10v	50.3v	48.2v	50.9v	49.2v	49.5v	75.11v	104.13v	73.8v	45.3v	47.3v	739.81v
6 Mr ORW Russell	X	75.13v	74.12v	50.8v	44.4v	50.4v	50.4v	50.9v	73.9v	103.10v	74.5v	49.4v	46.5v	738.87v
An NRA Bronze Cross, a Bronze Bar and £80.00														
7 Mr NBS Logan	X	75.9v	75.10v	49.8v	47.3v	50.7v	49.8v	50.6v	72.7v	105.14v	74.9v	45.1v	47.3v	738.85v
8 Mr MRM Millar	XS	73.8v	74.13v	50.7v	49.6v	50.5v	46.1v	50.3v	74.9v	102.15v	74.6v	48.5v	48.5v	738.83v £ 4
9 Mr MCJ Button	XS	75.14v	74.6v	49.5v	45.1v	50.6v	48.4v	50.5v	74.12v	105.15v	74.9v	46.2v	48.1v	738.80v £ 4
10 Miss EJ Nuttall	XS	74.12v	74.12v	49.5v	43.1v	50.5v	47.2v	50.7v	74.10v	105.15v	75.10v	48.6v	48.5v	737.90v £ 4
An NRA Bronze Cross, a Bronze Bar and 60.00														
11 Capt GR Jeal	X	73.8v	75.12v	48.5v	47.4v	50.6v	47.3v	50.5v	75.11v	104.12v	72.7v	48.3v	48.5v	737.81v
12 Mr DC Luckman	XS	71.10v	74.7v	50.6v	49.6v	48.6v	49.5v	49.6v	74.11v	103.13v	75.13v	46.4v	48.5v	736.92v £ 4
13 Mr H J Golaszewski	X	75.10v	74.8v	49.8v	45.3v	48.5v	47.5v	50.6v	74.14v	105.12v	73.11v	46.1v	50.6v	736.89v
14 Dr JD Warburton	XS	74.9v	72.7v	50.8v	49.6v	49.3v	47.4v	48.4v	73.9v	103.14v	75.9v	49.7v	47.5v	736.85v £ 4
15 Mr JC Underwood	XS	70.7v	73.7v	49.4v	50.7v	49.4v	49.5v	50.5v	75.10v	105.15v	75.9v	48.5v	43.3v	736.81v £ 4
16 Mr SA Thomas	X	75.13v	72.11v	49.4v	48.6v	48.5v	50.7v	49.8v	75.11v	103.14v	75.8v	44.1v	47.3v	735.91v
17 Dr PR Wheeler	XS	74.7v	75.11v	50.8v	49.4v	50.5v	48.7v	48.6v	75.13v	102.11v	74.10v	50.7v	39.1v	734.90v
18 Miss CA Evans	X	75.13v	74.13v	46.3v	44.2v	49.5v	48.3v	49.6v	75.11v	104.17v	75.14v	46.2v	48.6v	733.95v
19 Mr K Ramsey	XS	75.15v	71.9v	48.6v	50.8v	49.8v	50.6v	50.3v	75.14v	102.11v	72.9v	47.3v	44.2v	733.94v
20 Mr JC Evans	X	74.8v	74.7v	50.7v	48.4v	49.4v	45.3v	50.6v	74.11v	102.12v	72.10v	50.6v	45.2v	733.80v
An NRA Bronze Cross, a Bronze Bar and £40.00														
21 Mr RSF Shouler	XS	73.9v	75.10v	50.7v	48.7v	49.6v	48.8v	48.8v	74.9v	103.11v	74.11v	47.3v	43.2v	732.91v
22 Major AR McLeod	XS	72.10v	72.10v	47.3v	48.4v	50.8v	48.2v	50.5v	74.11v	104.15v	75.10v	48.5v	44.4v	732.87v
23 Wg. Cdr. DP Calvert	XS	74.10v	68.7v	49.7v	50.6v	49.7v	49.4v	50.7v	74.7v	102.15v	75.13v	47.3v	45.0v	732.86v
24 Mr JW Alexander	XS	71.8v	73.9v	48.3v	49.6v	50.9v	49.5v	50.5v	73.6v	104.14v	75.11v	48.7v	42.3v	732.86v
25 Mr SJ Whitby	OS	73.11v	73.8v	47.5v	49.7v	50.5v	49.4v	49.7v	73.8v	103.10v	75.11v	45.1v	46.2v	732.79v £ 4
26 Mr CP Weeden	X	75.9v	75.6v	50.6v	48.3v	49.6v	46.3v	49.7v	74.11v	102.9v	75.12v	45.5v	44.2v	732.79v
27 Mr T Drysdale	XS	75.11v	74.10v	50.8v	48.4v	49.4v	48.2v	47.3v	72.11v	102.13v	74.7v	45.2v	48.3v	732.78v
28 Mr PD Griggs	X	74.9v	75.5v	48.6v	48.3v	49.7v	48.4v	49.7v	74.9v	101.10v	75.9v	47.5v	44.3v	732.77v
29 Mr WCP Richards	XS	74.8v	74.6v	47.5v	50.5v	50.5v	44.2v	48.3v	74.9v	103.8v	72.5v	49.3v	47.2v	732.61v
30 Mr P Patel	XS	73.11v	75.9v	49.7v	50.8v	50.7v	45.3v	48.6v	74.10v	104.17v	72.7v	49.7v	42.2v	731.94v
31 Mr S Osmond	XS	75.12v	73.11v	49.6v	45.3v	48.5v	48.6v	49.7v	72.8v	105.13v	75.10v	46.5v	46.3v	731.89v
32 Mr SDJ Glanville	XS	74.8v	74.11v	49.6v	46.3v	49.3v	47.6v	46.6v	75.10v	103.14v	74.11v	46.3v	48.4v	731.85v
33 Mr JP Tapster	XS	74.9v	74.10v	50.8v	47.6v	49.7v	48.5v	50.8v	75.8v	100.10v	73.9v	46.4v	45.0v	731.84v
34 Mr JMA Thompson	XS	73.7v	73.6v	50.10v	49.4v	48.5v	47.5v	50.7v	74.10v	101.13v	74.7v	47.7v	45.2v	731.83v
35 Dr GP Nelson	A	74.12v	75.10v	45.3v	49.4v	49.6v	47.3v	50.7v	71.5v	103.10v	73.8v	49.5v	46.5v	731.78v
An NRA Bronze Cross, a Bronze Bar and £20.00														
36 Mr TJD Raincock	XS	72.7v	73.8v	49.7v	49.5v	48.5v	45.2v	48.4v	74.11v	105.11v	73.8v	48.4v	47.5v	731.77v
37 Mr RT MacLeod	X	75.7v	75.9v	46.4v	50.6v	50.6v	47.3v	48.5v	75.11v	103.10v	73.6v	45.4v	44.3v	731.74v
The Olle Beckett Memorial Trophy														
38 Mr AW Hellings	TS	74.8v	72.7v	50.2v	48.2v	48.2v	50.7v	50.8v	73.8v	100.9v	75.9v	50.4v	41.2v	731.68v £ 4
39 Mr M Horsnell	X	73.9v	72.9v	48.6v	49.7v	50.7v	49.5v	48.6v	74.12v	105.13v	75.13v	44.4v	43.2v	730.93v
40 Mr C Mitchell	X	72.8v	74.8v	48.6v	48.4v	50.5v	49.5v	49.5v	73.9v	104.14v	74.13v	47.4v	42.3v	730.84v
41 Dr JDS Langley	XS	74.13v	73.7v	49.7v	50.6v	49.4v	46.6v	49.7v	74.8v	103.10v	75.8v	45.1v	43.3v	730.80v
42 Capt M J Purdy	XS	74.9v	72.12v	48.6v	45.4v	50.5v	48.3v	49.7v	74.9v	103.12v	72.4v	49.5v	46.2v	730.78v
43 Mr JP Nice	XS	72.7v	73.9v	49.5v	47.2v	48.3v	47.5v	50.5v	74.8v	104.11v	75.9v	45.3v	46.3v	730.70v
44 Maj D Thompson	AS	75.11v	75.12v	47.3v	47.3v	50.7v	47.3v	49.5v	74.11v	99.11v	72.7v	47.4v	47.4v	729.81v £ 4
45 Mr CJ Watson	XS	73.9v	73.7v	47.4v	48.4v	50.7v	46.5v	50.5v	74.10v	105.15v	73.7v	49.6v	41.2v	729.81v
46 Mr BA Horwood	X	75.9v	73.12v	49.5v	48.4v	50.7v	45.5v	49.2v	74.10v	103.11v	72.7v	47.4v	44.2v	729.78v
47 Mr JF Lawrie	X	74.7v	75.12v	50.6v	49.4v	48.4v	47.5v	48.3v	74.8v	102.9v	74.12v	43.2v	45.3v	729.75v
48 Mr SM Negus	XS	75.7v	73.8v	49.6v	48.4v	48.5v	47.6v	49.4v	74.8v	104.12v	73.6v	48.4v	41.3v	729.73v
49 Mr TA Ringer	X	72.8v	74.11v	49.4v	50.6v	50.7v	49.6v	48.4v	75.8v	103.11v	71.4v	44.1v	44.1v	729.71v
50 Mr M J Ensor	XS	72.10v	75.11v	49.7v	47.3v	49.7v	47.6v	49.7v	72.8v	104.14v	74.12v	43.3v	47.5v	728.93v

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	POW	Lovell	Corp	Total
Winner of a Bronze Bar														
51 Miss A Southall	X	71.8v	75.10v	48.5v	49.6v	50.9v	46.5v	50.6v	74.9v	103.12v	70.7v	48.5v	44.3v	728.85v
52 Mr FWA Coetzee	XS	74.8v	73.10v	49.6v	47.4v	48.3v	47.5v	49.6v	75.11v	103.11v	73.8v	43.3v	47.6v	728.81v
53 Mr WJD Broad	XS	75.10v	75.9v	49.6v	47.4v	50.9v	48.4v	44.1v	73.11v	104.12v	73.9v	46.4v	44.2v	728.81v
54 Mr R Birtwistle	X	70.5v	72.6v	49.5v	49.5v	49.7v	48.5v	49.6v	74.10v	105.15v	74.13v	44.1v	45.3v	728.81v
55 Mr PA Maher	X	74.9v	74.8v	50.4v	46.6v	49.6v	48.5v	48.4v	75.9v	99.10v	74.9v	45.5v	46.3v	728.78v
56 Mr JM Taylor	X	74.7v	73.9v	49.5v	46.4v	47.4v	49.3v	50.7v	75.12v	100.11v	75.9v	46.4v	44.3v	728.78v
57 Maj RHG Riley	X	75.11v	70.7v	47.6v	49.5v	46.2v	46.2v	48.2v	74.11v	102.12v	72.7v	49.4v	50.7v	728.76v
58 Mr CJ Morton	XS	75.10v	75.5v	49.6v	45.6v	48.5v	46.4v	50.8v	74.9v	103.8v	74.10v	48.3v	41.2v	728.76v
59 Mr THD Dodds	AS	74.8v	75.8v	48.3v	48.6v	48.8v	47.4v	47.3v	74.8v	102.12v	70.5v	48.4v	47.4v	728.73v £ 4
60 Miss C Choquette	X	74.12v	74.6v	48.4v	46.4v	50.3v	46.2v	49.4v	73.9v	103.12v	72.6v	45.4v	48.5v	728.71v
61 Mr AD Le Cheminant	XS	73.9v	73.8v	49.6v	47.4v	48.6v	48.4v	49.8v	75.5v	101.11v	73.6v	48.2v	44.1v	728.70v
62 Mr AC Haley	AS	75.8v	75.10v	48.4v	43.2v	49.3v	48.4v	48.6v	75.8v	103.13v	74.10v	44.0v	46.2v	728.70v £ 4
63 Mr OEJ Spencer	A	74.13v	74.13v	49.7v	47.7v	50.6v	50.6v	47.2v	73.6v	102.15v	72.10v	42.4v	47.4v	727.93v
64 Mr DR Armstrong	XS	74.8v	75.13v	49.7v	50.6v	49.6v	50.6v	50.5v	71.8v	100.13v	75.11v	44.3v	40.2v	727.88v
65 Mr J Pugsley	X	74.6v	75.10v	49.8v	46.5v	50.6v	47.4v	50.8v	74.10v	102.10v	73.11v	45.5v	42.1v	727.84v
66 Sgt JR Dunbar	A	74.11v	74.7v	49.4v	44.4v	48.7v	46.5v	48.6v	75.11v	104.9v	72.8v	44.2v	49.6v	727.80v
67 Mr D de Vere	XS	71.7v	74.6v	47.4v	48.3v	50.8v	47.4v	50.8v	74.8v	103.13v	75.12v	43.2v	45.5v	727.80v
68 Mr JR Tuck	AS	71.7v	75.11v	49.4v	46.4v	50.8v	44.4v	48.6v	74.10v	104.9v	74.11v	47.2v	45.1v	727.77v £ 4
69 Capt N Healy	X	72.6v	72.10v	47.2v	48.2v	48.4v	47.5v	48.6v	75.6v	104.16v	75.12v	48.5v	43.3v	727.77v
70 Mr JRW Postle	XS	73.8v	74.11v	47.4v	45.4v	50.4v	46.3v	50.8v	75.11v	103.9v	75.12v	44.0v	45.3v	727.77v
71 Mr WF Livesey	A	75.12v	73.9v	49.5v	46.3v	48.3v	46.1v	47.3v	75.11v	104.12v	74.10v	43.3v	47.4v	727.76v
72 Mr C Mallett	AS	75.11v	75.10v	47.4v	48.4v	49.4v	47.4v	49.5v	72.7v	97.6v	74.9v	49.4v	45.6v	727.74v £ 4
73 Miss J Hince	AS	74.9v	74.7v	49.7v	48.3v	49.5v	47.2v	49.5v	74.9v	102.12v	71.7v	48.7v	42.1v	727.74v £ 4
74 Mr M Shepherd	XS	74.10v	70.6v	48.4v	49.3v	49.8v	49.4v	49.6v	74.6v	102.11v	72.8v	46.5v	45.2v	727.73v
75 Mr PM Hakim	OS	74.12v	73.7v	50.5v	40.2v	49.6v	49.4v	46.4v	75.10v	105.12v	73.9v	49.5v	43.3v	726.79v £ 4
76 Dr JO Ahrens	XS	74.10v	73.8v	49.4v	48.3v	50.9v	49.6v	46.3v	75.9v	100.10v	72.7v	48.5v	42.3v	726.77v
77 Mr MJM Black	A	73.8v	74.6v	48.5v	45.3v	49.6v	45.4v	50.6v	75.11v	104.13v	73.8v	45.3v	45.2v	726.75v
78 Mr LMD Cheek	X	74.10v	71.6v	49.4v	44.3v	49.8v	45.3v	48.5v	74.7v	103.11v	75.8v	47.4v	47.4v	726.73v
79 Mr IP Davison	X	74.9v	73.10v	49.4v	47.5v	50.4v	44.3v	49.7v	75.10v	104.10v	74.9v	39.0v	48.2v	726.73v
80 Mr TG Rylands	A	74.9v	73.5v	48.5v	50.3v	46.2v	47.4v	50.7v	74.11v	100.9v	74.7v	47.3v	43.2v	726.67v
81 Mr H Sanders	X	75.8v	75.9v	47.4v	45.3v	50.6v	49.5v	50.2v	74.10v	99.7v	73.6v	47.2v	42.1v	726.63v
82 Mr DC Crispin	X	74.8v	74.9v	49.7v	45.3v	47.4v	46.2v	48.6v	74.9v	102.14v	72.10v	48.5v	46.6v	725.83v
83 Mr KO Pugh	X	74.7v	75.9v	49.5v	47.6v	49.4v	44.1v	48.4v	72.10v	102.12v	75.9v	42.2v	48.4v	725.73v
84 Mr P De Voil	A	73.8v	72.8v	48.2v	47.2v	49.4v	48.6v	50.8v	72.7v	103.11v	73.8v	44.3v	46.5v	725.72v
85 Mr SJ East	AS	75.8v	72.8v	50.5v	46.3v	49.7v	47.2v	50.7v	70.5v	100.9v	75.11v	47.3v	44.2v	725.70v
86 Mr RAV Hebblethwaite	A	69.5v	73.3v	50.8v	48.2v	49.7v	47.3v	49.6v	70.3v	100.9v	75.8v	48.5v	47.6v	725.65v
87 Miss SIM Anderson	A	75.8v	73.8v	49.4v	45.2v	48.3v	47.1v	48.3v	74.8v	102.13v	72.7v	45.0v	47.3v	725.60v
88 Mr NJ Verduyn	X	72.9v	74.8v	50.8v	49.7v	49.7v	48.6v	46.4v	74.11v	105.8v	73.11v	42.1v	42.2v	724.82v
89 LCpl J Keates	TS	73.10v	73.8v	48.6v	49.7v	48.2v	50.6v	46.3v	70.5v	100.10v	74.9v	49.6v	44.2v	724.74v £ 4
90 Mr ML Millar	XS	74.9v	73.7v	48.4v	46.5v	50.5v	45.3v	50.9v	74.11v	103.6v	71.6v	48.7v	42.2v	724.74v
91 Mr NNT Kerins	XS	74.10v	71.9v	49.6v	45.1v	47.5v	47.2v	46.2v	73.5v	104.13v	74.9v	48.5v	46.5v	724.72v
92 Mr GE Grosskreutz	XS	75.12v	72.10v	49.4v	48.4v	47.2v	45.2v	48.4v	73.5v	103.12v	75.7v	43.2v	46.5v	724.69v
93 Capt ADJ Stewart	OS	74.10v	74.9v	48.4v	44.4v	49.3v	48.4v	48.4v	74.8v	100.9v	73.8v	49.5v	43.0v	724.68v £ 4
94 Mr R Woodger	OS	71.7v	73.9v	48.3v	45.2v	47.4v	50.5v	48.6v	72.8v	102.6v	72.6v	46.2v	50.6v	724.64v £ 4
95 Mr SJ Carson	AS	74.6v	68.3v	49.5v	46.2v	48.4v	47.3v	49.7v	75.9v	103.10v	71.5v	47.2v	47.4v	724.60v
96 Mr RW Hallows	XS	74.11v	72.10v	49.6v	44.3v	48.6v	47.5v	48.5v	75.13v	101.12v	75.9v	45.4v	45.2v	723.86v
97 Mr J Pepera-Hibbert	AS	75.10v	72.7v	50.7v	50.6v	49.7v	44.1v	49.7v	72.9v	103.12v	70.6v	46.3v	43.2v	723.77v
98 Capt AG McLean	AS	70.4v	73.10v	47.6v	46.4v	47.6v	48.6v	49.5v	73.8v	103.11v	74.8v	46.5v	47.3v	723.76v
99 Mr RC Oxford	X	75.12v	73.8v	48.4v	46.2v	49.7v	49.7v	47.3v	72.8v	101.11v	75.9v	42.2v	46.2v	723.75v
100 Miss HP McCullough	XS	74.7v	73.7v	48.6v	44.2v	50.5v	48.2v	48.7v	75.9v	101.15v	70.6v	45.2v	47.5v	723.73v
101 Mr M Liversage	XS	72.9v	71.10v	49.5v	48.7v	49.5v	50.5v	48.2v	71.7v	101.11v	72.6v	48.3v	44.3v	723.73v
102 Maj AW Gill	X	72.9v	74.10v	47.4v	46.1v	49.8v	44.3v	50.5v	73.8v	103.12v	75.9v	45.2v	45.2v	723.73v
103 Mr TJ Johnston	O	73.7v	74.10v	47.5v	50.7v	48.4v	48.2v	46.4v	72.9v	101.7v	74.12v	48.3v	42.2v	723.72v
104 Mr DE Nuthall	XS	72.8v	74.9v	49.6v	46.4v	49.5v	48.5v	48.6v	73.10v	103.7v	74.8v	42.1v	45.2v	723.71v
105 Mr D Lowe	AS	73.7v	72.7v	48.5v	49.6v	49.2v	47.6v	50.4v	74.8v	103.12v	74.9v	46.3v	38.2v	723.71v
106 Miss HA Pugsley	X	74.11v	71.7v	49.6v	46.5v	47.6v	49.4v	49.4v	73.9v	100.7v	75.5v	46.3v	44.2v	723.69v
107 Mr D Rose	X	73.10v	74.8v	47.5v	48.3v	50.4v	44.2v	49.5v	72.5v	100.10v	71.6v	48.6v	47.3v	723.67v
108 Mr JEM Bellringer	XS	74.7v	74.7v	46.3v	48.4v	47.5v	49.7v	50.6v	70.4v	99.6v	74.11v	47.3v	45.4v	723.67v
109 Miss LAE Crowson	XS	68.4v	71.6v	49.3v	47.2v	49.5v	48.4v	46.3v	75.8v	105.17v	75.10v	43.1v	47.4v	723.67v
110 Mr JGM Webster	AS	73.8v	75.10v	48.0v	48.6v	49.6v	48.3v	48.5v	73.8v	98.8v	71.5v	48.3v	44.3v	723.65v
111 Mr H Wong Shui	XS	75.9v	70.5v	50.5v	46.6v	47.5v	45.3v	49.7v	75.11v	103.7v	73.6v	45.0v	45.0v	723.64v
112 Mr W Johnson	AS	74.6v	73.9v	47.3v	48.1v	50.7v	47.4v	49.3v	73.5v	104.10v	70.4v	47.2v	41.2v	723.56v
113 Mr NJ Ball	XS	74.8v	72.5v	47.4v	48.7v	49.9v	46.4v	43.6v	74.11v	102.14v	71.6v	48.3v	48.5v	722.82v
114 Mr DA Richardson	X	73.8v	75.12v	49.2v	49.7v	50.8v	42.0v	50.6v	71.9v	103.11v	73.11v	48.5v	39.2v	722.81v
115 Mr GC Childs	A	73.10v	74.12v	47.5v	48.4v	49.4v	47.5v	49.4v	74.8v	102.12v	70.7v	48.5v	41.3v	722.79v
116 Mr DG Young	XS	75.12v	72.10v	47.4v	48.5v	48.5v	49.5v	49.4v	73.6v	102.13v	72.8v	50.4v	37.3v	722.79v
117 Mr HF Donovan	A	74.8v	75.8v	49.6v	39.2v	48.6v	48.6v	49.2v	74.7v	100.15v	74.9v	47.4v	45.1v	722.74v
118 Capt J Cook	X	73.6v	74.9v	50.5v	48.6v	49.7v	48.3v	48.6v	72.11v	101.7v	73.6v	42.2v	44.3v	722.71v

			DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	POW	Lovell	Corp	Total
126	Miss JH Messer	XS	74.11v	71.6v	47.3v	49.3v	48.2v	48.3v	50.7v	67.6v	104.9v	72.4v	48.7v	44.2v	722.63v
127	Miss EJ Cannings	AS	73.8v	73.5v	50.7v	44.3v	47.3v	48.5v	46.4v	72.5v	104.10v	73.8v	44.3v	48.2v	722.63v
128	Lt Col WDH Burden	AS	73.8v	73.6v	47.4v	47.3v	50.5v	46.6v	48.3v	73.4v	102.9v	71.5v	47.1v	45.3v	722.57v
129	Mr DA Pitcairn	X	72.8v	74.9v	48.5v	48.6v	50.9v	46.3v	47.4v	74.10v	101.11v	72.6v	48.4v	41.0v	721.75v
130	Mr RDP Knapstein	AS	72.7v	74.11v	49.4v	48.2v	48.6v	46.3v	50.9v	73.9v	100.9v	74.11v	43.0v	44.4v	721.75v
131	Mr DGM Coleman	X	72.6v	75.6v	47.3v	50.8v	49.7v	48.5v	48.4v	73.10v	102.9v	73.11v	44.4v	40.2v	721.75v
132	Mr SP O'Brien	A	74.9v	72.9v	47.3v	45.2v	46.4v	49.2v	49.6v	72.10v	102.13v	74.8v	45.4v	46.4v	721.74v
133	Mr DJ Curtis	OS	69.5v	73.11v	45.4v	47.4v	49.6v	47.3v	49.5v	74.5v	101.9v	74.9v	50.5v	43.4v	721.70v
134	Mr L Malcic	AS	72.9v	70.7v	47.4v	48.4v	49.4v	47.2v	49.7v	74.8v	101.11v	71.7v	47.5v	46.2v	721.70v
135	Mr MA Kirkillo-Stacewicz	A	73.6v	74.6v	49.5v	46.3v	44.2v	46.3v	50.8v	74.8v	101.12v	71.8v	44.3v	49.5v	721.69v
136	Mr AM Bullen	OS	71.7v	72.9v	48.4v	47.3v	50.5v	48.5v	50.5v	74.10v	101.8v	74.8v	44.1v	42.3v	721.68v
137	Mr RM Hatcher	XS	73.7v	73.6v	48.2v	44.4v	46.0v	49.7v	50.8v	72.7v	104.12v	75.10v	45.1v	42.3v	721.67v
138	Mr C Pirouet	AS	74.8v	73.7v	46.4v	50.3v	49.8v	46.2v	48.4v	75.6v	102.10v	74.10v	39.0v	45.5v	721.67v
139	Mr R Kloosterman	AS	73.7v	75.10v	47.4v	46.5v	50.2v	48.5v	47.6v	72.9v	105.10v	69.4v	48.4v	41.0v	721.66v
140	Cdt TO Little	O	75.6v	72.7v	47.4v	47.2v	47.4v	49.3v	50.6v	72.7v	100.11v	74.9v	48.4v	40.2v	721.65v
141	Mr AJ Leech	A	71.6v	72.7v	48.5v	48.3v	48.3v	47.5v	47.3v	72.8v	104.12v	71.5v	49.4v	44.3v	721.64v
142	Mr CA Stewart	A	74.11v	73.7v	49.5v	47.4v	43.1v	44.2v	46.3v	74.4v	103.11v	75.9v	47.2v	46.3v	721.62v
143	Mr J Brooking	X	72.4v	67.4v	46.2v	48.3v	49.5v	49.4v	48.4v	73.4v	102.11v	75.10v	46.2v	46.3v	721.56v
144	Mr JA Lindsay III	AS	73.10v	73.8v	49.9v	47.7v	47.4v	44.5v	50.9v	73.12v	102.11v	73.9v	45.3v	44.4v	720.91v
145	SSgt G Jarret	A	74.9v	74.9v	45.4v	47.7v	48.5v	47.5v	48.5v	73.8v	103.9v	68.4v	47.6v	46.5v	720.76v
146	Mr F Flanagan	A	72.7v	72.5v	48.5v	50.6v	49.5v	50.5v	49.5v	73.9v	100.12v	74.12v	45.2v	38.2v	720.75v
147	Miss HV Southall	O	73.8v	71.7v	50.6v	49.6v	47.6v	46.3v	48.4v	74.8v	105.12v	68.5v	48.4v	41.2v	720.71v
148	Mr NC Mace	XS	69.5v	75.8v	46.5v	50.4v	49.6v	43.3v	50.5v	74.10v	102.12v	73.5v	49.6v	40.1v	720.70v
149	Mrs RA Wiltshire	AS	75.8v	75.9v	47.1v	49.5v	49.7v	45.2v	44.3v	74.9v	101.11v	72.9v	48.3v	41.2v	720.69v
150	Mr T Horrocks	A	73.6v	75.10v	47.3v	48.5v	50.5v	48.6v	49.8v	69.5v	101.7v	74.10v	46.4v	40.0v	720.69v
151	Mr RL Eayrs	X	74.6v	73.8v	48.5v	43.2v	47.5v	44.2v	49.5v	72.7v	104.10v	72.9v	45.4v	49.4v	720.67v
152	Mr CK Saina	AS	73.10v	73.7v	48.6v	43.3v	46.3v	47.4v	50.6v	70.4v	104.11v	75.8v	44.2v	47.3v	720.67v
153	Mr H Awin	A	74.8v	71.6v	48.3v	46.3v	47.5v	46.3v	49.6v	75.9v	104.11v	74.10v	43.1v	43.0v	720.65v
154	Mr NE Henrikz	A	72.3v	73.6v	49.5v	47.5v	48.5v	48.5v	49.6v	75.7v	102.8v	73.11v	45.4v	39.0v	720.65v
155	Col FC Sykes	OS	73.10v	74.6v	49.6v	47.0v	48.6v	46.1v	47.4v	73.7v	102.14v	72.7v	44.2v	45.1v	720.64v
156	Mr DJ Fourie	X	72.9v	74.7v	47.3v	49.7v	50.7v	47.2v	49.3v	75.7v	102.9v	74.7v	45.3v	36.1v	720.64v
157	Mr EWW Feast	O	71.5v	75.8v	48.1v	47.3v	47.2v	45.4v	48.3v	74.6v	100.7v	69.6v	49.3v	47.4v	720.52v
158	Mr J Jeffery	XS	72.6v	75.13v	49.7v	46.4v	50.9v	40.3v	48.6v	75.9v	103.11v	71.9v	44.2v	46.3v	719.82v
159	Mr LM Peden (G.M.)	XS	73.5v	73.9v	49.2v	47.5v	47.5v	46.6v	48.7v	72.7v	104.13v	74.10v	44.2v	42.4v	719.75v
160	Mr SJ Bissonnette	AS	74.7v	73.11v	49.7v	41.1v	48.5v	45.2v	50.6v	74.13v	102.9v	74.6v	47.5v	42.2v	719.74v
161	Mr S Harding	XS	72.8v	74.8v	48.7v	48.7v	50.7v	44.2v	49.4v	72.7v	99.10v	74.8v	43.2v	46.4v	719.74v
162	Mr JW Page	O	74.9v	74.8v	49.8v	48.4v	47.5v	46.5v	48.6v	72.6v	100.6v	72.8v	50.6v	39.2v	719.73v
163	Mr JA Watson	XS	73.7v	71.8v	49.5v	45.5v	48.3v	46.2v	50.9v	72.7v	100.7v	75.12v	46.5v	44.2v	719.72v
164	Mr DS Murray	X	75.8v	75.12v	48.4v	44.2v	48.6v	45.3v	50.6v	71.7v	104.9v	74.10v	46.4v	39.1v	719.72v
165	Miss LE Kennedy	OS	69.7v	73.10v	46.5v	45.2v	48.5v	50.5v	49.4v	74.10v	100.6v	75.9v	44.4v	46.3v	719.70v
166	Mr PM Jory	XS	75.10v	72.10v	49.5v	47.5v	50.6v	46.2v	49.5v	73.7v	103.11v	68.7v	46.2v	41.0v	719.70v
167	Mr CRM Asquith	X	71.6v	70.7v	44.2v	47.5v	50.5v	48.8v	49.7v	74.7v	101.9v	73.7v	48.3v	44.3v	719.69v
168	Mr MG Whicher	X	74.8v	74.9v	50.2v	49.7v	47.3v	48.2v	48.5v	65.7v	98.8v	72.4v	49.7v	45.5v	719.67v
169	Mr AP Barnes	AS	72.7v	73.7v	48.6v	48.5v	48.6v	46.5v	50.6v	70.4v	101.9v	74.8v	44.1v	45.2v	719.66v
170	Mr SD Shouler	XS	73.9v	71.6v	43.2v	49.4v	50.5v	47.4v	48.3v	73.4v	101.10v	73.8v	46.1v	45.2v	719.58v
171	Cdt JC Voyer	T	74.11v	70.8v	48.7v	38.2v	48.4v	48.6v	50.9v	73.5v	105.17v	72.6v	45.2v	47.4v	718.81v
172	Mr N Cole-Hawkins	A	75.12v	71.7v	50.9v	45.4v	48.4v	47.5v	50.7v	75.9v	97.9v	71.8v	45.5v	44.2v	718.81v
173	Mr RW Shaw	X	71.9v	69.4v	49.1v	45.4v	48.5v	45.4v	49.7v	75.12v	101.13v	73.9v	46.3v	47.5v	718.76v
174	Dr JR Deane	AS	71.8v	71.9v	48.4v	47.2v	45.7v	47.4v	50.7v	74.8v	101.13v	72.8v	47.3v	45.2v	718.75v
175	Mr T Keen	A	75.13v	74.8v	47.6v	46.5v	49.2v	47.7v	47.4v	74.7v	99.10v	73.8v	47.4v	40.0v	718.74v
176	Mr M Todd	A	74.13v	72.5v	48.3v	47.7v	47.5v	48.4v	49.5v	74.10v	100.11v	74.7v	46.4v	39.0v	718.74v
177	Mr C Dart	OS	74.10v	69.5v	47.5v	46.3v	49.5v	47.4v	48.5v	74.9v	102.9v	72.7v	49.7v	41.1v	718.70v
178	Dr J Mehta	X	70.4v	72.8v	49.6v	46.5v	43.1v	48.6v	48.3v	73.9v	104.9v	75.11v	43.1v	47.4v	718.67v
179	Mr RI Coventry	OS	74.8v	72.8v	49.7v	45.1v	47.6v	49.4v	49.5v	73.9v	103.7v	73.7v	45.2v	39.2v	718.66v
180	Mr RF Barrington	O	73.8v	74.6v	48.5v	45.3v	46.3v	47.2v	48.5v	73.8v	101.10v	71.7v	46.5v	46.3v	718.65v
181	Mr T Steele	XS	74.11v	71.4v	48.1v	48.4v	49.4v	44.2v	47.4v	74.9v	98.10v	72.8v	47.2v	46.3v	718.62v
182	Mr PWG Glen	AS	74.11v	71.7v	49.4v	47.5v	46.3v	49.3v	48.3v	72.8v	100.9v	73.8v	43.1v	46.0v	718.62v
183	Miss C Catuogno-Cal	TS	70.2v	74.7v	48.6v	47.5v	49.5v	48.4v	45.4v	72.6v	103.11v	72.4v	44.2v	46.5v	718.61v
184	Mr RK Sheead	AS	74.10v	72.9v	48.6v	46.5v	49.4v	47.5v	49.5v	73.10v	97.9v	72.8v	50.4v	40.1v	717.76v
185	Mr A Bell	XS	72.5v	73.12v	48.4v	43.3v	46.4v	45.2v	47.3v	73.10v	103.13v	75.12v	44.1v	48.3v	717.72v
186	Mr RJS Curtis	X	75.11v	74.10v	50.6v	44.1v	47.3v	46.2v	49.4v	72.7v	100.11v	72.11v	41.1v	47.3v	717.70v
187	Mr MJ Barlow	A	73.8v	72.7v	46.2v	49.6v	49.6v	46.4v	48.6v	73.10v	102.6v	71.7v	44.1v	44.5v	717.68v
188	Mr E Atkins	OS	73.11v	73.10v	50.8v	49.1v	50.8v	46.2v	48.3v	73.10v	99.9v	66.3v	47.0v	43.0v	717.65v
189	Mr MR Fugeman	A	72.7v	72.7v	48.7v	46.6v	46.3v	48.5v	49.3v	74.8v	100.7v	71.6v	47.2v	44.3v	717.64v
190	Mr A Thomson	A	73.11v	72.3v	50.5v	46.4v	49.5v	47.3v	49.6v	71.5v	101.7v	72.7v	46.3v	41.3v	717.62v
191	Mr A Coakes	O	74.7v	73.7v	43.3v	46.3v	49.5v	46.2v	50.6v	71.7v	98.4v	75.10v	47.2v	45.4v	717.60v
192	Mr RJS Clark	XS	71.7v	73.7v	44.2v	48.3v	48.5v	48.4v	49.4v	73.8v	103.10v	72.5v	44.1v	44.3v	717.59v
193	Mr WJ Rowland	A	72.9v	74.8v	47.5v	49.1v	47.3v	46.1v	49.5v	71.7v	102.11v	72.4v	47.2v	41.2v	717.58v
194	Mr JPL Sweet	AS	69.7v	73.8v	48.4v	49.5v	46.0v	46.1v	50.3v	71.6v	100.8v	72.8v	45.2v	48.2v	717.54v
195	Mr SC Postins	X	74.9v	74.9v	46.3v	40.1v	49.7v	48.3v	50.6v	71.9v	103.10v	73.10v	41.2v	47.4v	716.73v
196	Mr DR Le Quesne	XS	75.10v	70.7v	48.6v	49.4v	49.4v	45.5v	47.6v	72.6v	100.10v	67.3v	48.6v	46.4v	716.71v
197	Mr GK Alexander	A	71.4v	71.8v	45.2v	49.2v	49.5v	49.8v	47.5v	71.7v	102.10v	75.13v	47.5v	40.1v	716.70v
198	Mr DFP Richards	X	72.6v	71.6v	49.5v	47.5v	48.4v	45.3v	49.7v	75.12v	103.12v	72.3v	45.4v	40.1v	716.68v
199	Miss SP Ward	X	74.9v	74.8v	49.6v	44.5v	49.4v	46.3v	50.6v	75.9v	103.8v	69.5v	42.3v	41.1v	716.67v
200	Mr MI Buchanan	XS	72.5v	70.8v	47.1v	48.4v	49.5v	48.4v	46.6v	75.8v	102.10v	68.7v	46.4v	45.4v	716.66v

201	Mr S Wingrove	A	71.8v	74.10v	50.5v	46.1v	48.3v	45.3v	49.5v	73.10v	100.10v	72.5v	44.5v	44.1v	716.66v
202	Mr F Cade	O	72.7v	74.8v	47.5v	50.4v	50.7v	47.0v	47.2v	73.11v	102.12v	71.7v	40.1v	43.2v	716.66v
203	Mr TD De La Cour	O	74.9v	73.8v	48.4v	48.3v	50.4v	48.3v	47.4v	74.7v	99.8v	74.9v	43.4v	38.1v	716.64v
204	Mr SG Hunt	X	74.7v	73.10v	45.3v	47.1v	49.3v	47.1v	46.3v	73.6v	103.13v	75.12v	45.2v	39.2v	716.63v
205	Mr L O'flynn	O	73.9v	73.4v	48.5v	46.2v	49.4v	46.2v	46.3v	71.7v	103.12v	71.3v	45.5v	45.4v	716.60v
206	Mr TM Green	A	69.2v	73.4v	48.6v	50.7v	47.4v	49.4v	48.3v	72.6v	102.10v	70.8v	46.5v	42.1v	716.60v
207	Miss A Good	T	73.4v	69.6v	46.3v	47.1v	50.8v	46.1v	49.2v	72.7v	100.13v	74.7v	48.4v	42.2v	716.58v
208	Mr RN Stebbings	X	75.3v	73.9v	49.5v	46.4v	50.5v	43.1v	48.6v	73.11v	101.12v	70.7v	48.6v	39.1v	715.70v
209	Mr B Creane	A	70.7v	73.6v	49.5v	49.6v	49.4v	48.6v	45.4v	73.6v	101.9v	75.10v	38.1v	45.5v	715.69v
210	Mr JB Hull	A	74.9v	70.5v	49.3v	49.5v	49.5v	47.6v	47.6v	73.8v	103.11v	75.8v	36.0v	43.3v	715.69v
211	Mr BM Digby	T	71.8v	73.7v	47.3v	46.4v	49.5v	47.4v	47.3v	68.3v	103.12v	73.9v	45.4v	46.5v	715.67v
212	Mr M Horton-Baker	A	75.8v	72.10v	47.5v	47.4v	49.6v	44.3v	48.4v	72.6v	99.7v	75.10v	46.3v	41.1v	715.67v
213	Mr R W Ramage	A	70.7v	73.9v	46.1v	50.7v	49.6v	49.3v	49.5v	68.4v	102.10v	74.11v	42.2v	43.1v	715.66v
214	Mr SE Young	A	74.9v	74.10v	46.3v	47.1v	49.2v	45.3v	49.7v	71.9v	102.10v	70.6v	44.4v	44.1v	715.65v
215	Cdt LCpl M Larcombe	A	73.10v	73.7v	47.5v	47.3v	49.4v	48.4v	44.5v	70.6v	103.9v	72.6v	43.2v	46.3v	715.64v
216	Mr T Smith	A	71.5v	73.9v	47.3v	39.0v	50.6v	49.6v	47.4v	73.6v	102.10v	73.8v	46.3v	45.3v	715.63v
217	Miss TJ Fitzsimons	A	74.8v	69.4v	48.5v	44.2v	48.6v	49.3v	50.5v	67.8v	102.10v	73.9v	47.1v	44.2v	715.63v
218	Mr AM Sadler	A	73.7v	70.2v	49.6v	45.3v	49.6v	48.5v	49.5v	73.8v	102.9v	72.3v	42.2v	43.0v	715.56v
219	Mr RA Welford	A	73.8v	72.4v	47.3v	48.5v	48.4v	46.1v	49.6v	73.7v	101.8v	71.6v	46.2v	41.1v	715.55v
220	Mr M Horrell	O	71.4v	71.6v	46.3v	46.3v	49.2v	48.4v	46.3v	73.7v	102.8v	73.8v	46.2v	44.2v	715.52v
221	Mr M Le Vasseur	O	74.10v	71.5v	49.3v	47.4v	45.4v	48.5v	47.5v	75.11v	101.10v	70.7v	45.6v	42.4v	714.74v
222	Mr R Ellis	O	74.10v	72.6v	46.4v	50.5v	47.4v	44.5v	49.8v	73.9v	99.9v	70.7v	48.4v	42.1v	714.72v
223	Mr TL Bedwell	A	72.7v	71.6v	46.3v	48.6v	48.5v	43.4v	50.7v	72.8v	103.12v	69.6v	49.6v	43.1v	714.71v
224	Miss LG Taylor	A	71.5v	73.11v	49.4v	45.2v	49.5v	48.4v	49.7v	71.8v	100.11v	73.8v	46.3v	40.2v	714.70v
225	Mr BJ Wood	A	74.9v	73.7v	48.5v	48.4v	49.5v	47.4v	47.4v	70.8v	99.9v	71.5v	48.5v	40.0v	714.65v
226	Mr PJ Chance	A	69.6v	70.5v	48.3v	48.4v	48.4v	46.2v	50.10v	74.8v	103.13v	72.6v	46.3v	40.1v	714.65v
227	Mr SJ Comins	O	72.7v	74.10v	47.2v	42.1v	48.4v	45.3v	47.4v	73.6v	100.11v	72.5v	46.4v	48.2v	714.59v
228	Mr TP Clarke	X	75.8v	72.5v	47.5v	45.5v	46.1v	45.3v	49.5v	75.8v	100.7v	74.11v	43.1v	43.0v	714.59v
229	Mr BMA Stevens	A	71.4v	71.6v	49.6v	48.4v	48.4v	46.3v	49.5v	73.6v	103.11v	74.8v	42.2v	40.0v	714.59v
230	Mr TA Walters	A	72.7v	71.8v	49.6v	45.5v	47.4v	43.3v	50.9v	70.8v	103.9v	73.9v	44.3v	46.4v	713.75v
231	Mr M Cooper	X	70.8v	72.6v	46.3v	48.5v	48.5v	48.5v	49.6v	72.10v	101.10v	73.12v	48.2v	38.3v	713.75v
232	Miss CH Cuming	O	75.11v	73.8v	49.8v	45.3v	49.6v	46.2v	49.5v	71.7v	98.8v	74.7v	36.2v	48.6v	713.73v
233	Mr TLW Kidner	A	72.4v	72.8v	50.9v	44.4v	48.4v	48.5v	50.9v	70.5v	99.6v	74.10v	48.3v	38.2v	713.69v
234	Miss BE Fung	A	73.6v	74.6v	49.2v	40.4v	43.6v	46.2v	48.4v	75.7v	102.10v	75.11v	48.5v	40.3v	713.66v
235	Mr PS Holmes	A	75.7v	72.7v	47.4v	46.2v	48.6v	45.0v	50.8v	70.5v	101.11v	74.11v	42.3v	43.2v	713.66v
236	Mr BN Craig	A	75.5v	73.8v	47.4v	48.5v	49.7v	44.3v	48.4v	73.10v	103.12v	71.3v	42.0v	40.3v	713.64v
237	Mr J Allum	X	70.3v	70.5v	48.5v	44.3v	49.6v	47.6v	48.5v	74.8v	101.6v	73.8v	50.7v	39.1v	713.63v
238	Mr TP Hammond	A	71.8v	71.6v	47.5v	49.4v	49.6v	48.5v	48.4v	70.2v	101.11v	74.10v	45.0v	40.1v	713.62v
239	Mr R Winney	A	72.9v	73.6v	49.4v	45.4v	43.2v	45.5v	49.4v	71.6v	103.8v	71.6v	44.3v	48.4v	713.61v
240	Mr ATB Tompson	A	73.5v	73.6v	47.4v	47.5v	47.5v	49.6v	48.2v	70.6v	99.6v	73.10v	46.2v	41.2v	713.59v
241	Mr O Farrell	O	73.7v	71.7v	48.5v	43.2v	47.3v	48.5v	47.1v	73.6v	99.7v	72.7v	48.3v	44.4v	713.57v
242	Cdt T Cubitt	T	73.7v	71.5v	47.4v	44.2v	46.3v	47.3v	47.4v	75.9v	101.10v	72.4v	47.3v	43.3v	713.57v
243	Mr J Dixon	O	71.4v	72.8v	45.4v	47.1v	47.5v	48.3v	48.6v	73.4v	102.9v	72.7v	44.0v	44.2v	713.53v
244	Mr KB Hill	A	74.8v	72.7v	49.4v	49.4v	47.5v	44.2v	48.8v	71.9v	103.17v	70.7v	41.2v	44.3v	712.76v
245	Mr AGM Fyfe	A	72.6v	74.9v	48.7v	46.1v	46.1v	47.5v	47.7v	72.8v	98.7v	68.3v	47.6v	47.5v	712.65v
246	Mr MD Jenvey	A	73.9v	71.9v	48.7v	47.3v	46.3v	47.4v	49.3v	73.8v	102.10v	69.4v	42.2v	45.2v	712.64v
247	Mr M D Joyce	A	72.9v	74.10v	50.4v	47.3v	50.3v	43.1v	46.3v	72.7v	100.14v	66.4v	47.4v	45.1v	712.63v
248	Mr CK Kiptarus	T	72.7v	68.6v	48.3v	48.7v	50.4v	48.4v	45.4v	75.9v	100.7v	72.7v	44.3v	42.2v	712.63v
249	Mr CP Goad	X	69.6v	69.6v	47.3v	45.2v	48.5v	48.6v	50.5v	73.6v	102.10v	71.5v	46.5v	44.3v	712.62v
250	Mr NJ Burnip	O	73.8v	72.9v	50.3v	47.2v	47.6v	48.2v	49.7v	71.5v	94.7v	72.6v	46.4v	43.3v	712.62v
251	Mr I Brechin	A	72.4v	70.5v	47.7v	47.6v	47.3v	45.2v	48.4v	72.6v	102.11v	75.10v	45.3v	42.1v	712.62v
252	Mr DN Lindsay	A	73.11v	73.4v	46.4v	40.1v	49.4v	48.5v	48.6v	74.8v	104.7v	72.8v	44.2v	41.1v	712.61v
253	Mr CM Brooks	A	73.7v	69.5v	47.3v	46.3v	47.1v	47.2v	49.4v	71.8v	101.11v	73.11v	44.1v	45.2v	712.58v
254	Mr B Pepin	A	73.7v	73.5v	49.5v	47.3v	48.4v	40.2v	48.2v	74.10v	99.8v	70.6v	49.4v	42.0v	712.56v
255	Mr TJ Jones	O	74.7v	74.8v	47.6v	43.0v	49.4v	48.3v	45.2v	72.8v	103.9v	73.5v	42.2v	42.1v	712.55v
256	Mr PG Cann	O	72.3v	73.6v	48.7v	47.1v	47.3v	44.1v	46.4v	72.9v	99.6v	71.4v	45.4v	48.5v	712.53v
257	Mr G Trembath	X	73.11v	74.7v	49.5v	48.5v	50.5v	43.1v	45.4v	73.12v	104.12v	68.6v	44.3v	40.0v	711.71v
258	Mr RA Dix	A	74.8v	69.6v	48.4v	46.3v	49.4v	46.3v	48.5v	74.13v	102.12v	74.5v	44.4v	37.1v	711.68v
259	Dr MW Wrigley	X	71.8v	74.8v	49.5v	45.1v	49.5v	40.2v	49.5v	72.6v	103.13v	74.9v	39.1v	46.4v	711.67v
260	Miss DS Hume	O	68.4v	74.12v	45.1v	46.4v	49.7v	48.4v	49.5v	71.5v	101.11v	74.8v	43.1v	43.3v	711.65v
261	Mr ADE Grounds	A	74.9v	72.7v	49.8v	44.3v	45.2v	45.2v	49.6v	73.7v	99.7v	73.9v	45.2v	43.2v	711.64v
262	Mr L Parkins	O	74.11v	71.6v	49.2v	42.1v	48.5v	48.6v	48.4v	68.3v	101.11v	72.8v	44.2v	46.4v	711.63v
263	Mr AC Morley	X	71.4v	73.12v	50.3v	45.3v	45.5v	46.4v	50.5v	73.9v	99.8v	71.3v	44.2v	44.4v	711.62v
264	Mr RMR Stearn	A	73.7v	73.6v	49.6v	44.3v	48.6v	46.5v	50.8v	73.6v	98.5v	66.3v	46.3v	45.3v	711.61v
265	Mr E Sewell	O	68.6v	73.6v	48.2v	48.3v	49.5v	45.5v	49.4v	71.7v	101.8v	69.7v	48.6v	42.2v	711.61v
266	Mr C Crabtree	T	73.5v	73.8v	49.4v	46.1v	46.2v	42.5v	49.8v	75.11v	101.9v	70.4v	46.2v	41.2v	711.61v
267	Mr CS Lamont	O	71.8v	71.3v	47.0v	49.4v	49.4v	44.2v	46.3v	75.10v	101.10v	71.8v	48.5v	39.0v	711.57v
268	Mr J Bullock	O	74.8v	71.6v	47.4v	48.4v	48.1v	45.3v	47.5v	73.8v	96.4v	72.8v	46.2v	44.3v	711.56v
269	Mr AG Harrison	O	72.8v	74.5v	48.3v	47.2v	45.2v	43.1v	49.5v	72.11v	97.7v	72.7v	48.3v	44.1v	711.55v
270	Mr ND Stangroom	O	73.7v	70.6v	47.2v	48.4v	48.2v	46.2v	48.3v	70.3v	101.11v	73.10v	46.4v	41.0v	711.54v
271	Mr A Lloyd	O	71.7v	74.6v	44.2v	48.5v	49.4v	41.1v	49.4v	75.5v	99.8v	70.3v	47.5v	44.2v	711.52v
272	Mr DJ Archer	A	74.7v	72.5v	45.2v	49.5v	48.5v	46.1v	48.3v	72.4v	103.11v	69.5v	45.3v	40.0v	711.51v

273	Mr TJ Bullock	A	74.10v	71.7v	47.5v	43.3v	50.8v	44.2v	45.4v	73.11v	105.15v	74.11v	43.2v	41.0v	710.78v
274	Mr P Holden	X	72.8v	70.7v	48.6v	50.6v	48.5v	46.3v	50.6v	70.8v	101.11v	75.9v	44.1v	36.2v	710.72v
275	Miss JE Ouston	A	75.12v	69.4v	50.5v	47.6v	46.2v	42.1v	50.5v	75.10v	98.8v	71.7v	49.6v	38.0v	710.66v
276	Mr A Fowler	O	71.3v	75.10v	46.4v	44.4v	50.8v	40.2v	46.4v	72.7v	102.10v	74.7v	45.4v	45.2v	710.65v
277	Miss CE Davies	O	69.5v	71.6v	45.3v	48.4v	50.7v	48.6v	46.4v	72.4v	101.9v	75.11v	45.2v	40.3v	710.64v
278	Mr SYM Ali	O	71.7v	73.10v	47.2v	48.5v	49.5v	46.3v	45.1v	73.8v	99.12v	73.7v	44.2v	42.1v	710.63v
279	Mr HWR Gilbert	A	73.7v	73.6v	43.1v	49.5v	49.9v	47.3v	46.2v	71.8v	101.11v	71.7v	46.2v	41.1v	710.62v
280	Mr R A Webb	O	70.7v	72.8v	45.0v	47.6v	48.4v	49.5v	47.4v	71.7v	101.9v	72.6v	47.3v	41.2v	710.61v
281	Wg. Cdr. CR Smith	O	74.9v	74.4v	46.0v	47.6v	46.3v	46.4v	48.4v	72.10v	101.7v	72.10v	41.1v	43.2v	710.60v
282	Mr DK Kirui	O	74.13v	71.3v	50.4v	41.0v	46.1v	46.2v	47.6v	74.11v	101.8v	70.4v	46.1v	44.3v	710.56v
283	Miss L Gorgens	T	75.9v	72.4v	45.3v	45.1v	46.3v	45.2v	47.2v	68.7v	102.9v	75.8v	46.2v	44.3v	710.53v
284	Mr S Dowley	X	74.10v	72.5v	48.4v	48.3v	48.4v	44.2v	50.5v	73.3v	101.9v	69.4v	44.3v	39.1v	710.53v
285	Miss DJ Armstrong	O	74.9v	70.5v	45.1v	46.5v	45.4v	47.5v	46.3v	74.10v	101.16v	73.7v	46.3v	42.1v	709.69v
286	Mr S Glen	A	72.9v	71.6v	47.7v	49.7v	47.5v	44.3v	49.5v	72.8v	100.7v	73.9v	45.0v	40.2v	709.68v
287	Mr D Morris	A	71.6v	72.7v	49.6v	41.4v	49.3v	47.5v	46.5v	73.4v	99.11v	71.6v	47.7v	44.3v	709.67v
288	Cdt A Tucker	T	72.8v	71.6v	49.3v	48.6v	47.2v	47.5v	45.3v	74.9v	92.8v	75.10v	44.3v	45.1v	709.64v
289	Mr S Brewer-Marchant	O	71.7v	67.3v	46.4v	48.7v	48.5v	47.3v	46.3v	70.6v	103.8v	71.10v	47.5v	45.2v	709.63v
290	Mr MF Boucher	A	73.8v	74.8v	47.6v	46.2v	45.4v	48.6v	49.4v	73.9v	99.7v	71.5v	41.1v	43.2v	709.62v
291	Mr A Eckardt	A	69.3v	71.5v	49.8v	48.6v	47.3v	45.3v	47.4v	75.9v	100.8v	70.5v	48.4v	40.1v	709.59v
292	Mr SNS Penrose	X	71.4v	73.10v	48.4v	46.5v	42.3v	47.5v	45.3v	73.7v	99.6v	75.8v	44.1v	46.2v	709.58v
293	Mr CA Skellett	A	74.4v	72.6v	49.5v	40.0v	49.3v	42.2v	49.6v	73.8v	101.7v	72.6v	46.2v	42.1v	709.50v
294	Lt P Champagne	O	71.8v	71.10v	46.5v	48.7v	50.7v	47.4v	45.3v	72.6v	100.6v	73.4v	45.4v	40.2v	708.66v
295	Mr MJJ Charlton	A	70.6v	67.4v	47.2v	48.5v	49.2v	46.5v	49.7v	73.8v	101.13v	67.2v	50.5v	41.2v	708.61v
296	Cdt L McPherson	T	72.9v	74.9v	48.3v	42.1v	48.3v	45.3v	48.4v	72.7v	102.7v	73.7v	43.5v	41.3v	708.61v
297	Mr TM Stevenson	X	72.5v	74.8v	44.2v	46.3v	47.7v	44.2v	47.5v	73.8v	100.7v	69.6v	48.3v	44.2v	708.58v
298	Mr AJ Haggerty	X	74.8v	72.7v	46.3v	48.6v	48.4v	45.1v	48.3v	73.8v	101.11v	71.5v	44.1v	38.1v	708.58v
299	Mr MJ Creber	A	68.4v	70.7v	49.3v	48.4v	49.6v	46.2v	50.7v	69.4v	95.5v	73.8v	45.2v	46.3v	708.55v
300	Mr SW Maris	O	72.5v	75.8v	43.2v	46.3v	48.4v	45.2v	48.4v	72.5v	99.7v	72.7v	45.2v	43.4v	708.53v
301	Mr LT Wicker	A	71.6v	71.4v	49.1v	47.6v	49.6v	46.3v	48.2v	72.7v	95.8v	67.3v	49.5v	44.1v	708.52v
302	Mrs MM Norman	X	73.10v	72.8v	45.4v	47.3v	50.5v	47.6v	48.1v	71.7v	101.11v	73.9v	44.1v	36.2v	707.67v
303	Mrs LK Mace	A	68.5v	74.5v	48.7v	50.6v	47.5v	44.3v	47.6v	70.4v	102.13v	71.7v	42.1v	44.2v	707.64v
304	Mr CN Tremlett	X	72.7v	74.11v	48.6v	47.3v	46.5v	45.4v	48.4v	72.7v	99.6v	71.3v	47.3v	38.4v	707.63v
305	SSgt R Kitson	A	68.4v	73.9v	47.5v	47.4v	49.3v	47.5v	48.4v	72.7v	100.11v	73.9v	45.2v	38.0v	707.63v
306	Mr JA Howard	X	72.8v	70.6v	49.5v	49.4v	48.4v	48.6v	47.6v	70.6v	98.7v	70.4v	47.4v	39.2v	707.62v
307	Mr RBF Fitzsimmons	O	71.4v	73.11v	43.2v	44.3v	49.7v	47.5v	46.4v	72.7v	101.9v	72.4v	47.2v	42.3v	707.61v
308	Mr JBG Shepherd	O	73.8v	71.4v	46.3v	45.3v	48.4v	40.2v	50.6v	73.7v	98.6v	73.10v	46.2v	44.3v	707.58v
309	Mr AC Griffin	O	73.4v	71.4v	49.7v	49.7v	48.4v	47.5v	46.3v	68.6v	100.8v	68.4v	50.5v	38.1v	707.58v
310	Ms A Felder	O	73.8v	68.5v	48.5v	39.0v	45.3v	47.3v	48.4v	72.5v	102.12v	74.9v	47.2v	44.1v	707.57v
311	Ms CJ Clifford-Evans	X	72.6v	74.6v	47.4v	47.2v	46.3v	44.1v	49.4v	70.8v	99.8v	74.6v	44.4v	41.3v	707.55v
312	Miss KE Pope	A	70.7v	73.5v	44.5v	47.2v	49.6v	43.1v	48.1v	70.5v	103.9v	72.5v	45.4v	43.2v	707.52v
313	Mr Al Brown	O	72.6v	73.6v	46.5v	45.0v	46.4v	43.1v	48.3v	70.5v	98.8v	72.5v	47.4v	47.4v	707.51v
314	Mr TJ Goodger	O	73.6v	70.6v	49.4v	44.1v	49.5v	41.1v	49.3v	73.5v	103.9v	73.7v	41.2v	42.1v	707.50v
315	Mr M Mohideen	X	70.2v	73.9v	48.4v	46.2v	40.3v	47.3v	47.7v	73.11v	103.13v	73.11v	40.0v	46.4v	706.69v
316	Mr M Watkins	O	71.7v	73.8v	46.5v	45.3v	48.4v	48.3v	48.4v	67.6v	102.14v	73.7v	44.2v	41.2v	706.65v
317	Dr C I Johnston	A	71.7v	68.8v	49.5v	47.3v	48.3v	47.5v	47.3v	69.4v	102.10v	74.13v	48.4v	36.0v	706.65v
318	Wg. Cdr. CJ Hockley OBE	O	75.10v	68.6v	49.4v	45.2v	48.5v	48.6v	48.4v	74.9v	93.8v	71.6v	46.4v	41.0v	706.64v
319	Cdt V Tremblay	T	72.7v	73.8v	49.7v	43.0v	50.6v	46.5v	46.5v	73.7v	93.4v	72.8v	48.4v	41.1v	706.62v
320	Mr PAE Charlton	X	66.5v	74.9v	49.4v	38.0v	47.3v	46.3v	49.8v	72.4v	102.9v	75.9v	48.4v	40.2v	706.60v
321	Mr S Sharma	O	69.6v	74.9v	46.1v	47.5v	45.2v	46.1v	49.7v	72.9v	102.9v	73.7v	36.0v	47.4v	706.60v
322	Mr R Bird	A	74.9v	72.9v	44.1v	45.4v	48.3v	42.6v	47.2v	73.9v	100.5v	71.4v	46.3v	44.0v	706.55v
323	Mr MJ Wood	A	72.4v	72.6v	49.5v	49.6v	50.4v	41.2v	49.2v	70.6v	99.8v	68.4v	44.4v	43.3v	706.54v
324	Mr KM Mccamley	O	68.7v	70.5v	47.3v	50.3v	45.1v	48.5v	49.4v	70.3v	101.9v	71.8v	46.3v	41.2v	706.53v
325	Mr DF Williams	X	71.8v	70.6v	46.5v	45.2v	42.4v	48.4v	49.5v	73.7v	103.9v	74.8v	41.1v	43.2v	705.61v
326	Eur Ing CA Painting	X	69.6v	72.10v	49.2v	47.4v	46.3v	45.3v	49.5v	69.5v	102.7v	74.9v	44.2v	39.1v	705.57v
327	Mr WC Cowen	O	72.9v	71.4v	49.6v	42.5v	47.3v	40.0v	49.5v	71.7v	100.7v	74.3v	45.2v	45.3v	705.54v
328	Mr IW Robertson	X	70.4v	73.8v	48.4v	49.6v	48.4v	45.0v	47.2v	69.5v	99.7v	69.6v	46.2v	42.2v	705.50v
329	Mr DJ Gass	A	72.4v	73.9v	45.2v	45.4v	49.4v	42.1v	48.2v	75.6v	99.10v	73.8v	43.0v	41.0v	705.50v
330	Mr GW Robinson	O	70.5v	73.6v	48.3v	46.2v	48.5v	43.1v	50.5v	72.6v	96.8v	69.1v	49.6v	41.1v	705.49v
331	Mr W Steward	O	72.7v	73.5v	45.3v	44.2v	49.5v	46.3v	46.5v	70.5v	98.7v	71.2v	46.1v	45.3v	705.48v
332	Cadet JAH Nicholls	T	70.5v	72.5v	48.2v	42.3v	48.2v	47.2v	49.4v	70.5v	102.7v	73.7v	45.2v	39.1v	705.45v
333	Miss AJ Clarke	A	72.8v	73.9v	47.4v	49.5v	50.7v	45.4v	45.1v	71.6v	99.11v	68.5v	42.3v	43.2v	704.65v
334	Dr IT Matsumoto	O	71.8v	73.10v	47.5v	44.2v	41.3v	48.6v	46.1v	74.9v	101.8v	75.10v	42.1v	42.1v	704.64v
335	Mr JP Bailey	X	67.5v	73.7v	45.3v	48.5v	48.3v	43.2v	43.1v	73.10v	103.13v	70.8v	47.2v	44.4v	704.63v
336	Mr GAE Larcombe	O	72.9v	74.10v	48.5v	45.6v	44.2v	44.3v	50.6v	70.4v	95.7v	74.7v	42.0v	46.4v	704.63v
337	Mr RF Burden	O	72.7v	72.10v	47.5v	46.3v	48.5v	45.4v	48.4v	72.8v	102.9v	67.5v	43.0v	42.2v	704.62v
338	Mr TJ Bryan	X	72.8v	72.8v	49.4v	45.3v	45.3v	47.2v	47.5v	69.5v	102.10v	71.6v	43.3v	42.2v	704.59v
339	Mr K Stewart	T	64.4v	71.5v	45.2v	48.3v	50.8v	46.1v	47.5v	71.9v	98.7v	75.8v	47.4v	42.2v	704.58v
340	Mr LS Otundo	T	70.3v	71.5v	48.5v	43.0v	46.4v	46.3v	48.4v	74.7v	104.14v	71.7v	43.3v	40.3v	704.58v
341	Mr JW Wallis	O	70.5v	70.4v	48.5v	45.1v	47.5v	47.5v	45.2v	71.5v	102.7v	71.8v	43.4v	45.4v	704.55v
342	Mr NJ Atkins	A	72.8v	71.4v	49.4v	46.3v	48.5v	48.3v	47.4v	70.2v	100.8v	66.4v	43.3v	44.2v	704.50v
343	Mr PR Thompson	A	72.9v	69.5v	47.3v	47.5v	48.3v	44.1v	50.4v	70.5v	96.3v	69.3v	48.4v	44.2v	704.47v
344	Mr JIB Halahan	A	71.9v	74.8v	47.4v	48.5v	47.4v	46.5v	48.3v	66.4v	102.13v	73.10v	42.2v	39.0v	703.67v

345	Mr JWE Lewis	X	72.10v	72.8v	49.5v	47.5v	50.4v	45.1v	50.9v	73.6v	96.6v	55.4v	48.4v	46.4v	703.66v
346	Mr NRJ Brasier	X	74.10v	73.5v	46.5v	49.4v	47.5v	44.2v	49.5v	73.9v	97.8v	69.4v	45.3v	37.0v	703.60v
347	Mr N Lehrter	O	73.8v	72.7v	47.3v	49.4v	46.3v	46.3v	39.2v	72.6v	101.7v	68.7v	49.3v	41.2v	703.55v
348	Mr SE Frost	O	68.4v	67.2v	44.3v	46.4v	49.8v	50.4v	47.4v	69.5v	103.7v	74.11v	42.2v	44.1v	703.55v
349	Mr C Maher	A	71.6v	73.7v	46.3v	43.3v	46.4v	40.2v	47.3v	67.5v	101.9v	74.5v	48.3v	47.3v	703.53v
350	Mr WB Ross	O	71.7v	71.0v	49.4v	48.4v	49.6v	46.5v	46.6v	70.8v	99.7v	72.5v	43.1v	39.0v	703.53v
351	Mr NP Moxon	X	73.8v	73.12v	47.5v	43.3v	42.3v	47.5v	50.5v	74.10v	99.8v	72.5v	45.3v	37.3v	702.70v
352	Mr S Pearson	A	74.9v	72.6v	46.2v	42.3v	45.3v	47.4v	47.3v	74.11v	98.10v	72.8v	41.2v	44.5v	702.66v
353	Mr M Palmer	T	72.8v	74.6v	45.3v	49.8v	49.4v	47.2v	42.1v	75.11v	102.11v	69.4v	41.2v	37.1v	702.61v
354	Mr JT Thorp	T	70.4v	73.7v	48.5v	47.6v	48.3v	45.3v	41.3v	74.11v	103.10v	64.2v	48.4v	41.2v	702.60v
355	Dr N P Tucker	O	71.5v	72.6v	45.1v	44.3v	46.3v	48.3v	47.5v	67.5v	99.14v	72.6v	46.4v	45.4v	702.59v
356	Mr BDW Parsons	O	73.9v	67.5v	47.2v	47.4v	46.5v	47.2v	45.2v	72.8v	104.11v	73.6v	42.2v	39.3v	702.59v
357	Mr D Du Toit	T	70.7v	72.5v	48.7v	46.3v	48.2v	47.3v	42.1v	72.6v	101.14v	67.3v	48.5v	41.2v	702.58v
358	Mr ARN Kinross	O	72.7v	72.7v	47.6v	47.2v	44.2v	48.3v	50.4v	71.6v	95.9v	70.5v	40.2v	46.4v	702.57v
359	Mrs T Newbold	O	71.5v	70.7v	48.4v	48.2v	47.4v	43.3v	43.3v	73.10v	101.6v	65.4v	48.4v	45.3v	702.55v
360	Mr MR Clewer	O	72.8v	73.5v	46.4v	46.3v	48.4v	41.1v	46.5v	74.6v	100.9v	65.3v	48.3v	43.4v	702.55v
361	Mr WT Tiffin	O	75.10v	73.8v	47.3v	44.0v	47.4v	44.1v	48.4v	72.6v	98.9v	72.5v	36.0v	46.3v	702.53v
362	Mr C Gray	O	70.5v	69.3v	45.3v	45.2v	50.6v	47.1v	49.5v	70.5v	100.10v	71.7v	44.3v	42.2v	702.52v
363	Mr HK Lottritz	O	69.6v	69.1v	50.3v	46.5v	49.6v	42.1v	49.3v	73.8v	100.7v	71.5v	47.3v	37.1v	702.49v
364	Mrs JC Scott Langley	O	70.8v	70.7v	43.2v	48.4v	50.9v	47.5v	45.3v	71.6v	98.9v	70.7v	48.4v	41.1v	701.65v
365	Mr R McVeigh	O	71.6v	70.6v	47.4v	47.4v	47.2v	47.3v	48.7v	72.9v	100.9v	72.9v	41.1v	39.0v	701.60v
366	Mr S Robinson	O	71.7v	75.10v	45.1v	42.3v	46.3v	42.0v	48.5v	70.7v	100.7v	75.9v	39.2v	48.4v	701.58v
367	Wg. Cdr. MJ Gregory	O	72.8v	69.3v	47.2v	46.4v	50.5v	43.2v	46.2v	70.6v	99.9v	73.8v	43.4v	43.3v	701.56v
368	Cdt K Morrison	T	72.6v	72.7v	46.6v	47.3v	46.1v	45.2v	46.3v	71.7v	101.11v	72.7v	42.2v	41.0v	701.55v
369	Mr PS Gray	A	71.3v	71.6v	47.5v	47.2v	41.1v	47.6v	49.7v	70.8v	97.8v	73.4v	45.2v	43.2v	701.54v
370	Mr CR Hirst	O	72.4v	72.9v	50.8v	50.4v	46.2v	42.0v	48.5v	73.8v	94.6v	67.4v	46.2v	41.0v	701.52v
371	Mr ARW Smith	A	73.8v	70.4v	45.2v	49.5v	48.4v	45.2v	43.3v	67.3v	101.11v	72.6v	44.2v	44.0v	701.50v
372	Mr HN Watson	O	69.4v	70.8v	46.5v	49.4v	50.6v	45.6v	43.1v	72.9v	101.9v	71.7v	46.2v	38.2v	700.63v
373	Mr MR Ebbetts	O	69.9v	74.8v	47.4v	43.0v	44.2v	46.3v	48.5v	71.6v	94.7v	71.8v	45.3v	48.5v	700.60v
374	Miss K Fleck	O	74.10v	69.5v	42.1v	47.5v	47.5v	47.2v	49.5v	72.6v	99.11v	69.5v	43.3v	42.2v	700.60v
375	Mr G Palmer	A	70.5v	71.5v	49.7v	44.1v	47.3v	46.4v	50.7v	68.9v	97.6v	75.10v	47.2v	36.1v	700.60v
376	Mr RM Culverwell	O	68.3v	70.7v	48.5v	47.6v	43.2v	49.5v	48.2v	68.4v	103.9v	72.7v	41.3v	43.5v	700.58v
377	Cdt C Nielsen	T	67.5v	73.8v	47.7v	47.2v	41.2v	49.4v	44.3v	71.4v	103.10v	71.6v	45.3v	42.3v	700.57v
378	Mr J Lall	O	73.6v	73.7v	46.3v	48.5v	50.8v	42.4v	44.3v	70.4v	100.10v	71.5v	45.1v	38.1v	700.57v
379	Miss V Bieger	O	72.8v	72.8v	46.4v	45.3v	47.2v	45.3v	44.1v	72.5v	101.15v	69.1v	44.3v	43.3v	700.56v
380	Mr J Foster	X	72.6v	70.6v	48.5v	46.4v	47.6v	46.4v	49.6v	71.5v	94.8v	71.3v	44.2v	42.1v	700.56v
381	Mr EC Dickson	X	67.4v	70.7v	48.5v	44.2v	40.4v	43.3v	49.5v	71.6v	100.8v	74.9v	48.0v	46.2v	700.55v
382	LSgt GED Hart	O	74.9v	71.5v	45.3v	46.4v	49.4v	47.5v	40.1v	75.5v	103.9v	65.4v	48.3v	37.2v	700.54v
383	Mr JI Thombora	T	72.7v	70.3v	46.3v	45.3v	48.4v	44.4v	42.3v	73.8v	98.5v	73.5v	46.3v	43.2v	700.50v
384	Mr WHC Alexander	O	73.7v	68.5v	48.4v	47.3v	49.5v	46.4v	47.4v	70.2v	100.6v	73.6v	43.1v	36.1v	700.48v
385	Mr A Mcconnell	O	71.5v	72.6v	47.4v	45.4v	47.3v	43.3v	48.3v	71.3v	100.6v	70.6v	48.4v	38.0v	700.47v
386	Mr PG Kelly	O	71.4v	71.4v	48.5v	44.1v	48.3v	46.1v	48.5v	71.9v	99.6v	72.6v	45.2v	37.1v	700.47v
387	Cdt A Fournier	T	72.3v	68.4v	44.5v	49.4v	47.2v	44.2v	47.2v	73.6v	100.8v	69.5v	48.2v	39.2v	700.45v
388	Mr B Rigo	T	74.9v	72.4v	46.3v	43.1v	47.1v	47.4v	48.3v	69.5v	97.7v	71.4v	43.1v	43.3v	700.45v
389	Mr APW Daw	O	74.11v	73.7v	49.6v	44.6v	46.4v	42.0v	43.5v	74.8v	101.9v	72.9v	35.1v	46.1v	699.67v
390	Mr JJ Parsons	O	72.7v	71.4v	47.4v	46.4v	48.4v	42.2v	49.6v	70.6v	99.10v	71.8v	42.4v	42.1v	699.60v
391	Mr NJ Branch	O	73.8v	71.8v	43.3v	48.5v	47.0v	40.1v	49.4v	73.7v	102.13v	69.7v	49.3v	35.1v	699.60v
392	Dr BJ Winney	O	72.7v	65.6v	48.3v	49.3v	48.4v	42.4v	50.5v	72.7v	96.7v	75.9v	42.1v	40.2v	699.58v
393	Mr RH Gardiner	O	67.6v	72.9v	45.2v	48.5v	48.5v	47.4v	47.3v	70.6v	95.6v	69.4v	47.4v	44.3v	699.57v
394	Mr P Waldron	O	66.3v	72.7v	46.3v	47.6v	49.6v	47.4v	47.5v	68.6v	100.7v	68.6v	45.2v	44.2v	699.57v
395	Miss S Cheslyn-Curtis	O	69.3v	73.6v	47.3v	45.5v	48.7v	43.2v	47.4v	72.9v	99.9v	68.2v	46.2v	42.2v	699.54v
396	Mr PD Dudzinski	O	69.4v	70.6v	44.1v	48.1v	49.4v	44.2v	46.6v	75.9v	100.8v	68.4v	45.3v	41.3v	699.51v
397	Mr J Golling	X	72.9v	69.5v	46.3v	46.0v	45.2v	47.3v	45.3v	70.6v	96.5v	71.8v	47.2v	45.4v	699.50v
398	Mr M Hartung	A	72.6v	72.4v	45.3v	47.5v	46.3v	45.3v	42.3v	73.6v	99.8v	67.3v	48.5v	43.0v	699.49v
399	Cdt J Kim	T	73.4v	71.7v	46.4v	39.1v	48.3v	46.3v	44.2v	71.7v	101.8v	73.6v	40.1v	47.3v	699.49v
400	Mrs GL Rantile	T	71.9v	73.7v	45.1v	44.2v	48.4v	47.3v	48.4v	72.6v	97.4v	68.3v	40.0v	46.2v	699.45v
401	Mr JEC Branch	O	72.6v	72.9v	45.4v	46.2v	48.5v	46.5v	47.5v	72.6v	96.6v	74.7v	44.3v	36.3v	698.61v
402	Mr RG Evans	O	73.6v	70.9v	39.3v	45.3v	48.5v	49.5v	48.4v	73.6v	98.6v	70.6v	39.2v	46.2v	698.57v
403	Miss SG Gould	O	69.5v	72.8v	42.3v	49.7v	48.5v	47.3v	46.2v	73.9v	100.9v	72.4v	43.2v	37.0v	698.57v
404	Mr DN Webber	O	71.5v	70.7v	42.3v	49.6v	47.5v	48.2v	44.3v	70.6v	97.9v	74.7v	46.2v	40.0v	698.55v
405	Cpl LD Janney	T	73.5v	72.5v	46.2v	47.3v	47.6v	47.3v	46.2v	74.7v	99.8v	72.10v	32.1v	43.2v	698.54v
406	Mr GV Feast	A	69.5v	68.5v	45.1v	48.4v	48.4v	44.4v	45.4v	75.10v	99.4v	73.8v	42.2v	42.2v	698.53v
407	Mr JM Baldwin	O	71.5v	71.6v	45.5v	47.3v	49.2v	46.3v	47.4v	69.5v	98.8v	73.8v	38.1v	44.3v	698.53v
408	Miss AL Matthews	O	64.4v	69.5v	46.4v	46.1v	47.5v	46.4v	45.4v	73.4v	100.7v	74.8v	46.4v	42.2v	698.52v
409	Mr J Xiao	T	72.3v	73.6v	47.5v	47.4v	49.7v	45.0v	42.3v	72.4v	101.8v	69.5v	48.3v	33.2v	698.50v
410	Miss HPC Bramwell	O	69.6v	71.6v	47.1v	45.3v	47.3v	49.2v	47.3v	72.7v	96.7v	75.11v	38.0v	42.1v	698.50v
411	Mr N Hendrikz	T	68.4v	74.7v	45.4v	43.1v	49.4v	45.4v	47.3v	71.7v	99.9v	73.3v	44.1v	40.2v	698.49v
412	Mr BV Cambray	O	68.2v	73.4v	49.4v	45.4v	49.5v	42.1v	46.4v	71.8v	99.10v	73.5v	40.1v	43.1v	698.49v
413	Mr EK Ngetich	T	72.8v	71.5v	45.4v	48.4v	50.7v	45.2v	43.0v	71.5v	98.3v	67.4v	44.3v	44.3v	698.48v
414	Mr AJ Luckman	X	66.3v	70.7v	47.4v	49.7v	47.3v	44.3v	48.6v	71.7v	101.8v	72.8v	45.1v	37.3v	697.60v
415	Mr TS McDowell	O	71.6v	69.4v	47.3v	41.3v	47.4v	45.4v	48.7v	68.6v	98.8v	70.4v	47.5v	46.3v	697.57v
416	Dr AJ Pilgrim	A	71.7v	72.4v	47.4v	46.4v	47.5v	46.2v	49.3v	72.7v	100.8v	73.8v	39.2v	35.0v	697.54v

417	Cdt F Carrier	T	71.9v	69.3v	47.3v	46.4v	49.3v	48.6v	47.5v	68.1v	99.8v	72.7v	46.4v	35.0v	697.53v
418	Mr J Payne	A	73.4v	73.6v	42.3v	47.2v	48.7v	44.3v	47.3v	74.9v	102.8v	67.6v	40.0v	40.0v	697.51v
419	Cdt HEJ Welch	T	73.7v	70.4v	45.1v	43.2v	40.1v	46.3v	49.6v	74.8v	101.8v	71.4v	45.2v	40.0v	697.46v
420	Mr PJ Temperley	O	70.4v	73.3v	46.4v	46.2v	44.1v	46.3v	47.4v	72.7v	94.5v	72.10v	43.0v	44.1v	697.44v
421	Mr A Booker	O	74.10v	69.6v	48.5v	41.2v	49.7v	41.1v	47.5v	68.6v	98.8v	74.9v	48.2v	39.2v	696.63v
422	Cdt BZ Danziger	O	73.7v	71.7v	48.4v	45.1v	44.1v	46.3v	48.5v	75.9v	94.7v	72.5v	46.4v	34.2v	696.55v
423	Mr AP Smith	O	74.12v	73.7v	47.4v	48.4v	42.0v	43.1v	46.4v	73.4v	100.11v	72.3v	45.2v	33.0v	696.52v
424	Mr JR Rennie	T	73.9v	70.5v	45.3v	43.1v	48.3v	45.4v	48.3v	72.8v	97.7v	72.5v	45.1v	38.2v	696.51v
425	Mr M Jones	T	71.5v	66.3v	44.1v	48.5v	47.4v	45.3v	50.5v	70.6v	104.12v	69.4v	40.0v	42.2v	696.50v
426	Mr SA Hunting	O	73.6v	74.6v	48.4v	49.7v	48.3v	40.1v	46.3v	73.6v	93.6v	67.3v	46.3v	39.1v	696.45v
427	Mr MK Townsend	O	71.5v	68.6v	48.4v	47.2v	44.4v	44.1v	46.2v	69.5v	101.10v	67.3v	44.2v	47.4v	696.48v
428	Mr G Sarin	O	71.7v	73.7v	47.3v	49.6v	48.3v	45.3v	46.2v	68.4v	97.6v	69.2v	44.4v	39.1v	696.48v
429	Mr TP Shaw	T	68.4v	70.3v	47.4v	47.4v	49.8v	46.6v	45.3v	72.7v	100.8v	70.6v	45.1v	36.0v	695.54v
430	Miss K Lindsay	T	71.7v	70.8v	47.2v	47.3v	48.4v	41.2v	45.1v	72.4v	97.6v	70.4v	47.5v	40.3v	695.49v
431	Mr RJ Quy	O	73.7v	68.6v	47.5v	45.4v	46.1v	43.1v	46.0v	70.5v	100.9v	73.7v	46.1v	38.2v	695.48v
432	Mr JE White	O	64.5v	73.4v	49.4v	46.3v	48.3v	40.1v	49.5v	69.5v	99.7v	71.4v	42.3v	45.2v	695.46v
433	Miss K Milner	O	70.4v	72.8v	47.2v	47.3v	47.2v	42.0v	46.3v	72.6v	99.9v	68.2v	45.3v	40.1v	695.43v
434	Dr AI Ashworth	A	73.7v	73.9v	47.4v	48.3v	46.4v	46.2v	48.5v	70.5v	103.12v	69.6v	38.1v	33.2v	694.60v
435	Mr CD Heales	A	69.5v	70.8v	49.4v	47.6v	47.3v	42.4v	48.5v	73.7v	95.8v	68.3v	46.4v	40.2v	694.59v
436	Mr GL Clarke	O	70.3v	73.9v	48.4v	46.2v	45.3v	46.4v	46.4v	73.10v	98.9v	70.9v	40.2v	39.0v	694.59v
437	Mr J Purdy	O	66.2v	71.4v	49.6v	50.6v	50.8v	37.1v	45.3v	70.6v	98.8v	70.6v	45.3v	43.2v	694.55v
438	Mr C Waldron	O	69.4v	65.4v	48.4v	48.5v	47.4v	47.4v	48.4v	66.5v	96.5v	72.6v	45.6v	43.2v	694.53v
439	Mr SD Spinney	X	69.7v	71.8v	46.2v	47.5v	47.2v	43.0v	47.3v	73.6v	97.8v	69.8v	46.3v	39.1v	694.53v
440	Mr ND Gomez	O	72.8v	71.3v	44.3v	44.1v	50.5v	46.3v	44.4v	73.8v	97.9v	72.7v	44.2v	37.0v	694.53v
441	Mr DAF Parkinson	O	70.6v	73.4v	44.5v	48.5v	45.3v	47.5v	43.1v	67.6v	98.7v	69.4v	49.5v	41.0v	694.51v
442	Mr OD de Gruchy	O	75.5v	71.6v	44.1v	49.4v	50.7v	44.5v	41.1v	71.6v	95.6v	69.5v	48.4v	37.1v	694.51v
443	Mr AF Donald	O	67.6v	67.3v	43.0v	48.3v	47.4v	49.5v	49.4v	69.5v	101.9v	73.10v	45.2v	36.0v	694.51v
444	Mr CPP Brewin	O	72.7v	70.5v	45.3v	45.2v	45.1v	43.3v	46.3v	67.6v	99.6v	74.10v	45.2v	43.1v	694.49v
445	Miss Z Northam	A	71.7v	74.5v	44.4v	47.5v	48.5v	44.0v	47.6v	72.8v	94.11v	67.6v	43.3v	42.3v	693.63v
446	Cdt SMG Robertson	T	71.6v	72.6v	45.1v	40.1v	46.3v	44.3v	45.4v	72.8v	95.9v	72.9v	46.4v	45.3v	693.57v
447	Cdt J Tarnowski	T	70.5v	72.4v	43.2v	48.6v	45.2v	47.2v	46.3v	65.3v	102.12v	71.8v	42.2v	42.3v	693.52v
448	Brig AJW Sturrock	A	68.4v	69.4v	48.4v	49.4v	48.4v	43.2v	45.3v	69.5v	102.9v	72.6v	43.2v	37.1v	693.48v
449	Mr AGH Van Koetsveld	O	71.5v	73.6v	41.2v	46.2v	44.0v	44.3v	48.2v	69.5v	97.7v	73.8v	47.3v	40.2v	693.45v
450	Mr JNF Campbell	O	68.7v	71.8v	46.2v	49.5v	43.1v	40.1v	50.8v	68.3v	94.11v	75.10v	45.2v	43.0v	692.58v
451	Mr PR Tyldesley	O	72.8v	72.11v	46.6v	46.3v	46.1v	46.3v	48.5v	65.2v	98.10v	72.3v	38.1v	43.3v	692.56v
452	Mr WA Odhiambo	T	67.6v	72.7v	44.4v	48.4v	49.6v	46.2v	44.3v	67.4v	97.8v	74.7v	46.2v	38.0v	692.53v
453	Cdt J Powers	T	70.6v	70.2v	48.3v	44.2v	45.5v	47.4v	47.7v	68.4v	97.6v	74.9v	42.0v	40.1v	692.49v
454	Mr GR Ratcliff	O	71.5v	68.5v	40.1v	47.2v	46.3v	44.1v	46.2v	72.7v	101.10v	72.7v	44.2v	41.1v	692.46v
455	Mr T Jones	O	70.7v	70.4v	48.3v	42.1v	47.3v	47.3v	47.3v	74.8v	98.6v	68.4v	44.2v	37.2v	692.46v
456	Mr RG Faulkner	O	71.4v	73.6v	46.3v	48.4v	45.2v	45.1v	40.2v	72.5v	98.7v	69.5v	46.3v	39.3v	692.45v
457	Mr RA Benest	A	72.8v	74.12v	45.2v	46.5v	48.5v	43.3v	42.2v	73.8v	99.7v	67.6v	46.3v	36.0v	691.61v
458	Miss RL Laird	O	73.7v	74.7v	45.5v	42.4v	47.4v	46.4v	40.0v	69.4v	100.7v	66.5v	46.6v	43.1v	691.54v
459	Lt JW Jenkins	X	68.4v	72.7v	46.2v	43.1v	45.2v	44.1v	49.5v	72.8v	96.9v	70.7v	45.1v	41.1v	691.48v
460	Mr R Klidge	O	72.6v	71.4v	44.3v	49.4v	41.1v	47.2v	48.6v	70.6v	94.8v	71.4v	41.1v	43.1v	691.46v
461	Mr DH Allen	O	68.1v	69.6v	43.3v	47.5v	46.3v	47.1v	47.5v	72.3v	96.10v	74.11v	40.1v	41.3v	690.52v
462	Miss A Lawrence	T	70.5v	68.2v	45.3v	45.4v	44.3v	45.4v	47.4v	68.7v	98.5v	75.8v	46.6v	39.0v	690.51v
463	Mr MR Rewston	O	72.8v	72.6v	46.2v	44.2v	47.3v	47.4v	47.5v	69.6v	97.4v	67.5v	43.3v	39.2v	690.50v
464	Mr JPM Stevens	A	74.9v	70.6v	46.4v	47.4v	49.2v	44.1v	47.4v	73.5v	99.8v	68.7v	38.0v	35.0v	690.50v
465	Mr TG Garfield-Bennett	T	65.3v	70.5v	45.2v	48.4v	47.4v	43.3v	46.4v	73.7v	97.8v	69.3v	42.0v	45.4v	690.47v
466	Mr DTA Cobb	O	65.4v	69.5v	47.5v	46.3v	48.2v	47.3v	46.4v	73.4v	95.6v	69.7v	46.4v	39.0v	690.47v
467	Mr JR Lindsay	O	64.4v	69.2v	49.4v	45.3v	46.3v	46.1v	46.4v	70.8v	101.10v	72.5v	41.0v	41.1v	690.45v
468	Cdt A Hood	T	71.7v	68.3v	45.3v	45.2v	46.4v	45.2v	46.3v	70.6v	95.9v	70.5v	44.2v	44.3v	689.49v
469	Miss SAM Rorison	T	71.7v	69.5v	46.4v	47.2v	48.4v	42.2v	39.3v	70.6v	98.3v	75.5v	45.4v	39.1v	689.46v
470	Miss O Hutt	T	70.4v	69.3v	49.4v	39.1v	48.4v	47.4v	46.2v	73.7v	100.5v	71.8v	41.2v	36.1v	689.45v
471	Miss P Evans	O	70.5v	69.1v	45.3v	46.2v	49.3v	44.2v	45.2v	70.8v	98.7v	65.2v	45.2v	43.3v	689.40v
472	Mr A Partridge	O	71.6v	69.5v	49.8v	43.3v	48.6v	41.0v	48.2v	71.6v	95.10v	66.4v	45.5v	42.1v	688.56v
473	Cdt K Kapustina	T	71.7v	71.5v	44.3v	47.0v	49.5v	42.2v	45.4v	67.4v	102.12v	69.5v	44.4v	37.2v	688.53v
474	Mr IT Griffiths	O	67.3v	68.2v	47.4v	49.5v	45.3v	47.3v	49.3v	70.7v	101.11v	72.8v	33.1v	40.1v	688.51v
475	Cdt D Hayden	T	73.4v	68.4v	47.6v	41.2v	47.3v	42.3v	41.2v	74.9v	103.12v	71.4v	44.0v	37.1v	688.50v
476	Mr ITG Shaw	X	68.8v	69.5v	46.1v	47.5v	48.3v	46.1v	45.3v	70.6v	98.5v	67.3v	44.3v	40.1v	688.44v
477	Mr C Vonchek	T	68.9v	72.6v	47.5v	44.2v	47.4v	45.1v	45.3v	68.5v	99.6v	70.1v	43.1v	40.1v	688.44v
478	Miss AB Burrows	T	70.5v	69.4v	46.1v	49.6v	45.4v	49.3v	43.1v	70.2v	98.6v	74.7v	42.2v	33.3v	688.44v
479	Mr DQM Harvey	O	70.5v	70.4v	42.1v	40.2v	45.3v	46.3v	46.1v	69.8v	100.5v	70.7v	45.2v	44.3v	687.44v
480	Mr P Barber	A	64.2v	68.7v	46.4v	43.3v	48.4v	47.4v	49.6v	69.6v	94.7v	72.9v	44.1v	42.2v	686.55v
481	Cdt R Tancred	T	67.6v	72.7v	46.1v	46.4v	46.4v	44.3v	47.2v	70.9v	94.6v	70.6v	44.3v	40.2v	686.53v
482	Mr JRD Clegg	O	72.8v	65.2v	47.4v	40.2v	47.5v	45.4v	48.4v	66.3v	94.9v	71.3v	45.1v	46.3v	686.48v
483	Miss F Beard	T	71.6v	71.5v	45.4v	41.2v	36.0v	46.2v	45.0v	67.5v	100.7v	72.11v	47.3v	45.2v	686.47v
484	Mr RP Rosling	O	69.3v	71.4v	48.4v	48.5v	41.2v	48.2v	42.3v	67.6v	102.6v	69.5v	47.6v	34.0v	686.46v
485	Mr SJ Dawes	O	70.4v	71.9v	41.1v	42.2v	45.1v	45.3v	48.5v	71.6v	103.13v	70.7v	41.1v	38.1v	685.53v
486	Mr JR Stirland	O	71.5v	69.4v	42.2v	44.4v	46.2v	50.5v	47.2v	67.5v	100.9v	73.9v	40.3v	36.1v	685.51v
487	Cdt T Tancred	T	72.4v	72.9v	41.3v	45.3v	49.4v	42.1v	37.0v	70.6v	100.11v	67.3v	50.4v	40.0v	685.48v
488	Cdt D Billings	T	74.9v	70.4v	43.2v	44.3v	46.3v	42.1v	45.2v	69.7v	100.7v	70.5v	42.2v	40.1v	685.46v

489	Miss K Hinkly	T	69.4v	72.5v	46.3v	42.1v	46.2v	45.4v	46.3v	73.7v	99.7v	72.3v	43.1v	32.0v	685.40v
490	Cpl MS House	O	67.4v	72.8v	46.4v	45.2v	47.5v	42.2v	43.3v	72.9v	99.7v	69.4v	42.4v	40.3v	684.55v
491	Mr S Cherry	T	75.12v	64.4v	48.2v	44.4v	49.4v	48.4v	44.2v	58.2v	103.9v	71.7v	44.2v	36.1v	684.53v
492	Mr F Barratt	T	73.9v	73.8v	43.5v	47.0v	41.1v	45.1v	43.3v	70.6v	95.7v	73.8v	41.2v	40.2v	684.52v
493	Mr F Johnston	T	68.3v	70.7v	40.0v	42.2v	48.6v	45.4v	46.5v	74.4v	94.5v	68.5v	47.4v	42.1v	684.46v
494	Mr GRP Shapland	O	73.7v	67.0v	48.3v	43.2v	44.2v	46.2v	47.1v	70.8v	100.8v	66.2v	39.1v	41.4v	684.40v
495	Cdt S Couillard	T	71.5v	69.5v	48.2v	44.4v	46.5v	31.2v	45.3v	72.9v	97.8v	74.8v	45.3v	41.2v	683.56v
496	Mr V Robertshaw	O	68.3v	68.7v	44.2v	45.2v	47.6v	45.4v	44.4v	67.4v	98.7v	75.9v	44.1v	38.1v	683.50v
497	Mr MD Wright	O	71.7v	71.5v	46.4v	40.1v	48.5v	45.3v	44.2v	66.2v	99.9v	72.6v	37.2v	44.4v	683.50v
498	Mr P Cameron Taylor	O	68.5v	68.7v	46.2v	42.1v	48.2v	45.4v	48.5v	68.5v	100.5v	75.8v	42.1v	33.2v	683.47v
499	Mr JS Ritchie	O	71.4v	68.4v	50.4v	44.2v	44.4v	45.4v	46.5v	66.3v	95.7v	70.4v	44.2v	40.3v	683.46v
500	Mr C Chen	T	69.6v	71.6v	48.5v	43.2v	49.5v	45.2v	45.3v	71.4v	95.5v	70.4v	38.1v	39.1v	683.44v
501	Mr PCW Rose	O	69.3v	75.12v	45.3v	43.1v	45.2v	42.3v	48.3v	71.4v	98.6v	71.4v	38.2v	38.0v	683.43v
502	Mr RA Mullin	O	70.7v	65.4v	47.5v	47.2v	48.5v	43.4v	48.4v	70.5v	96.5v	75.6v	37.1v	36.2v	682.50v
503	Mr CM Nunan	O	70.9v	71.5v	45.4v	46.6v	46.4v	43.0v	42.3v	69.4v	95.4v	64.2v	47.2v	44.1v	682.44v
504	Mr CC Mallett Jnr	O	69.5v	69.6v	47.1v	45.2v	46.4v	48.1v	45.6v	69.5v	92.6v	70.4v	40.1v	42.1v	682.42v
505	Mr ISL Dampney	O	68.2v	68.3v	45.4v	44.3v	46.3v	44.1v	48.1v	67.4v	97.9v	72.8v	38.0v	45.3v	682.41v
506	Mr PJ Westlake	X	73.9v	74.9v	43.4v	48.3v	45.6v	39.0v	46.3v	70.7v	95.5v	68.7v	39.3v	41.2v	681.58v
507	Mr B Soelzer	T	74.7v	71.7v	46.6v	41.4v	47.4v	43.1v	47.4v	69.6v	98.5v	67.3v	45.2v	33.1v	681.50v
508	Mr S Edwards	T	67.6v	67.1v	45.4v	49.5v	46.4v	45.4v	47.3v	71.6v	99.6v	68.5v	39.2v	38.1v	681.47v
509	Mr JT Kennedy	O	69.6v	69.5v	46.2v	45.4v	47.5v	41.2v	47.1v	71.7v	101.9v	72.6v	38.0v	35.0v	681.47v
510	Air Cdre JA Ford	X	70.6v	72.5v	45.3v	44.0v	47.2v	48.6v	48.5v	70.7v	96.5v	73.6v	39.2v	29.0v	681.47v
511	Mr FPR Northam	O	70.3v	70.5v	44.3v	40.0v	45.3v	45.3v	46.5v	70.7v	95.6v	72.7v	40.2v	44.2v	681.46v
512	Mr T Baillon	T	73.7v	67.2v	48.4v	38.1v	44.3v	47.2v	47.2v	67.6v	98.6v	67.3v	42.2v	43.3v	681.41v
513	Mr MRJ Pybus	T	71.5v	69.4v	45.1v	45.2v	44.1v	43.3v	47.2v	69.4v	96.7v	65.4v	43.2v	44.2v	681.37v
514	Mr PJ Chapman-Sheath	X	74.6v	73.10v	0.0v	47.2v	50.8v	49.4v	47.4v	73.8v	100.12v	75.9v	46.2v	46.2v	680.67v
515	Mr T Hembrow	O	63.2v	72.6v	47.5v	47.5v	50.8v	45.3v	42.2v	71.5v	96.7v	68.5v	44.2v	35.0v	680.50v
516	Miss A Woodland	T	71.7v	67.4v	46.2v	44.4v	49.3v	45.3v	48.4v	69.5v	94.4v	67.2v	46.4v	34.1v	680.43v
517	Cdt MM Bamford	T	70.4v	68.4v	49.5v	41.1v	48.4v	40.1v	46.4v	73.7v	96.5v	69.3v	42.2v	38.2v	680.42v
518	Mr O Hudson	X	69.2v	69.3v	46.2v	50.6v	46.3v	39.0v	46.4v	68.7v	99.8v	66.4v	44.2v	38.0v	680.41v
519	Mr D Neal	O	72.7v	73.10v	45.1v	44.2v	48.3v	42.1v	46.1v	72.6v	96.4v	70.4v	39.1v	33.1v	680.41v
520	Cdt JW Allan	T	71.5v	65.4v	50.3v	42.1v	47.3v	42.5v	47.3v	66.3v	101.9v	70.1v	39.1v	40.2v	680.40v
521	Mr RL Sampson	O	68.4v	71.6v	47.2v	47.2v	46.1v	47.2v	47.6v	68.3v	92.5v	66.4v	39.2v	42.0v	680.37v
522	Mr D Fox	T	74.6v	71.5v	44.2v	43.5v	45.4v	42.3v	46.4v	69.3v	95.10v	68.5v	39.2v	43.3v	679.52v
523	Mr NC Granger	O	69.4v	65.3v	47.5v	45.5v	46.2v	43.2v	45.2v	73.7v	101.10v	71.5v	30.1v	44.3v	679.49v
524	Mr P Du Toit	T	68.3v	68.6v	42.2v	49.5v	42.2v	43.2v	47.2v	68.3v	96.9v	73.7v	41.3v	42.2v	679.46v
525	Mr M Budden	T	69.5v	70.4v	42.2v	48.3v	47.2v	45.4v	43.2v	69.3v	101.11v	71.7v	41.2v	33.1v	679.46v
526	Miss H Butler	A	71.7v	65.4v	44.2v	46.2v	49.4v	46.2v	44.1v	68.2v	95.5v	72.10v	43.2v	36.2v	679.43v
527	Mr C Drennan	T	72.8v	68.5v	38.1v	44.0v	47.3v	48.2v	48.5v	69.5v	90.7v	70.3v	43.2v	42.1v	679.42v
528	Miss E Dixon	O	65.3v	67.3v	45.2v	44.4v	43.3v	44.1v	46.5v	66.3v	98.7v	73.5v	44.2v	44.3v	679.41v
529	Dr EL Sweet	O	71.10v	71.4v	45.3v	42.1v	48.5v	44.2v	35.1v	71.6v	99.8v	70.7v	38.0v	44.3v	678.50v
530	Miss M Luckyn-Malone	T	68.3v	71.6v	43.3v	39.3v	46.2v	47.3v	43.2v	72.8v	94.6v	67.3v	44.3v	44.3v	678.45v
531	Mr T Chapman	O	69.3v	70.4v	42.1v	44.2v	46.2v	49.5v	46.2v	70.5v	96.7v	71.5v	35.0v	40.1v	678.37v
532	Mr RJ Clegg	T	68.4v	68.3v	44.1v	45.4v	47.2v	43.2v	38.1v	69.3v	99.6v	70.6v	45.2v	42.1v	678.35v
533	Mr LRM Irungu	T	70.4v	66.3v	46.3v	47.1v	48.4v	45.2v	43.2v	66.3v	97.3v	71.2v	42.2v	37.1v	678.30v
534	Mr GFH Nichols	T	67.4v	68.5v	47.4v	49.5v	46.5v	41.1v	41.1v	70.3v	96.4v	68.4v	47.2v	37.2v	677.40v
535	Mr CS Courtness	T	69.4v	69.4v	44.3v	46.4v	44.1v	49.3v	40.2v	68.2v	97.6v	70.7v	42.2v	39.1v	677.39v
536	Mr RA Fullerton	T	67.4v	70.5v	42.1v	50.7v	46.1v	44.1v	41.1v	70.4v	93.8v	64.1v	46.3v	44.2v	677.38v
537	Miss SJ Dick	O	67.3v	73.6v	43.0v	46.3v	47.4v	42.2v	35.0v	70.5v	98.5v	71.5v	47.2v	38.0v	677.35v
538	Mr ID Markwell	O	74.4v	63.2v	48.4v	45.4v	50.4v	44.1v	42.1v	67.5v	96.4v	69.3v	44.2v	35.0v	677.34v
539	Mr JPS Bloomfield	X	74.7v	73.6v	47.5v	50.6v	49.4v	47.2v	48.5v	73.7v	101.9v	72.8v	0.0v	42.3v	676.62v
540	Mr A Jenvey	T	71.10v	68.6v	46.3v	46.6v	47.5v	46.3v	47.4v	66.5v	88.3v	71.2v	37.1v	43.4v	676.52v
541	Mr W Mulholland	T	71.6v	66.3v	46.3v	39.1v	50.4v	45.4v	45.0v	68.7v	98.7v	68.3v	38.2v	41.1v	675.41v
542	Mr C Herter	O	70.6v	69.7v	43.2v	41.3v	40.0v	42.1v	47.2v	69.3v	96.6v	72.4v	40.1v	46.5v	675.40v
543	Mr L Reid	O	73.6v	71.4v	49.5v	45.3v	37.1v	46.3v	46.5v	63.1v	96.5v	72.3v	43.3v	34.0v	675.39v
544	Mr ML Kirkillio-Stacewicz	O	74.6v	68.2v	45.3v	48.3v	43.3v	46.3v	48.4v	67.1v	93.2v	61.0v	46.3v	36.1v	675.31v
545	Mr P Dawes	O	72.3v	65.3v	47.3v	43.2v	40.2v	42.0v	48.5v	72.8v	96.7v	71.5v	36.0v	42.3v	674.41v
546	Mr LR Coventry	T	73.5v	71.6v	48.4v	44.4v	47.3v	36.1v	45.3v	67.1v	96.6v	70.4v	43.1v	34.1v	674.39v
547	Mr D Crook	O	68.3v	65.2v	45.2v	39.2v	48.3v	43.1v	45.3v	68.5v	101.8v	66.3v	45.2v	41.2v	674.36v
548	Mr B Lottritz	O	70.5v	72.8v	42.1v	46.1v	45.2v	41.0v	45.1v	66.4v	95.4v	65.1v	41.2v	46.4v	674.33v
549	Dr G Stevenson	O	71.8v	68.4v	42.2v	48.4v	46.2v	42.3v	47.4v	65.5v	99.8v	63.1v	45.3v	37.1v	673.45v
550	Mr R Lindsay	A	73.9v	68.2v	46.1v	45.4v	50.8v	44.2v	38.0v	72.5v	97.6v	68.4v	40.0v	32.2v	673.43v
551	Mr GR Bowman	X	66.4v	67.2v	44.3v	40.2v	47.3v	39.1v	48.4v	65.4v	97.8v	73.6v	46.3v	41.0v	673.40v
552	Mr GR Thomas	O	71.3v	63.1v	48.4v	41.0v	46.4v	44.2v	48.4v	69.4v	96.6v	68.6v	45.1v	34.0v	673.35v
553	Miss M Foort	T	68.3v	68.4v	45.1v	41.1v	45.2v	45.2v	44.3v	70.6v	94.6v	69.5v	42.0v	42.1v	673.34v
554	Mr H Marden	T	68.6v	66.3v	44.2v	46.3v	46.5v	46.1v	46.1v	63.2v	96.7v	66.4v	46.4v	39.1v	672.39v
555	Mr JRJ Kennedy	O	65.5v	68.4v	41.0v	40.2v	45.2v	47.1v	46.1v	69.3v	97.7v	74.9v	47.4v	33.0v	672.38v
556	Mr SA Ching	T	69.4v	67.4v	42.3v	47.3v	46.3v	45.0v	38.1v	70.5v	97.9v	73.6v	47.2v	30.1v	671.41v
557	Mr A Methven	T	67.2v	67.6v	47.5v	40.1v	48.4v	49.1v	48.1v	72.9v	91.6v	64.2v	39.2v	39.0v	671.39v
558	Mr NW Penn	O	68.1v	67.5v	45.3v	45.3v	47.3v	43.1v	47.6v	66.3v	94.5v	65.3v	41.1v	43.2v	671.36v
559	Mr SM Ndambuki	T	66.3v	68.6v	46.3v	47.4v	46.1v	44.4v	43.4v	64.4v	100.10v	68.5v	34.2v	43.1v	669.47v
560	Mr OP Henry	A	68.4v	71.4v	42.2v	35.2v	47.3v	47.3v	47.4v	64.5v	94.4v	73.9v	43.1v	38.1v	669.42v

561	Ms S Cleeve	T	66.3v	72.6v	45.1v	45.2v	42.2v	43.1v	45.3v	69.7v	96.6v	66.7v	39.1v	41.1v	669.40v
562	Mr DA Smith	O	68.5v	69.7v	46.2v	48.4v	44.1v	42.1v	40.4v	67.4v	98.5v	64.2v	45.3v	38.1v	669.39v
563	Mr U Soelzer	O	70.5v	68.6v	45.2v	45.1v	47.2v	45.1v	40.2v	71.4v	99.6v	60.4v	45.4v	34.1v	669.38v
564	Mr LM Mutegi	T	70.5v	69.8v	44.2v	46.0v	44.2v	41.2v	45.3v	63.1v	99.7v	66.2v	46.3v	36.1v	669.36v
565	Mr EPB Garnier	T	68.3v	71.4v	41.3v	46.1v	43.2v	45.2v	43.1v	69.4v	90.5v	70.6v	41.2v	42.2v	669.35v
566	Cdt LA Duffett	T	70.5v	70.3v	44.2v	46.4v	44.1v	48.5v	36.1v	70.4v	99.6v	67.4v	37.1v	36.3v	667.39v
567	Mr H Waldern	T	65.2v	66.2v	50.4v	41.3v	46.3v	45.1v	39.3v	64.3v	96.6v	73.9v	45.1v	37.1v	667.38v
568	Mr E Robinson	T	69.2v	71.4v	47.1v	40.1v	41.1v	44.3v	45.0v	66.5v	102.11v	67.4v	41.1v	34.0v	667.33v
569	Mr H Percival	O	73.3v	69.7v	45.3v	40.1v	47.3v	35.0v	40.1v	68.3v	98.9v	69.3v	39.2v	43.3v	666.38v
570	Mr E Stuart-Bamford	O	67.2v	71.7v	37.1v	46.3v	46.4v	44.3v	46.4v	69.5v	97.7v	69.7v	39.3v	34.1v	665.47v
571	Mr G Meijer	O	71.7v	73.9v	40.1v	39.3v	49.4v	35.1v	44.1v	72.7v	92.3v	67.5v	46.2v	37.0v	665.43v
572	Miss A Forsyth	T	72.4v	69.2v	41.6v	42.0v	44.1v	45.1v	43.2v	69.6v	99.9v	64.4v	42.3v	35.0v	665.38v
573	Mr M Halstead	T	66.4v	69.6v	45.2v	40.1v	43.2v	45.3v	40.1v	71.4v	96.4v	68.4v	42.2v	40.2v	665.35v
574	Mr DM Booyesen	T	64.2v	62.2v	44.2v	47.3v	46.3v	45.2v	43.2v	66.3v	92.5v	73.5v	47.3v	36.0v	665.32v
575	Mr MG Grimsdell	O	71.6v	71.8v	36.0v	45.2v	42.1v	42.2v	45.4v	66.5v	97.7v	70.6v	48.2v	31.2v	664.45v
576	Mr D Thomas Du Toit	T	65.2v	71.6v	44.3v	40.2v	46.4v	42.1v	42.4v	68.3v	93.4v	68.7v	44.1v	41.2v	664.39v
577	Mr TM Mulholland	T	69.2v	66.3v	42.1v	41.2v	45.3v	43.3v	44.1v	66.1v	103.10v	71.4v	39.0v	35.0v	664.30v
578	Mr G Yates	T	68.3v	74.7v	46.3v	40.3v	41.1v	40.4v	43.2v	71.5v	89.3v	71.6v	39.1v	40.0v	662.38v
579	Mr ML Cotillard	O	72.7v	74.10v	46.4v	47.4v	47.5v	0.0v	44.3v	75.8v	94.7v	73.8v	46.1v	43.1v	661.58v
580	Cdt AJ Todd	T	75.10v	67.2v	42.3v	48.6v	46.4v	39.1v	33.1v	60.3v	102.9v	69.8v	45.4v	35.1v	661.52v
581	Miss K Johnson	T	63.0v	70.5v	36.1v	46.2v	45.5v	45.1v	43.1v	67.6v	98.9v	69.5v	44.1v	35.2v	661.38v
582	Mr CSJ Marlow	O	70.5v	66.2v	47.3v	45.3v	46.4v	45.1v	44.2v	69.4v	87.7v	64.3v	39.2v	39.1v	661.37v
583	Mr G Bramwell	T	66.3v	66.2v	42.1v	44.1v	44.4v	44.3v	46.3v	67.4v	93.6v	69.6v	38.2v	42.1v	661.36v
584	Colonel N Stebbings	O	66.5v	71.2v	44.3v	46.5v	40.0v	44.1v	46.5v	67.5v	90.3v	64.1v	41.1v	42.1v	661.32v
585	Mr PK Kapkundos	T	73.7v	69.6v	43.2v	48.3v	47.3v	42.1v	38.2v	68.5v	96.5v	63.2v	42.1v	31.1v	660.38v
586	Mr HD Werner	O	71.5v	66.3v	47.4v	48.4v	37.1v	47.2v	40.1v	72.4v	97.8v	67.3v	43.2v	25.1v	660.38v
587	Miss T Myagkova	O	67.2v	64.3v	44.1v	38.2v	47.2v	44.0v	48.3v	70.4v	95.7v	68.3v	44.4v	31.1v	660.32v
588	Mr S Sutton	T	66.4v	68.5v	42.3v	48.7v	46.4v	44.1v	45.3v	65.2v	94.6v	57.2v	41.0v	43.4v	659.41v
589	Mr T Webster	O	68.4v	67.4v	40.0v	48.5v	44.1v	41.3v	45.3v	69.5v	90.5v	68.6v	39.1v	40.2v	659.39v
590	Dr KW Genders	O	66.4v	69.4v	37.0v	45.3v	45.3v	45.2v	45.3v	68.3v	93.8v	66.3v	39.2v	41.2v	659.37v
591	Mr APW Moulton	T	70.5v	65.3v	44.3v	36.0v	47.4v	44.3v	45.5v	69.4v	93.2v	72.3v	40.2v	34.0v	659.34v
592	Cdt K Macdonald	T	69.4v	63.1v	43.2v	43.1v	45.1v	44.2v	44.3v	74.4v	93.5v	68.3v	35.3v	38.0v	659.29v
593	Mr T Pantke	T	62.3v	67.3v	43.1v	47.3v	46.4v	44.1v	42.2v	65.2v	92.5v	71.6v	37.0v	42.1v	658.31v
594	Mr JP Short	T	68.2v	73.8v	47.4v	45.1v	47.3v	47.5v	45.3v	68.4v	65.5v	71.5v	43.2v	38.0v	657.42v
595	LCpl J Murphy	T	64.2v	66.1v	46.2v	39.1v	49.5v	42.2v	47.4v	70.8v	96.7v	67.5v	45.3v	26.0v	657.40v
596	Cdt HMC Ardern	T	68.4v	64.5v	44.2v	41.0v	43.1v	42.2v	34.0v	70.8v	98.8v	67.2v	45.4v	40.2v	656.38v
597	Cdt WP Cubitt	T	70.4v	68.3v	43.3v	47.5v	43.2v	39.2v	35.0v	69.6v	99.5v	61.2v	43.1v	39.2v	656.35v
598	Mr LS Smith	T	67.6v	69.2v	46.4v	48.4v	44.3v	38.0v	46.2v	63.1v	91.4v	68.4v	40.0v	36.3v	656.33v
599	Mr TJ Barclay	T	68.3v	64.3v	42.0v	41.1v	45.2v	43.2v	46.3v	69.2v	95.4v	67.3v	37.1v	39.1v	656.25v
600	Mr TW Harrison	O	67.3v	68.3v	44.4v	39.3v	47.5v	46.2v	46.3v	67.2v	94.6v	62.4v	38.0v	37.2v	655.37v
601	Mr MW Silver	X	71.3v	72.9v	46.7v	48.2v	44.3v	41.1v	48.4v	70.4v	100.11v	74.8v	0.0v	40.2v	654.54v
602	Mr B Hebblethwaite	T	68.4v	67.2v	44.1v	46.3v	42.2v	42.1v	43.3v	61.2v	91.7v	70.4v	43.4v	37.2v	654.35v
603	Cdt A Giasson-Pitre	T	62.1v	66.6v	45.3v	44.2v	46.3v	40.0v	46.4v	63.1v	97.7v	70.4v	43.0v	32.2v	654.33v
604	Mr S Pigeon	T	68.5v	68.4v	43.2v	43.1v	41.1v	37.0v	41.1v	71.4v	96.8v	73.5v	45.1v	28.0v	654.32v
605	Miss C Chan	T	67.5v	62.0v	44.3v	43.2v	45.5v	42.2v	43.3v	72.5v	98.4v	73.6v	32.2v	32.1v	653.38v
606	Mr T Nightingale	T	65.1v	65.2v	45.2v	45.0v	35.1v	43.2v	47.3v	60.1v	95.8v	65.4v	46.4v	42.0v	653.28v
607	Mr T Galliers	O	72.7v	68.1v	45.0v	43.1v	43.2v	42.1v	44.1v	62.2v	93.6v	59.3v	40.2v	42.2v	653.28v
608	Cdt MG Woodcock	T	74.6v	68.1v	31.1v	38.2v	45.2v	45.4v	47.3v	68.5v	97.10v	67.4v	42.1v	30.1v	652.40v
609	Cdt WO1 AJ Richardson	T	67.3v	61.1v	42.1v	46.4v	41.0v	43.2v	47.2v	62.3v	91.6v	72.5v	36.1v	44.2v	652.30v
610	Mr J Beddoe	T	68.4v	70.1v	45.3v	35.1v	42.3v	43.1v	44.2v	63.4v	96.6v	65.2v	37.1v	44.1v	652.29v
611	Miss G Shearer	T	64.2v	63.3v	48.1v	48.4v	44.0v	43.2v	46.1v	61.4v	91.3v	70.6v	43.3v	31.0v	652.29v
612	Mr T Elvin	O	67.4v	70.6v	44.4v	46.2v	47.5v	43.2v	48.4v	75.7v	94.6v	72.8v	0.0v	44.2v	650.50v
613	Mr PD Pelly	O	66.2v	68.3v	40.3v	44.3v	45.3v	43.2v	45.3v	66.5v	90.7v	67.1v	42.1v	34.1v	650.34v
614	Ms BM Moore	O	72.6v	72.6v	47.3v	45.5v	45.1v	0.0v	48.4v	70.8v	97.7v	74.9v	37.2v	42.1v	649.52v
615	Mr H Bull	T	57.3v	69.6v	42.3v	45.2v	48.3v	40.2v	41.2v	72.8v	97.7v	71.5v	34.0v	33.1v	649.42v
616	Cdt J Birch	T	70.6v	71.5v	44.2v	43.3v	45.1v	42.4v	46.2v	66.4v	91.5v	63.7v	37.1v	31.0v	649.40v
617	Cdt C Putney	T	65.3v	70.4v	37.2v	40.1v	49.4v	47.3v	46.3v	66.4v	90.5v	67.6v	36.3v	36.0v	649.38v
618	Mr R Brewer - Marchant	T	65.4v	70.7v	42.2v	46.4v	43.1v	41.0v	36.1v	66.2v	95.3v	65.4v	42.2v	38.0v	649.30v
619	Mr PJ Johnson	A	71.5v	68.4v	44.1v	46.1v	46.6v	45.3v	48.3v	68.5v	101.13v	73.7v	0.0v	37.1v	647.49v
620	Cpl AP Clark	T	69.4v	70.6v	42.1v	21.0v	45.2v	44.0v	46.2v	66.2v	98.8v	69.5v	39.2v	38.0v	647.32v
621	Prince AKLP zu Sayn-Wittgenstein-Sayn	T	69.6v	68.4v	40.1v	47.5v	42.2v	44.1v	42.0v	61.2v	92.7v	66.4v	43.3v	31.0v	645.35v
622	Mr WJ Slatford	T	69.4v	69.5v	47.3v	43.3v	37.1v	36.2v	43.2v	66.2v	90.8v	70.6v	37.1v	37.1v	644.38v
623	Mr DM Epton	O	73.7v	73.6v	48.4v	45.3v	49.3v	46.3v	49.1v	73.6v	102.8v	0.0v	45.2v	40.2v	643.45v
624	Mr A Niblett	T	68.4v	71.5v	37.0v	48.3v	47.6v	43.0v	43.2v	69.4v	98.9v	71.4v	44.2v	4.0v	643.39v
625	Mr JM de Bruyn	O	70.7v	66.3v	43.2v	47.3v	42.1v	42.2v	43.2v	64.2v	88.6v	64.3v	37.0v	37.1v	643.32v
626	Miss K Butler	T	69.7v	61.1v	37.1v	33.1v	48.6v	46.1v	44.3v	68.6v	86.7v	70.3v	41.2v	39.1v	642.39v
627	Miss K Hines	T	63.3v	68.3v	45.2v	35.0v	43.2v	47.5v	33.0v	69.6v	93.7v	68.4v	36.2v	42.1v	642.35v
628	Mr AW Lothian	A	72.6v	71.9v	49.4v	43.2v	48.6v	45.1v	46.3v	72.5v	101.8v	0.0v	48.7v	45.2v	640.53v
629	Mr JRJ Hinde	X	73.6v	73.9v	44.1v	49.5v	49.6v	44.3v	42.0v	68.5v	101.9v	8.0v	47.2v	40.3v	638.49v
630	Mr M Raps	T	69.4v	58.4v	46.1v	48.5v	46.2v	42.1v	23.1v	71.4v	86.4v	65.2v	47.3v	36.2v	637.33v
631	Mr J Kellinger	T	69.4v	61.1v	41.1v	43.2v	44.0v	49.7v	23.2v	69.3v	89.5v	68.3v	43.3v	38.2v	637.33v
632	Mr AJ Woodsford	T	70.5v	65.0v	44.1v	44.0v	41.0v	43.1v	26.1v	60.2v	92.6v	69.5v	45.4v	38.1v	637.26v

633	Mr SL Cleveland	A	71.6v	74.7v	49.2v	46.2v	49.6v	47.2v	46.3v	0.0v	96.9v	71.5v	47.4v	40.1v	636.47v
634	Mr R Johnson	T	71.6v	69.3v	45.4v	42.1v	45.2v	43.3v	44.2v	71.5v	58.2v	64.4v	44.5v	40.2v	636.39v
635	Mr A Ford	T	69.4v	66.7v	31.1v	44.2v	47.5v	39.1v	40.1v	63.1v	95.6v	65.2v	44.2v	32.0v	635.32v
636	LCpl R McGowan	T	66.5v	66.4v	33.1v	43.0v	41.1v	47.2v	45.3v	57.3v	97.4v	65.4v	39.1v	35.0v	634.28v
637	Mr T Horsfield	O	62.2v	68.6v	44.0v	44.0v	42.3v	38.0v	47.3v	65.2v	90.6v	64.2v	36.0v	34.2v	634.26v
638	Mr R Kinch	T	64.3v	64.3v	45.3v	30.0v	47.3v	38.2v	43.3v	71.6v	93.5v	64.0v	44.1v	30.0v	633.29v
639	Mr H Bradshaw	T	63.3v	68.6v	40.1v	43.3v	43.2v	42.2v	41.1v	63.2v	97.8v	65.2v	45.3v	22.0v	632.33v
640	Mr SJ Bates	O	68.3v	66.3v	44.4v	44.2v	47.2v	41.0v	40.2v	65.4v	86.2v	51.1v	43.1v	37.3v	632.27v
641	Mr M Garrood	T	61.1v	72.7v	43.2v	42.2v	39.2v	38.1v	47.3v	63.5v	89.2v	68.5v	26.0v	43.0v	631.30v
642	Dr AF Aspin	A	70.5v	70.4v	48.5v	47.3v	46.3v	47.3v	47.1v	70.3v	94.9v	0.0v	45.2v	46.4v	630.42v
643	Cdt LE Lyons	T	66.3v	70.8v	45.2v	44.4v	41.2v	44.3v	45.3v	68.4v	93.4v	66.1v	38.1v	10.0v	630.35v
644	Mr J Scambler	O	73.5v	70.5v	43.1v	49.6v	46.4v	46.4v	46.3v	71.3v	99.9v	0.0v	47.2v	38.0v	628.42v
645	Mr CAD Flanagan	O	66.7v	66.4v	47.4v	45.3v	47.3v	44.2v	50.6v	72.8v	96.6v	73.2v	0.0v	20.0v	626.45v
646	Mr NR Wells	O	70.6v	67.5v	42.1v	37.1v	49.2v	43.2v	47.2v	71.4v	98.7v	69.5v	0.0v	33.1v	626.36v
647	Dr JC Jobling	O	72.7v	69.3v	42.3v	46.2v	42.3v	44.1v	42.2v	64.2v	98.8v	70.4v	0.0v	36.1v	625.36v
648	Mr T Clifford	T	65.2v	61.2v	40.1v	41.2v	43.1v	37.2v	44.2v	64.3v	82.3v	66.1v	43.0v	37.1v	623.20v
649	Miss A Morriss	T	66.2v	64.4v	40.0v	45.0v	42.4v	24.1v	38.0v	60.2v	92.5v	68.7v	42.3v	40.2v	621.30v
650	Mr H Mayne	T	66.1v	59.2v	44.5v	41.2v	38.0v	38.0v	43.3v	64.4v	90.3v	65.4v	37.1v	36.1v	621.26v
651	Mr EM Brice	O	67.0v	67.5v	45.3v	47.5v	47.3v	45.3v	47.3v	69.3v	94.5v	8.0v	42.0v	42.2v	620.32v
652	Mr PJ Holden	O	69.3v	67.2v	47.1v	41.0v	46.1v	38.1v	49.2v	63.1v	53.2v	66.4v	45.5v	35.1v	619.23v
653	Mr JA Hopkins	O	68.4v	65.2v	42.1v	43.0v	37.0v	41.1v	30.0v	61.2v	90.1v	67.3v	43.2v	30.1v	617.17v
654	Mr IF Luckman	O	63.2v	65.4v	34.2v	43.1v	44.4v	43.3v	43.1v	70.2v	87.1v	65.2v	35.2v	24.1v	616.25v
655	Mr KR Trowbridge	O	67.1v	73.4v	43.3v	44.0v	47.2v	47.3v	46.2v	68.4v	97.8v	0.0v	43.4v	40.2v	615.33v
656	Mr CB Stone	O	65.6v	65.2v	45.2v	45.2v	42.1v	34.1v	41.2v	59.3v	83.1v	61.5v	42.1v	33.2v	615.28v
657	Mr DS Hendrikz	T	62.2v	64.0v	37.0v	39.0v	41.2v	42.0v	43.1v	59.2v	86.2v	67.4v	40.1v	33.1v	613.15v
658	Mr R Morin	T	63.2v	61.1v	44.3v	38.0v	41.1v	35.1v	46.2v	66.3v	90.5v	60.2v	38.0v	30.1v	612.21v
659	Cdt Cpl M Rollisson	T	64.2v	61.0v	45.3v	43.3v	44.1v	45.3v	46.1v	56.1v	61.4v	67.6v	40.2v	37.1v	609.27v
660	Miss EG Graham	T	54.1v	65.1v	43.2v	41.1v	39.1v	37.0v	43.0v	59.1v	88.5v	68.4v	39.2v	33.1v	609.19v
661	Mr J Smith	X	70.6v	69.4v	47.5v	49.5v	46.4v	45.0v	47.6v	65.4v	94.5v	0.0v	38.1v	37.0v	607.40v
662	Miss M Message	T	71.2v	70.4v	41.2v	42.2v	43.1v	45.1v	44.4v	71.8v	94.4v	0.0v	44.3v	41.3v	606.34v
663	Miss AL Gibbs	T	55.1v	65.1v	38.0v	41.1v	43.1v	45.1v	43.1v	66.2v	94.3v	62.2v	23.0v	30.0v	605.13v
664	Miss E Smith	T	70.3v	68.3v	42.2v	39.1v	40.2v	0.0v	40.1v	70.6v	95.2v	65.3v	41.3v	34.1v	604.27v
665	Mr D Clark	O	69.8v	72.8v	48.4v	48.2v	48.2v	45.5v	48.4v	73.8v	34.1v	72.3v	0.0v	45.2v	602.47v
666	Mr HM Dodds	T	63.1v	64.1v	36.1v	32.0v	45.3v	36.2v	37.1v	64.2v	87.4v	70.3v	37.1v	30.0v	601.19v
667	Mr A Bramwell	T	68.3v	68.4v	45.3v	36.2v	41.1v	37.1v	43.2v	61.4v	82.4v	63.4v	19.2v	36.2v	599.32v
668	Mr DJ Stewart	O	67.3v	65.1v	43.1v	47.4v	47.2v	44.4v	46.5v	62.4v	96.6v	0.0v	42.0v	39.1v	598.31v
669	Mr A Strudwick	T	69.6v	68.3v	0.0v	38.1v	47.5v	0.0v	45.3v	68.4v	99.9v	72.4v	44.0v	47.3v	597.38v
670	Cadet P Paudyal	T	50.0v	53.1v	41.2v	27.0v	43.1v	46.2v	43.3v	61.1v	93.2v	70.5v	43.2v	27.0v	597.19v
671	Miss AJ Carnell	O	71.5v	71.7v	44.1v	48.4v	49.4v	6.0v	48.4v	72.7v	101.9v	0.0v	44.3v	42.3v	596.47v
672	Mr G Twinn	T	63.4v	66.3v	40.0v	38.4v	44.4v	35.3v	40.1v	57.1v	79.1v	62.5v	39.1v	32.0v	595.27v
673	Mr J Barlow	O	72.7v	71.5v	44.2v	42.2v	46.3v	45.2v	44.5v	12.0v	100.11v	72.8v	46.3v	0.0v	594.48v
674	Mr I Reeves	T	64.3v	53.1v	46.3v	44.4v	49.4v	45.1v	49.4v	66.4v	95.4v	0.0v	38.2v	44.4v	593.34v
675	Mr JMS Samson	O	0.0v	66.4v	44.0v	47.3v	46.3v	45.3v	39.2v	60.0v	97.7v	68.3v	40.1v	41.2v	593.28v
676	Mrs RM Merridew	O	70.4v	66.4v	40.1v	47.6v	46.3v	45.3v	42.2v	66.3v	98.7v	71.7v	0.0v	0.0v	591.40v
677	Mr T Craig-Fleming	T	72.9v	68.2v	46.2v	0.0v	46.2v	42.3v	29.0v	68.4v	87.2v	67.5v	22.0v	41.0v	588.29v
678	Cpl WR Playle	T	69.4v	72.6v	48.3v	8.0v	45.3v	45.2v	43.4v	71.6v	100.9v	0.0v	40.2v	40.4v	581.43v
679	Ms LA Johnson	O	72.7v	67.8v	45.3v	48.4v	47.3v	41.2v	49.3v	69.4v	104.10v	0.0v	0.0v	37.0v	579.44v
680	Mr J Woollett	T	40.0v	68.3v	43.4v	38.0v	39.1v	38.0v	24.0v	63.3v	85.2v	61.1v	38.2v	40.0v	577.16v
681	Mr H Milner-Benham	T	60.2v	70.9v	38.1v	3.0v	40.0v	40.0v	46.3v	65.4v	83.1v	57.0v	33.0v	41.1v	576.21v
682	Mr M Bell	T	69.5v	61.1v	36.0v	46.1v	48.3v	29.1v	37.1v	59.2v	61.3v	66.3v	46.4v	17.0v	575.24v
683	Mr ND Richmond	T	0.0v	74.11v	49.3v	37.2v	46.5v	46.3v	0.0v	74.10v	102.14v	72.8v	37.0v	37.0v	574.56v
684	Cdt Sgt CA Shelley	T	54.0v	43.3v	37.0v	32.1v	43.2v	40.0v	36.1v	63.4v	89.3v	57.2v	38.0v	40.2v	572.18v
685	Mr PB Bromley	X	68.4v	72.7v	50.6v	48.3v	49.3v	48.2v	48.5v	0.0v	99.7v	0.0v	45.0v	44.2v	571.39v
686	Mr RCQ Martin	A	69.5v	70.3v	48.5v	43.3v	0.0v	0.0v	49.7v	71.7v	101.9v	71.8v	42.3v	0.0v	564.50v
687	Mr WP Hanley	O	71.7v	72.7v	46.4v	46.4v	47.4v	45.4v	49.7v	0.0v	98.9v	0.0v	46.3v	40.1v	560.50v
688	Mr KG Firth	O	70.8v	0.0v	42.2v	40.0v	43.0v	0.0v	45.2v	68.4v	91.4v	71.7v	38.1v	46.2v	554.30v
689	Dr MJ Schwarz	O	69.2v	72.8v	48.5v	41.2v	49.5v	44.2v	44.3v	72.5v	66.4v	0.0v	0.0v	43.0v	548.36v
690	LCpl S Bose	T	64.1v	0.0v	35.0v	37.1v	33.1v	39.1v	44.2v	62.4v	88.5v	61.3v	40.0v	30.0v	533.18v
691	Mr HGM Mooiman	O	69.5v	66.2v	49.4v	42.1v	46.3v	42.0v	43.2v	72.7v	97.6v	0.0v	0.0v	0.0v	526.30v
692	Mr RJ Cade	O	70.6v	71.5v	45.1v	47.3v	48.2v	47.4v	45.4v	70.5v	29.0v	0.0v	0.0v	40.2v	512.32v
693	Mr PM Weston	O	0.0v	61.2v	42.2v	41.1v	0.0v	43.1v	45.1v	63.3v	85.1v	62.3v	32.1v	38.2v	512.17v
694	Miss DE Andrews	O	70.6v	68.3v	47.2v	45.4v	0.0v	0.0v	49.4v	70.5v	34.2v	71.5v	48.4v	0.0v	502.35v
695	Miss RJH Piper	T	69.4v	64.4v	42.1v	44.3v	39.2v	0.0v	0.0v	62.1v	89.3v	64.3v	25.4v	0.0v	498.25v
696	Miss R Allan	T	70.5v	68.2v	41.3v	40.1v	44.3v	0.0v	45.3v	64.1v	92.9v	0.0v	32.0v	0.0v	496.27v
697	Cadet A Wiseman	T	0.0v	55.1v	39.2v	38.3v	36.0v	35.1v	0.0v	58.3v	90.6v	64.2v	44.1v	31.1v	490.20v
698	Mr AP Powell	O	69.4v	70.6v	47.3v	42.2v	37.1v	45.5v	44.3v	0.0v	60.2v	69.5v	0.0v	0.0v	483.31v
699	Dr N Hart	O	71.4v	71.6v	42.5v	49.4v	47.4v	45.4v	47.4v	69.2v	0.0v	0.0v	0.0v	41.1v	482.34v
700	Mr MF Martel	A	0.0v	72.9v	49.8v	43.3v	49.5v	0.0v	0.0v	73.6v	104.7v	0.0v	41.2v	41.2v	472.42v
701	Mr WR Hinton	O	72.6v	67.5v	43.2v	42.2v	43.2v	39.1v	47.5v	65.4v	0.0v	0.0v	0.0v	45.2v	463.29v
702	Sgt B Corbishley	T	59.2v	57.1v	39.2v	35.2v	37.1v	27.1v	26.1v	39.0v	64.2v	45.1v	5.0v	27.1v	460.14v
703	Miss AMG Ogilvie	X	70.3v	0.0v	46.3v	0.0v	48.4v	0.0v	47.5v	72.8v	101.5v	75.14v	0.0v	0.0v	459.42v
704	Cdt CAV Hilton	T	45.0v	55.1v	43.0v	34.0v	23.1v	0.0v	36.2v	54.1v	90.2v	0.0v	36.1v	40.0v	456.8v

