

NRA 149th Imperial Meeting

Grand Aggregate (as at Tuesday, 24th July 2018)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	PoW	Lovell	Corp	Total	
1	Mr JAM Paton	X	75.13v	75.9v	50.4v	49.8v	49.5v	50.7v	50.8v	70.9v	0.0v	0.0v	0.0v	50.8v	518.71v
2	Dr CD Haley	X	74.12v	75.10v	50.3v	48.2v	50.9v	49.2v	49.5v	75.11v	0.0v	0.0v	0.0v	47.3v	517.57v
3	Mr ANR Walker	X	73.10v	75.11v	49.5v	50.8v	50.6v	48.3v	50.4v	74.9v	0.0v	0.0v	0.0v	47.4v	516.60v
4	Mr J Corbett	X	75.12v	74.11v	50.9v	48.3v	50.7v	45.5v	50.9v	75.14v	0.0v	0.0v	0.0v	48.5v	515.75v
5	Dr PD Sykes	O	74.7v	75.8v	50.7v	47.6v	50.7v	50.6v	50.6v	75.13v	0.0v	0.0v	0.0v	44.2v	515.62v
6	Mr NBS Logan	X	75.9v	75.10v	49.8v	47.3v	50.7v	49.8v	50.6v	72.7v	0.0v	0.0v	0.0v	47.3v	514.61v
7	Mr MRM Millar	X	73.8v	74.13v	50.7v	49.6v	50.5v	46.1v	50.3v	74.9v	0.0v	0.0v	0.0v	48.5v	514.57v
8	Mr SA Thomas	X	75.13v	72.11v	49.4v	48.6v	48.5v	50.7v	49.8v	75.11v	0.0v	0.0v	0.0v	47.3v	513.68v
9	Capt GR Jeal	X	73.8v	75.12v	48.5v	47.4v	50.6v	47.3v	50.5v	75.11v	0.0v	0.0v	0.0v	48.5v	513.59v
10	Mr MCJ Button	X	75.14v	74.6v	49.5v	45.1v	50.6v	48.4v	50.5v	74.12v	0.0v	0.0v	0.0v	48.1v	513.54v
11	Mr K Ramsey	X	75.15v	71.9v	48.6v	50.8v	49.8v	50.6v	50.3v	75.14v	0.0v	0.0v	0.0v	44.2v	512.71v
12	Mr ORW Russell	X	75.13v	74.12v	50.8v	44.4v	50.4v	50.4v	50.9v	73.9v	0.0v	0.0v	0.0v	46.5v	512.68v
13	Mr H J Golaszewski	X	75.10v	74.8v	49.8v	45.3v	48.5v	47.5v	50.6v	74.14v	0.0v	0.0v	0.0v	50.6v	512.65v
14	Mr DC Luckman	X	71.10v	74.7v	50.6v	49.6v	48.6v	49.5v	49.6v	74.11v	0.0v	0.0v	0.0v	48.5v	512.62v
15	Mr JP Tapster	X	74.9v	74.10v	50.8v	47.6v	49.7v	48.5v	50.8v	75.8v	0.0v	0.0v	0.0v	45.0v	512.61v
16	Mr OEJ Spencer	A	74.13v	74.13v	49.7v	47.7v	50.6v	50.6v	47.2v	73.6v	0.0v	0.0v	0.0v	47.4v	511.64v
17	Maj D Thompson	A	75.11v	75.12v	47.3v	47.3v	50.7v	47.3v	49.5v	74.11v	0.0v	0.0v	0.0v	47.4v	511.59v
18	Mr T Drysdale	X	75.11v	74.10v	50.8v	48.4v	49.4v	48.2v	47.3v	72.11v	0.0v	0.0v	0.0v	48.3v	511.56v
19	Mr TA Ringer	X	72.8v	74.11v	49.4v	50.6v	50.7v	49.6v	48.4v	75.8v	0.0v	0.0v	0.0v	44.1v	511.55v
20	Mr PA Maher	O	74.9v	74.8v	50.4v	46.6v	49.6v	48.5v	48.4v	75.9v	0.0v	0.0v	0.0v	46.3v	510.54v
21	Mr RT MacLeod	X	75.7v	75.9v	46.4v	50.6v	50.6v	47.3v	48.5v	75.11v	0.0v	0.0v	0.0v	44.3v	510.54v
22	Mr CP Weeden	X	75.9v	75.6v	50.6v	48.3v	49.6v	46.3v	49.7v	74.11v	0.0v	0.0v	0.0v	44.2v	510.53v
23	Mr JF Lawrie	X	74.7v	75.12v	50.6v	49.4v	48.4v	47.5v	48.3v	74.8v	0.0v	0.0v	0.0v	45.3v	510.52v
24	Miss EJ Nuttall	X	74.12v	74.12v	49.5v	43.1v	50.5v	47.2v	50.7v	74.10v	0.0v	0.0v	0.0v	48.5v	509.59v
25	Mr FWA Coetzee	X	74.8v	73.10v	49.6v	47.4v	48.3v	47.5v	49.6v	75.11v	0.0v	0.0v	0.0v	47.6v	509.59v
26	Mr SJ Whitby	O	73.11v	73.8v	47.5v	49.7v	50.5v	49.4v	49.7v	73.8v	0.0v	0.0v	0.0v	46.2v	509.57v
27	Dr JD Warburton	X	74.9v	72.7v	50.8v	49.6v	49.3v	47.4v	48.4v	73.9v	0.0v	0.0v	0.0v	47.5v	509.55v
28	Mr IP Davison	X	74.9v	73.10v	49.4v	47.5v	50.4v	44.3v	49.7v	75.10v	0.0v	0.0v	0.0v	48.2v	509.54v
29	Mr PD Griggs	X	74.9v	75.5v	48.6v	48.3v	49.7v	48.4v	49.7v	74.9v	0.0v	0.0v	0.0v	44.3v	509.53v
30	Mr JC Evans	X	74.8v	74.7v	50.7v	48.4v	49.4v	45.3v	50.6v	74.11v	0.0v	0.0v	0.0v	45.2v	509.52v
31	Mr RSF Shouler	X	73.9v	75.10v	50.7v	48.7v	49.6v	48.8v	48.8v	74.9v	0.0v	0.0v	0.0v	43.2v	508.66v
32	Miss CA Evans	X	75.13v	74.13v	46.3v	44.2v	49.5v	48.3v	49.6v	75.11v	0.0v	0.0v	0.0v	48.6v	508.62v
33	Dr PR Wheeler	X	74.7v	75.11v	50.8v	49.4v	50.5v	48.7v	48.6v	75.13v	0.0v	0.0v	0.0v	39.1v	508.62v
34	Mr DR Armstrong	X	74.8v	75.13v	49.7v	50.6v	49.6v	50.6v	50.5v	71.8v	0.0v	0.0v	0.0v	40.2v	508.61v
35	Mr SDJ Glanville	X	74.8v	74.11v	49.6v	46.3v	49.3v	47.6v	46.6v	75.10v	0.0v	0.0v	0.0v	48.4v	508.57v
36	Wg. Cdr. DP Calvert	X	74.10v	68.7v	49.7v	50.6v	49.7v	49.4v	50.7v	74.7v	0.0v	0.0v	0.0v	45.0v	508.55v
37	Mr THD Dodds	A	74.8v	75.8v	48.3v	48.6v	48.8v	47.4v	47.3v	74.8v	0.0v	0.0v	0.0v	47.4v	508.52v
38	Mr JC Underwood	X	70.7v	73.7v	49.4v	50.7v	49.4v	49.5v	50.5v	75.10v	0.0v	0.0v	0.0v	43.3v	508.52v
39	Miss C Choquette	X	74.12v	74.6v	48.4v	46.4v	50.3v	46.2v	49.4v	73.9v	0.0v	0.0v	0.0v	48.5v	508.49v
40	Mr WCP Richards	X	74.8v	74.6v	47.5v	50.5v	50.5v	44.2v	48.3v	74.9v	0.0v	0.0v	0.0v	47.2v	508.45v
41	Mr M J Ensor	X	72.10v	75.11v	49.7v	47.3v	49.7v	47.6v	49.7v	72.8v	0.0v	0.0v	0.0v	47.5v	507.64v
42	Sgt JR Dunbar	A	74.11v	74.7v	49.4v	44.4v	48.7v	46.5v	48.6v	75.11v	0.0v	0.0v	0.0v	49.6v	507.61v
43	Miss A Southall	X	71.8v	75.10v	48.5v	49.6v	50.9v	46.5v	50.6v	74.9v	0.0v	0.0v	0.0v	44.3v	507.61v
44	Dr JDS Langley	X	74.13v	73.7v	49.7v	50.6v	49.4v	46.6v	49.7v	74.8v	0.0v	0.0v	0.0v	43.3v	507.61v
45	Mr J Pugsley	X	74.6v	75.10v	49.8v	46.5v	50.6v	47.4v	50.8v	74.10v	0.0v	0.0v	0.0v	42.1v	507.58v
46	Mr BA Horwood	X	75.9v	73.12v	49.5v	48.4v	50.7v	45.5v	49.2v	74.10v	0.0v	0.0v	0.0v	44.2v	507.56v
47	Mr C Mallett	A	75.11v	75.10v	47.4v	48.4v	49.4v	47.4v	49.5v	72.7v	0.0v	0.0v	0.0v	45.6v	507.55v
48	Mr JM Taylor	X	74.7v	73.9v	49.5v	46.4v	47.4v	49.3v	50.7v	75.12v	0.0v	0.0v	0.0v	44.3v	507.54v
49	Miss HP McCullough	X	74.7v	73.7v	48.6v	44.2v	50.5v	48.2v	48.7v	75.9v	0.0v	0.0v	0.0v	47.5v	507.50v
50	Mr M Shepherd	X	74.10v	70.6v	48.4v	49.3v	49.8v	49.4v	49.6v	74.6v	0.0v	0.0v	0.0v	45.2v	507.49v
51	Mr H Sanders	X	75.8v	75.9v	47.4v	45.3v	50.6v	49.5v	50.2v	74.10v	0.0v	0.0v	0.0v	42.1v	507.48v
52	Mr AC Haley	A	75.8v	75.10v	48.4v	43.2v	49.3v	48.4v	48.6v	75.8v	0.0v	0.0v	0.0v	46.2v	507.47v
53	Mr M Horsnell	X	73.9v	72.9v	48.6v	49.7v	50.7v	49.5v	48.6v	74.12v	0.0v	0.0v	0.0v	43.2v	506.63v
54	Mr P Patel	X	73.11v	75.9v	49.7v	50.8v	50.7v	45.3v	48.6v	74.10v	0.0v	0.0v	0.0v	42.2v	506.63v
55	Capt J Cook	X	73.6v	74.9v	50.5v	48.6v	49.7v	48.3v	48.6v	72.11v	0.0v	0.0v	0.0v	44.3v	506.56v
56	Dr GP Nelson	A	74.12v	75.10v	45.3v	49.4v	49.6v	47.3v	50.7v	71.5v	0.0v	0.0v	0.0v	46.5v	506.55v

NRA 149th Imperial Meeting

Grand Aggregate (as at Tuesday, 24th July 2018)

		Class F Competitors										
		D'gall	Doyle	DT	DM	Alex	DC	Times	Wimb	Corp	Total	
1	Mr R Eckbauer	FO	72.5v	72.8v	71.4v	74.6v	74.9v	70.4v	75.8v	71.2v	66.6v	645.52v
2	Mr DA Stewart	FO	75.10v	69.3v	74.6v	73.7v	71.6v	68.2v	74.6v	69.4v	71.4v	644.48v
3	Mr A Kreutz	FO	74.8v	74.7v	65.0v	74.7v	74.7v	70.5v	74.8v	69.9v	69.2v	643.53v
4	Mr P Shambrook	FO	75.10v	67.2v	73.8v	72.5v	73.6v	70.3v	73.11v	73.3v	67.3v	643.51v
5	Mr SJ Baker	FO	75.9v	67.4v	71.4v	71.5v	73.8v	69.5v	73.8v	71.6v	70.2v	640.51v
6	Mr DN Kent	FO	71.7v	70.4v	69.4v	74.8v	74.10v	70.4v	75.8v	69.6v	62.2v	634.53v
7	Mr PA Hill	FO	72.8v	66.1v	74.8v	75.10v	74.6v	67.1v	74.5v	67.3v	64.3v	633.45v
8	Mr D Raybould	FO	73.7v	66.4v	72.9v	71.4v	75.5v	63.1v	72.7v	68.4v	65.4v	625.45v
9	Mr G Waugh	FO	71.8v	68.1v	73.7v	74.8v	69.2v	64.3v	72.7v	65.5v	69.3v	625.44v
10	Mr MH Heil	FO	75.8v	70.4v	71.5v	70.4v	73.6v	66.1v	74.10v	54.1v	70.1v	623.40v
11	Mr PW Medhurst	FO	72.6v	66.2v	72.5v	69.3v	73.7v	69.4v	74.6v	63.1v	64.3v	622.37v
12	Mr D Cownley	FO	71.7v	69.5v	73.8v	74.5v	72.6v	63.2v	68.6v	67.3v	63.0v	620.42v
13	Mr SP Poultney	FO	67.4v	65.1v	73.2v	70.3v	72.8v	65.2v	72.6v	67.4v	67.2v	618.32v
14	Mr R Adler	FO	72.9v	66.1v	72.4v	71.6v	68.6v	64.3v	67.4v	65.0v	67.4v	612.37v
15	Mr D Rosenberger	FO	61.2v	67.2v	62.0v	72.7v	63.1v	65.2v	69.2v	67.4v	66.2v	592.22v
16	Mr C Shorthouse	FO	67.6v	62.3v	68.3v	70.3v	69.7v	56.1v	67.3v	57.1v	66.1v	582.28v
17	Mr J Howe	FO	73.3v	68.4v	71.6v	66.2v	73.6v	68.5v	75.10v	0.0v	64.1v	558.37v
18	Mr T Price	FO	74.8v	70.5v	69.2v	0.0v	74.5v	65.0v	0.0v	0.0v	0.0v	352.20v

