

## NRA 150th Imperial Meeting

### Grand Aggregate (as at Saturday, 20th July 2019)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	PoW	Lovell	Corp	Total
1	Mr C Fitzpatrick	X	74.10v	74.5v	50.7v	50.5v	0.0v	0.0v	49.4v	0.0v	0.0v	0.0v	0.0v	297.31v
2	Miss EJ Nuttal	X	75.9v	73.8v	49.8v	49.3v	0.0v	0.0v	50.7v	0.0v	0.0v	0.0v	0.0v	296.35v
3	Mr GCD Barnett	X	75.12v	74.7v	50.8v	50.5v	0.0v	0.0v	47.3v	0.0v	0.0v	0.0v	0.0v	296.35v
4	SSgt RH Kitson	A	74.11v	72.9v	50.4v	50.8v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	295.37v
5	Mr MRM Millar	X	74.11v	72.8v	50.6v	49.5v	0.0v	0.0v	50.7v	0.0v	0.0v	0.0v	0.0v	295.37v
6	Dr JD Warburton	X	74.8v	74.9v	50.8v	48.4v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	295.36v
7	Dr AM Jory	X	75.7v	75.9v	49.8v	47.5v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	295.36v
8	Mr TW Tatchell	X	74.11v	74.10v	49.7v	48.4v	0.0v	0.0v	50.3v	0.0v	0.0v	0.0v	0.0v	295.35v
9	Mr KM Mccamley	O	75.10v	73.8v	50.6v	47.3v	0.0v	0.0v	50.8v	0.0v	0.0v	0.0v	0.0v	295.35v
10	Mr WF Livesey	A	74.6v	72.7v	50.7v	49.5v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	295.31v
11	Mr CJ Watson	X	74.6v	73.6v	50.7v	48.4v	0.0v	0.0v	50.7v	0.0v	0.0v	0.0v	0.0v	295.30v
12	Mr PM Jory	X	73.11v	74.7v	48.7v	49.6v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	294.37v
13	Mr T Drysdale	X	74.8v	75.9v	48.6v	48.7v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	294.35v
14	Mr NJ Ball	X	74.6v	73.11v	49.5v	48.5v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	294.33v
15	Mr C Mitchell	X	73.9v	73.10v	50.6v	49.5v	0.0v	0.0v	49.3v	0.0v	0.0v	0.0v	0.0v	294.33v
16	Mr BMA Stevens	A	74.6v	74.10v	49.4v	49.3v	0.0v	0.0v	48.7v	0.0v	0.0v	0.0v	0.0v	294.30v
17	Mr R Johansen	X	75.6v	73.7v	48.2v	48.6v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	294.27v
18	Mr J Snowden	X	72.11v	75.12v	49.7v	48.6v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	293.42v
19	Mr J Corbett	X	75.13v	74.9v	47.6v	47.4v	0.0v	0.0v	50.8v	0.0v	0.0v	0.0v	0.0v	293.40v
20	Mr EC Dickson	X	74.12v	71.10v	49.2v	49.7v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	293.37v
21	Mr P Patel	X	74.12v	74.6v	49.6v	46.3v	0.0v	0.0v	50.10v	0.0v	0.0v	0.0v	0.0v	293.37v
22	Mr ANR Walker	X	74.10v	74.10v	47.4v	49.5v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	293.34v
23	Mr DC Luckman	X	75.13v	73.5v	49.4v	47.4v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	293.33v
24	Dr H Day	X	74.9v	72.7v	50.5v	48.5v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	293.31v
25	Mr ERT Jeens	X	73.8v	75.8v	50.6v	46.3v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	293.30v
26	Mr CN Tremlett	X	75.10v	74.7v	50.5v	46.3v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	293.30v
27	Lt JW Jenkins	X	75.7v	73.8v	47.2v	48.5v	0.0v	0.0v	50.4v	0.0v	0.0v	0.0v	0.0v	293.26v
28	Wg. Cdr. DP Calvert	X	73.11v	74.7v	49.7v	48.7v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	292.37v
29	Mr DC Crispin	X	74.13v	73.10v	49.7v	47.1v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	292.37v
30	Mr RSF Shouler	X	75.9v	71.7v	48.6v	49.7v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	292.36v
31	Mr JAM Paton	X	73.12v	74.7v	48.5v	48.7v	0.0v	0.0v	49.4v	0.0v	0.0v	0.0v	0.0v	292.35v
32	Mr HJ Golaszewski	X	74.9v	72.8v	49.8v	48.4v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	292.35v
33	LCpl SER Cherry	A	74.11v	71.5v	49.6v	49.4v	0.0v	0.0v	49.8v	0.0v	0.0v	0.0v	0.0v	292.34v
34	Mr J Thorp	O	75.11v	75.9v	48.3v	49.7v	0.0v	0.0v	45.4v	0.0v	0.0v	0.0v	0.0v	292.34v
35	Cpl CH Cuming	O	74.9v	74.9v	47.5v	49.5v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	292.33v
36	Mr C Gordon	X	74.9v	74.9v	49.6v	46.3v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	292.33v
37	Miss JH Messer	X	73.5v	73.10v	46.3v	50.5v	0.0v	0.0v	50.9v	0.0v	0.0v	0.0v	0.0v	292.32v
38	Mr N Cole-Hawkins	A	75.12v	73.8v	50.4v	47.4v	0.0v	0.0v	47.4v	0.0v	0.0v	0.0v	0.0v	292.32v
39	Mr ITG Shaw	X	75.11v	74.10v	50.7v	45.2v	0.0v	0.0v	48.2v	0.0v	0.0v	0.0v	0.0v	292.32v
40	Mr T Johnston	A	70.7v	74.8v	50.5v	48.6v	0.0v	0.0v	50.5v	0.0v	0.0v	0.0v	0.0v	292.31v
41	Mr B Le Cheminant	X	73.8v	73.8v	49.4v	47.5v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	292.31v
42	Mr THD Dodds	A	73.10v	74.5v	48.5v	49.6v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	292.31v
43	Mr GE Grosskreutz	X	74.7v	73.9v	49.4v	47.3v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	292.30v



103	Mr JBG Shepherd	O	73.8v	71.6v	49.5v	49.2v	0.0v	0.0v	48.3v	0.0v	0.0v	0.0v	0.0v	290.24v
104	Mr PJ Westlake	X	74.8v	72.6v	48.3v	47.2v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	290.24v
105	Mr SM Negus	X	74.13v	73.10v	46.2v	47.5v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	289.37v
106	Mr RW Sandlant	A	71.10v	70.6v	50.8v	48.6v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	289.36v
107	Mr M Liversage	X	73.9v	72.9v	48.4v	47.6v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	289.35v
108	Mr SJ East	A	75.14v	75.6v	48.6v	42.2v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	289.35v
109	Mr CP Weeden	X	73.8v	72.9v	49.6v	46.6v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	289.34v
110	Miss CA Evans	X	75.11v	73.9v	46.4v	45.2v	0.0v	0.0v	50.8v	0.0v	0.0v	0.0v	0.0v	289.34v
111	Mr JM Taylor	X	74.8v	69.8v	48.8v	48.4v	0.0v	0.0v	50.4v	0.0v	0.0v	0.0v	0.0v	289.32v
112	Mr J Brooking	X	74.10v	73.9v	46.2v	46.6v	0.0v	0.0v	50.5v	0.0v	0.0v	0.0v	0.0v	289.32v
113	Dr JO Ahrens	X	75.14v	69.5v	50.5v	47.3v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	289.32v
114	Dr PD Sykes	X	74.12v	73.7v	50.7v	43.1v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	289.32v
115	Mr S Whitby	X	73.12v	70.3v	48.2v	49.8v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	289.31v
116	Mr JWE Lothian	A	75.12v	72.6v	46.3v	48.3v	0.0v	0.0v	48.7v	0.0v	0.0v	0.0v	0.0v	289.31v
117	Miss H Freiman	X	74.9v	71.8v	48.5v	47.6v	0.0v	0.0v	49.2v	0.0v	0.0v	0.0v	0.0v	289.30v
118	Mr R Pike	X	71.5v	73.6v	49.8v	49.3v	0.0v	0.0v	47.7v	0.0v	0.0v	0.0v	0.0v	289.29v
119	Mr ER Welford	O	73.7v	72.9v	50.7v	47.3v	0.0v	0.0v	47.3v	0.0v	0.0v	0.0v	0.0v	289.29v
120	Mr RH Gardiner	O	74.10v	70.6v	46.1v	49.6v	0.0v	0.0v	50.5v	0.0v	0.0v	0.0v	0.0v	289.28v
121	Mr R Woodger	A	73.10v	68.3v	50.6v	48.2v	0.0v	0.0v	50.7v	0.0v	0.0v	0.0v	0.0v	289.28v
122	Mr M Cooper	X	74.7v	70.6v	49.6v	47.2v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	289.28v
123	Mr M Neal	O	73.8v	70.6v	47.3v	49.5v	0.0v	0.0v	50.5v	0.0v	0.0v	0.0v	0.0v	289.27v
124	Mr JI Thombora	X	72.7v	73.8v	47.3v	47.3v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	289.27v
125	Mr TM Stevenson	X	72.8v	72.4v	49.5v	48.7v	0.0v	0.0v	48.3v	0.0v	0.0v	0.0v	0.0v	289.27v
126	Mr PJ Chapman-Sheath	X	73.9v	72.6v	48.5v	49.2v	0.0v	0.0v	47.5v	0.0v	0.0v	0.0v	0.0v	289.27v
127	Mr P De Voil	X	72.7v	74.10v	47.3v	47.4v	0.0v	0.0v	49.3v	0.0v	0.0v	0.0v	0.0v	289.27v
128	Mr RR Grisenthwaite	O	73.8v	74.6v	48.3v	46.4v	0.0v	0.0v	48.6v	0.0v	0.0v	0.0v	0.0v	289.27v
129	Cdt A Todd	O	72.5v	71.7v	48.5v	50.4v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	289.26v
130	Cdt HMC Ardern	T	73.7v	72.4v	48.5v	47.3v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	289.26v
131	Mr SJ Cane	O	71.5v	74.8v	48.4v	47.4v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	289.26v
132	Miss AMG Ogilvie	A	74.7v	70.4v	48.2v	49.6v	0.0v	0.0v	48.6v	0.0v	0.0v	0.0v	0.0v	289.25v
133	Mr LMD Cheek	A	73.6v	72.9v	47.3v	48.4v	0.0v	0.0v	49.3v	0.0v	0.0v	0.0v	0.0v	289.25v
134	Mr KB Hill	X	75.4v	72.6v	46.4v	46.5v	0.0v	0.0v	50.6v	0.0v	0.0v	0.0v	0.0v	289.25v
135	Mr L O'flynn	O	71.6v	74.6v	48.3v	47.3v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	289.25v
136	Mr J Cload	O	74.10v	69.4v	50.5v	47.1v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	289.25v
137	Mr TA Ringer	X	74.10v	74.6v	45.3v	47.1v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	289.25v
138	Mr S Sharma	O	74.10v	70.4v	49.4v	48.0v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	289.23v
139	Mr EWV Feast	A	74.7v	72.6v	49.3v	47.3v	0.0v	0.0v	47.3v	0.0v	0.0v	0.0v	0.0v	289.22v
140	Miss K Fleck	O	74.8v	71.4v	49.3v	49.2v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	289.20v
141	Mr PM Hakim	X	72.9v	71.8v	49.6v	46.3v	0.0v	0.0v	50.10v	0.0v	0.0v	0.0v	0.0v	288.36v
142	Mr RM Roberts	X	74.12v	72.8v	46.5v	49.6v	0.0v	0.0v	47.5v	0.0v	0.0v	0.0v	0.0v	288.36v
143	Mr MCJ Button	X	73.10v	73.8v	48.8v	45.4v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	288.35v
144	Mr S Harding	X	75.12v	72.10v	48.6v	45.4v	0.0v	0.0v	48.3v	0.0v	0.0v	0.0v	0.0v	288.35v
145	Mr TL Bedwell	A	75.11v	72.7v	49.8v	43.3v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	288.35v
146	Mr G Woodman	A	75.9v	72.9v	45.2v	48.8v	0.0v	0.0v	48.6v	0.0v	0.0v	0.0v	0.0v	288.34v
147	Mr R Birtwistle	X	73.9v	72.6v	47.6v	47.4v	0.0v	0.0v	49.8v	0.0v	0.0v	0.0v	0.0v	288.33v
148	Mr J Bullock	O	73.9v	74.10v	47.4v	45.4v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	288.33v
149	Mr DS Murray	X	75.9v	72.8v	44.4v	49.5v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	288.31v
150	Mr LM Peden	A	74.8v	73.7v	46.5v	45.2v	0.0v	0.0v	50.8v	0.0v	0.0v	0.0v	0.0v	288.30v
151	Mr B Langille	X	72.10v	72.6v	49.5v	47.4v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	288.30v
152	Ms AC Lohnes	O	74.9v	73.9v	46.4v	45.3v	0.0v	0.0v	50.5v	0.0v	0.0v	0.0v	0.0v	288.30v
153	Mr ITR Jobling	O	75.10v	70.3v	50.6v	46.6v	0.0v	0.0v	47.5v	0.0v	0.0v	0.0v	0.0v	288.30v
154	Cdt F Grenier	T	71.7v	70.8v	50.4v	48.7v	0.0v	0.0v	49.3v	0.0v	0.0v	0.0v	0.0v	288.29v
155	Mr SD Fulmer	X	73.7v	72.7v	48.7v	47.4v	0.0v	0.0v	48.4v	0.0v	0.0v	0.0v	0.0v	288.29v
156	Mr DGM Coleman	X	74.8v	70.7v	50.7v	46.2v	0.0v	0.0v	48.5v	0.0v	0.0v	0.0v	0.0v	288.29v
157	Mr D Lowe	A	73.7v	70.3v	48.6v	50.6v	0.0v	0.0v	47.6v	0.0v	0.0v	0.0v	0.0v	288.28v
158	Mr J Phillipps	X	71.7v	72.6v	49.6v	47.3v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	288.28v
159	Mr SC Williamson	A	75.9v	71.5v	49.6v	47.4v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	0.0v	288.28v
160	Mr PB Bromley	X	74.5v	72.7v	50.6v	44.4v	0.0v	0.0v	48.6v	0.0v	0.0v	0.0v	0.0v	288.28v
161	Mr GC Childs	A	74.7v	74.7v	49.5v	43.6v	0.0v	0.0v	48.3v	0.0v	0.0v	0.0v	0.0v	288.28v
162	Mr RW Hallows	X	74.10v	72.4v	46.2v	47.4v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	288.27v

















643 Mr C Smith	T	67.4v	66.4v	41.1v	49.5v	0.0v	0.0v	43.3v	0.0v	0.0v	0.0v	0.0v	266.17v
644 Mr MK Keel	T	68.7v	62.1v	44.2v	45.1v	0.0v	0.0v	47.5v	0.0v	0.0v	0.0v	0.0v	266.16v
645 Mr RK Sheead	A	69.6v	64.2v	42.1v	44.2v	0.0v	0.0v	47.5v	0.0v	0.0v	0.0v	0.0v	266.16v
646 Mr ND Gomez	O	73.5v	63.2v	35.0v	49.3v	0.0v	0.0v	46.2v	0.0v	0.0v	0.0v	0.0v	266.12v
647 Mr H Emck	O	69.5v	65.2v	43.0v	42.3v	0.0v	0.0v	47.2v	0.0v	0.0v	0.0v	0.0v	266.12v
648 Cdt KH Redpath	T	67.2v	72.5v	43.0v	44.2v	0.0v	0.0v	40.1v	0.0v	0.0v	0.0v	0.0v	266.10v
649 Mr PJ Holden	O	70.0v	64.1v	42.1v	46.4v	0.0v	0.0v	44.0v	0.0v	0.0v	0.0v	0.0v	266.6v
650 Lt AG Stewart	T	69.6v	72.8v	37.1v	50.6v	0.0v	0.0v	37.1v	0.0v	0.0v	0.0v	0.0v	265.22v
651 Mr WJ Slatford	T	71.6v	72.6v	44.4v	46.2v	0.0v	0.0v	32.1v	0.0v	0.0v	0.0v	0.0v	265.19v
652 Mr D Neal	O	61.3v	70.5v	47.3v	44.3v	0.0v	0.0v	43.4v	0.0v	0.0v	0.0v	0.0v	265.18v
653 Mr JAH Nicholls	T	65.3v	69.5v	44.2v	46.3v	0.0v	0.0v	41.2v	0.0v	0.0v	0.0v	0.0v	265.15v
654 Mr E Woodall	X	70.7v	66.3v	46.1v	40.2v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	0.0v	265.15v
655 Wg. Cdr. MJ Gregory	O	66.3v	66.1v	41.3v	43.1v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	265.14v
656 Cpl J Rowe	T	66.3v	68.3v	40.1v	45.3v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	0.0v	265.14v
657 Mr PD Pelly	O	59.0v	71.5v	48.4v	41.2v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	265.14v
658 Miss B Fraser-Burn	O	67.4v	64.2v	47.3v	44.0v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	0.0v	265.11v
659 Mr OJ Hughes	T	69.7v	69.7v	35.0v	46.2v	0.0v	0.0v	45.2v	0.0v	0.0v	0.0v	0.0v	264.18v
660 Miss EMG Robertson	O	74.7v	60.0v	40.2v	43.3v	0.0v	0.0v	47.3v	0.0v	0.0v	0.0v	0.0v	264.15v
661 Mr SA Ching	T	68.4v	65.3v	47.4v	47.3v	0.0v	0.0v	37.1v	0.0v	0.0v	0.0v	0.0v	264.15v
662 Cpl P Paudyal	T	68.6v	62.3v	44.2v	45.1v	0.0v	0.0v	45.2v	0.0v	0.0v	0.0v	0.0v	264.14v
663 Mr NW Penn	O	62.1v	65.1v	44.4v	46.3v	0.0v	0.0v	47.3v	0.0v	0.0v	0.0v	0.0v	264.12v
664 Mr JE Fraser	O	68.3v	69.2v	42.1v	40.3v	0.0v	0.0v	45.2v	0.0v	0.0v	0.0v	0.0v	264.11v
665 Mr A Koffmann	T	66.1v	67.4v	46.4v	44.2v	0.0v	0.0v	41.0v	0.0v	0.0v	0.0v	0.0v	264.11v
666 Mr J Oakland	T	68.3v	66.1v	39.0v	45.4v	0.0v	0.0v	46.1v	0.0v	0.0v	0.0v	0.0v	264.9v
667 Cdt A Shine	T	65.1v	66.2v	46.3v	43.1v	0.0v	0.0v	44.1v	0.0v	0.0v	0.0v	0.0v	264.8v
668 Cdt J Fifield	T	73.4v	68.3v	40.2v	41.5v	0.0v	0.0v	41.2v	0.0v	0.0v	0.0v	0.0v	263.16v
669 Mrs C Snowden	X	67.2v	65.4v	41.2v	44.4v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	263.15v
670 Mr N Mringie	X	71.5v	68.4v	34.0v	48.4v	0.0v	0.0v	42.2v	0.0v	0.0v	0.0v	0.0v	263.15v
671 Mr J Burch	T	69.8v	68.3v	38.0v	43.2v	0.0v	0.0v	45.2v	0.0v	0.0v	0.0v	0.0v	263.15v
672 Mr B Harrigan	O	66.2v	68.5v	41.1v	49.4v	0.0v	0.0v	39.0v	0.0v	0.0v	0.0v	0.0v	263.12v
673 Mr TD De La Cour	X	70.5v	63.1v	44.1v	41.3v	0.0v	0.0v	45.2v	0.0v	0.0v	0.0v	0.0v	263.12v
674 Mr E Chambers	T	66.2v	67.2v	45.3v	45.4v	0.0v	0.0v	40.0v	0.0v	0.0v	0.0v	0.0v	263.11v
675 Mr CSJ Marlow	O	70.7v	67.2v	36.1v	40.3v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	262.20v
676 Mr CB Stone	O	70.6v	65.5v	36.2v	45.2v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	262.18v
677 Mr CW Dale	T	71.8v	64.3v	42.1v	38.0v	0.0v	0.0v	47.5v	0.0v	0.0v	0.0v	0.0v	262.17v
678 Cdt A Fata	T	69.4v	66.3v	38.3v	46.3v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	0.0v	262.15v
679 Mr IF Luckman	O	73.5v	58.1v	45.1v	40.0v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	0.0v	262.11v
680 Mr H Mayne	T	67.6v	71.4v	42.2v	35.0v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	261.15v
681 Mr AJD Saunders	O	63.2v	68.4v	39.1v	46.2v	0.0v	0.0v	45.5v	0.0v	0.0v	0.0v	0.0v	261.14v
682 Miss V Carman	T	71.5v	67.3v	41.1v	49.4v	0.0v	0.0v	33.0v	0.0v	0.0v	0.0v	0.0v	261.13v
683 LCpl A Wiseman	T	64.3v	68.3v	41.1v	46.2v	0.0v	0.0v	42.2v	0.0v	0.0v	0.0v	0.0v	261.11v
684 Mr AC Barrell	O	69.6v	67.3v	45.0v	35.1v	0.0v	0.0v	45.1v	0.0v	0.0v	0.0v	0.0v	261.11v
685 Miss N Pasternak Albert	T	71.7v	61.4v	45.2v	39.3v	0.0v	0.0v	44.2v	0.0v	0.0v	0.0v	0.0v	260.18v
686 Miss JC Westall	T	67.2v	62.2v	45.4v	43.4v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	0.0v	260.14v
687 Mr EM Brice	O	70.4v	62.1v	42.3v	44.1v	0.0v	0.0v	42.1v	0.0v	0.0v	0.0v	0.0v	260.10v
688 Ms O Ross	T	67.2v	64.2v	45.2v	44.3v	0.0v	0.0v	40.1v	0.0v	0.0v	0.0v	0.0v	260.10v
689 Cpl K Hines	T	65.0v	69.1v	46.3v	37.0v	0.0v	0.0v	43.5v	0.0v	0.0v	0.0v	0.0v	260.9v
690 Mr E Parkins	T	65.4v	70.6v	45.2v	34.2v	0.0v	0.0v	45.3v	0.0v	0.0v	0.0v	0.0v	259.17v
691 Cdt N Ertl	T	69.6v	61.1v	43.2v	46.3v	0.0v	0.0v	40.3v	0.0v	0.0v	0.0v	0.0v	259.15v
692 Mr MP Perez	O	73.8v	69.4v	45.1v	27.0v	0.0v	0.0v	45.2v	0.0v	0.0v	0.0v	0.0v	259.15v
693 Mr JA Hopkins	O	59.0v	66.2v	44.2v	43.1v	0.0v	0.0v	47.1v	0.0v	0.0v	0.0v	0.0v	259.6v
694 Mr J de Bruijn	X	71.5v	69.4v	43.3v	29.1v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	0.0v	258.17v
695 Mr WT Kemsley	T	70.5v	65.2v	37.2v	40.2v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	258.14v
696 Mr RJ Cade	O	70.4v	58.1v	48.4v	46.3v	0.0v	0.0v	36.2v	0.0v	0.0v	0.0v	0.0v	258.14v
697 Mr WR Hinton	O	68.3v	65.3v	43.2v	43.3v	0.0v	0.0v	39.1v	0.0v	0.0v	0.0v	0.0v	258.12v
698 Mr SJ Bates	O	63.1v	64.2v	41.2v	44.2v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	258.10v
699 Mr C Herter	O	65.3v	61.0v	46.1v	41.2v	0.0v	0.0v	45.2v	0.0v	0.0v	0.0v	0.0v	258.8v
700 LCpl RP McGowan	T	68.4v	60.2v	44.1v	39.0v	0.0v	0.0v	47.1v	0.0v	0.0v	0.0v	0.0v	258.8v
701 Dr K Genders	O	72.6v	72.9v	45.3v	46.2v	0.0v	0.0v	22.1v	0.0v	0.0v	0.0v	0.0v	257.21v
702 Mr HDL Turnbull-Hall	T	70.6v	66.2v	39.3v	39.1v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	0.0v	257.14v



