

NRA 150th Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	PoW	Lovell	Corp	Total	
1	Mr GCD Barnett	X	75.12v	74.7v	50.8v	50.5v	50.9v	49.7v	47.3v	74.13v	0.0v	0.0v	0.0v	48.4v	517.68v
2	Mr ANR Walker	X	74.10v	74.10v	47.4v	49.5v	50.8v	50.7v	49.5v	75.13v	0.0v	0.0v	0.0v	47.5v	515.67v
3	Mr D Brewster	X	75.8v	74.11v	50.8v	45.3v	49.8v	50.5v	47.5v	75.10v	0.0v	0.0v	0.0v	50.2v	515.60v
4	Mr SA Thomas	X	73.10v	73.7v	49.8v	49.6v	50.5v	50.5v	49.3v	74.8v	0.0v	0.0v	0.0v	48.5v	515.57v
5	Mr MRM Millar	X	74.11v	72.8v	50.6v	49.5v	50.4v	50.5v	50.7v	73.7v	0.0v	0.0v	0.0v	47.2v	515.55v
6	Mr CJ Watson	X	74.6v	73.6v	50.7v	48.4v	48.6v	49.4v	50.7v	74.8v	0.0v	0.0v	0.0v	49.4v	515.52v
7	Miss EJ Nuttall	X	75.9v	73.8v	49.8v	49.3v	50.8v	48.6v	50.7v	73.9v	0.0v	0.0v	0.0v	47.5v	514.63v
8	Mr DC Luckman	X	75.13v	73.5v	49.4v	47.4v	50.7v	50.6v	49.7v	72.5v	0.0v	0.0v	0.0v	49.7v	514.58v
9	Mr J Corbett	X	75.13v	74.9v	47.6v	47.4v	50.8v	50.7v	50.8v	75.13v	0.0v	0.0v	0.0v	45.4v	513.72v
10	Mr THD Dodds	A	73.10v	74.5v	48.5v	49.6v	50.9v	49.6v	48.5v	74.13v	0.0v	0.0v	0.0v	48.4v	513.63v
11	Mr T Drysdale	X	74.8v	75.9v	48.6v	48.7v	47.6v	50.6v	49.5v	73.9v	0.0v	0.0v	0.0v	49.5v	513.61v
12	Mr JC Underwood	X	74.7v	74.8v	48.2v	49.3v	50.6v	50.8v	47.4v	75.10v	0.0v	0.0v	0.0v	46.4v	513.52v
13	Mr R Johansen	X	75.6v	73.7v	48.2v	48.6v	50.8v	50.3v	50.6v	73.10v	0.0v	0.0v	0.0v	46.2v	513.50v
14	Miss JH Messer	X	73.5v	73.10v	46.3v	50.5v	50.6v	50.9v	50.9v	74.12v	0.0v	0.0v	0.0v	46.5v	512.64v
15	Mr LR Braithwaite	X	74.10v	73.11v	49.7v	46.3v	50.9v	49.6v	49.7v	73.6v	0.0v	0.0v	0.0v	49.3v	512.62v
16	Dr JD Warburton	X	74.8v	74.9v	50.8v	48.4v	46.3v	48.6v	49.7v	73.10v	0.0v	0.0v	0.0v	50.5v	512.60v
17	Mr GA Cann	X	73.10v	73.5v	48.6v	46.3v	50.4v	49.7v	50.9v	75.12v	0.0v	0.0v	0.0v	48.1v	512.57v
18	Mr BMA Stevens	A	74.6v	74.10v	49.4v	49.3v	50.7v	49.5v	48.7v	75.10v	0.0v	0.0v	0.0v	44.4v	512.56v
19	Mr WF Livesey	A	74.6v	72.7v	50.7v	49.5v	49.6v	49.3v	50.6v	74.9v	0.0v	0.0v	0.0v	45.5v	512.54v
20	Mr J Snowden	X	72.11v	75.12v	49.7v	48.6v	48.7v	49.4v	49.6v	74.9v	0.0v	0.0v	0.0v	47.6v	511.68v
21	Dr PD Sykes	X	74.12v	73.7v	50.7v	43.1v	50.9v	50.7v	49.5v	74.14v	0.0v	0.0v	0.0v	48.4v	511.66v
22	Mr AD Hunter	X	73.9v	71.8v	48.5v	49.5v	50.7v	49.4v	50.9v	74.8v	0.0v	0.0v	0.0v	47.4v	511.59v
23	Mr TW Tatchell	X	74.11v	74.10v	49.7v	48.4v	48.5v	50.7v	50.3v	73.9v	0.0v	0.0v	0.0v	45.2v	511.58v
24	Mr HJ Golaszewski	X	74.9v	72.8v	49.8v	48.4v	48.4v	49.4v	49.6v	73.9v	0.0v	0.0v	0.0v	49.5v	511.57v
25	Mr M Pozzebon	X	75.6v	72.4v	49.7v	47.5v	49.6v	50.8v	48.5v	73.8v	0.0v	0.0v	0.0v	48.5v	511.54v
26	Mr CN Tremlett	X	75.10v	74.7v	50.5v	46.3v	49.6v	50.7v	48.5v	72.7v	0.0v	0.0v	0.0v	47.4v	511.54v
27	Mr RSF Shouler	X	75.9v	71.7v	48.6v	49.7v	50.8v	48.5v	49.7v	73.12v	0.0v	0.0v	0.0v	47.5v	510.66v
28	Mr P Patel	X	74.12v	74.6v	49.6v	46.3v	50.5v	49.8v	50.10v	73.12v	0.0v	0.0v	0.0v	45.3v	510.65v
29	Mr PM Jory	X	73.11v	74.7v	48.7v	49.6v	49.8v	47.5v	50.6v	74.10v	0.0v	0.0v	0.0v	46.4v	510.64v
30	Mrs N Rossignol	X	73.10v	72.10v	49.2v	49.5v	50.8v	48.7v	48.6v	75.11v	0.0v	0.0v	0.0v	46.4v	510.63v
31	Mr DC Crispin	X	74.13v	73.10v	49.7v	47.1v	49.7v	48.3v	49.6v	74.8v	0.0v	0.0v	0.0v	47.5v	510.60v
32	Mr N Cole-Hawkins	A	75.12v	73.8v	50.4v	47.4v	50.10v	48.3v	47.4v	74.9v	0.0v	0.0v	0.0v	46.4v	510.58v
33	Mr DR Le Quesne	X	72.6v	73.9v	48.2v	47.5v	50.7v	48.6v	50.9v	75.10v	0.0v	0.0v	0.0v	47.3v	510.57v
34	Mid CE Mawson	A	75.10v	72.6v	46.3v	49.5v	50.9v	48.5v	48.7v	75.12v	0.0v	0.0v	0.0v	47.0v	510.57v
35	Mr KM Mccamley	O	75.10v	73.8v	50.6v	47.3v	50.6v	48.6v	50.8v	73.7v	0.0v	0.0v	0.0v	44.3v	510.57v
36	Dr AM Jory	X	75.7v	75.9v	49.8v	47.5v	49.6v	48.2v	49.7v	71.9v	0.0v	0.0v	0.0v	47.3v	510.56v
37	Mr ERT Jeens	X	73.8v	75.8v	50.6v	46.3v	48.3v	50.7v	49.5v	72.10v	0.0v	0.0v	0.0v	47.5v	510.55v
38	Dr H Day	X	74.9v	72.7v	50.5v	48.5v	48.6v	50.5v	49.5v	74.10v	0.0v	0.0v	0.0v	45.3v	510.55v
39	SSgt RH Kitson	A	74.11v	72.9v	50.4v	50.8v	49.5v	50.6v	49.5v	71.5v	0.0v	0.0v	0.0v	45.1v	510.54v
40	Mr S Mackey	X	73.6v	71.7v	50.8v	48.6v	49.5v	50.6v	48.4v	74.10v	0.0v	0.0v	0.0v	47.1v	510.53v
41	Mr C Fitzpatrick	X	74.10v	74.5v	50.7v	50.5v	46.2v	48.7v	49.4v	74.10v	0.0v	0.0v	0.0v	45.2v	510.52v
42	Mr JW Alexander	X	72.11v	73.5v	50.8v	50.6v	50.9v	50.9v	45.1v	72.9v	0.0v	0.0v	0.0v	47.6v	509.64v
43	Mr J Brooking	X	74.10v	73.9v	46.2v	46.6v	50.8v	49.7v	50.5v	74.12v	0.0v	0.0v	0.0v	47.5v	509.64v

44	Mr C Gordon	X	74.9v	74.9v	49.6v	46.3v	50.7v	50.7v	49.6v	73.12v	0.0v	0.0v	0.0v	44.5v	509.64v
45	Mr MCJ Button	X	73.10v	73.8v	48.8v	45.4v	49.7v	49.6v	49.5v	75.11v	0.0v	0.0v	0.0v	48.4v	509.63v
46	Mr C Mitchell	X	73.9v	73.10v	50.6v	49.5v	48.8v	49.6v	49.3v	75.14v	0.0v	0.0v	0.0v	43.1v	509.62v
47	Mr M Horsnell	X	75.9v	72.9v	50.6v	47.4v	48.6v	48.5v	47.5v	73.8v	0.0v	0.0v	0.0v	49.5v	509.57v
48	Mr K Ramsey	X	74.8v	71.6v	49.4v	48.6v	50.7v	48.4v	50.6v	75.13v	0.0v	0.0v	0.0v	44.3v	509.57v
49	Mr S Belither	X	74.10v	73.8v	50.6v	45.4v	48.5v	50.5v	48.5v	73.9v	0.0v	0.0v	0.0v	48.4v	509.56v
50	Mr JAM Paton	X	73.12v	74.7v	48.5v	48.7v	49.5v	50.7v	49.4v	72.7v	0.0v	0.0v	0.0v	46.2v	509.56v
51	Mr ORW Russell	X	74.9v	73.8v	50.5v	44.1v	49.5v	46.1v	50.10v	75.12v	0.0v	0.0v	0.0v	48.4v	509.55v
52	Mr NJ Ball	X	74.6v	73.11v	49.5v	48.5v	50.7v	49.5v	50.6v	75.10v	0.0v	0.0v	0.0v	41.0v	509.55v
53	Mr MJ Purdy	X	75.8v	73.7v	46.1v	49.7v	49.5v	49.6v	49.6v	72.9v	0.0v	0.0v	0.0v	47.5v	509.54v
54	Cdt A Todd	O	72.5v	71.7v	48.5v	50.4v	49.4v	50.5v	48.5v	72.10v	0.0v	0.0v	0.0v	49.4v	509.49v
55	Mr AP Barnes	A	73.4v	72.4v	49.5v	48.5v	49.5v	47.3v	50.6v	73.7v	0.0v	0.0v	0.0v	48.5v	509.44v
56	Mr EC Dickson	X	74.12v	71.10v	49.2v	49.7v	49.5v	43.3v	50.6v	75.12v	0.0v	0.0v	0.0v	48.4v	508.61v
57	Mr SE Young	A	71.6v	73.9v	48.5v	48.4v	49.7v	50.9v	47.5v	73.6v	0.0v	0.0v	0.0v	49.8v	508.59v
58	Mr R Birtwistle	X	73.9v	72.6v	47.6v	47.4v	50.6v	48.4v	49.8v	72.9v	0.0v	0.0v	0.0v	50.6v	508.58v
59	Maj AW Gill	X	75.13v	73.3v	49.5v	46.3v	46.5v	48.6v	48.8v	74.8v	0.0v	0.0v	0.0v	49.7v	508.58v
60	Mr HAD Howard	X	75.10v	71.10v	48.3v	47.6v	50.4v	47.4v	50.7v	74.10v	0.0v	0.0v	0.0v	46.4v	508.58v
61	Mr NNT Kerins	X	74.10v	73.8v	46.3v	48.5v	50.6v	49.6v	49.7v	72.8v	0.0v	0.0v	0.0v	47.4v	508.57v
62	Mr GE Grosskreutz	X	74.7v	73.9v	49.4v	47.3v	49.6v	48.4v	49.7v	74.12v	0.0v	0.0v	0.0v	45.4v	508.56v
63	Mr A Fitzpatrick	X	74.9v	73.7v	48.2v	48.5v	49.8v	49.6v	47.4v	72.8v	0.0v	0.0v	0.0v	48.6v	508.55v
64	Miss C Halleran	O	75.8v	75.10v	47.5v	44.3v	50.5v	49.5v	47.3v	72.8v	0.0v	0.0v	0.0v	49.6v	508.53v
65	Mr RJ McQuillan	A	75.6v	69.5v	50.9v	48.7v	49.3v	49.6v	49.6v	75.9v	0.0v	0.0v	0.0v	44.2v	508.53v
66	Miss HP McCullough	X	74.10v	72.8v	46.4v	49.6v	50.5v	48.4v	50.2v	74.10v	0.0v	0.0v	0.0v	45.2v	508.51v
67	Lt B Fung	A	73.8v	71.7v	49.7v	50.5v	50.5v	47.5v	47.3v	75.8v	0.0v	0.0v	0.0v	46.2v	508.50v
68	Mr E Gauvin	X	75.10v	72.5v	49.5v	48.1v	47.5v	47.7v	48.6v	74.9v	0.0v	0.0v	0.0v	48.1v	508.49v
69	Mr PA Maher	X	73.9v	70.6v	49.6v	49.3v	47.2v	49.2v	49.6v	74.10v	0.0v	0.0v	0.0v	48.3v	508.47v
70	Mr PJ Chapman-Sheath	X	73.9v	72.6v	48.5v	49.2v	49.4v	49.5v	47.5v	73.4v	0.0v	0.0v	0.0v	48.6v	508.46v
71	Mr D Rose	X	74.7v	73.6v	48.6v	46.4v	49.4v	49.6v	49.3v	73.8v	0.0v	0.0v	0.0v	47.1v	508.45v
72	Wg. Cdr. DP Calvert	X	73.11v	74.7v	49.7v	48.7v	49.6v	48.7v	48.5v	74.10v	0.0v	0.0v	0.0v	44.3v	507.63v
73	Mr ITG Shaw	X	75.11v	74.10v	50.7v	45.2v	49.5v	48.7v	48.2v	74.12v	0.0v	0.0v	0.0v	44.5v	507.61v
74	Mr RJS Curtis	X	75.9v	69.7v	50.6v	42.1v	50.8v	49.6v	50.8v	74.9v	0.0v	0.0v	0.0v	48.6v	507.60v
75	Dr JO Ahrens	X	75.14v	69.5v	50.5v	47.3v	50.5v	48.4v	48.5v	75.13v	0.0v	0.0v	0.0v	45.3v	507.57v
76	Mr RW Sandlant	A	71.10v	70.6v	50.8v	48.6v	48.6v	49.5v	50.6v	74.6v	0.0v	0.0v	0.0v	47.3v	507.56v
77	Mr RC Oxford	X	75.11v	71.5v	46.2v	48.5v	50.8v	50.6v	47.4v	74.12v	0.0v	0.0v	0.0v	46.2v	507.55v
78	Mr SJ East	A	75.14v	75.6v	48.6v	42.2v	48.6v	49.4v	49.7v	75.8v	0.0v	0.0v	0.0v	46.2v	507.55v
79	Mr J Wallace	O	74.9v	71.8v	50.3v	46.3v	49.7v	48.4v	47.2v	74.10v	0.0v	0.0v	0.0v	48.7v	507.53v
80	Cpl CH Cuming	O	74.9v	74.9v	47.5v	49.5v	49.5v	48.4v	48.5v	73.8v	0.0v	0.0v	0.0v	45.3v	507.53v
81	Mr JBG Shepherd	O	73.8v	71.6v	49.5v	49.2v	50.8v	49.7v	48.3v	72.9v	0.0v	0.0v	0.0v	46.4v	507.52v
82	Mr JEM Bellringer	X	74.8v	72.8v	49.6v	45.4v	50.7v	48.5v	50.2v	72.9v	0.0v	0.0v	0.0v	47.2v	507.51v
83	Mr J Pugsley	X	74.9v	74.8v	48.5v	46.1v	50.7v	48.4v	45.2v	75.11v	0.0v	0.0v	0.0v	47.3v	507.50v
84	Major AR McLeod	X	74.8v	71.6v	48.7v	47.3v	49.5v	49.2v	50.6v	74.9v	0.0v	0.0v	0.0v	45.4v	507.50v
85	Mr C Dart	A	73.10v	70.7v	49.3v	48.3v	48.5v	49.3v	50.6v	73.9v	0.0v	0.0v	0.0v	47.3v	507.49v
86	Mr P Holden	X	72.9v	72.6v	47.5v	46.3v	50.6v	50.6v	49.4v	74.7v	0.0v	0.0v	0.0v	47.3v	507.49v
87	Lt Col A Bell	X	72.9v	73.7v	48.5v	47.3v	49.5v	49.4v	48.6v	75.9v	0.0v	0.0v	0.0v	46.1v	507.49v
88	Mr DA Richardson	X	72.8v	70.5v	50.4v	46.4v	49.3v	47.6v	50.5v	73.8v	0.0v	0.0v	0.0v	50.5v	507.48v
89	Mr JRW Postle	A	74.9v	69.4v	49.5v	45.1v	49.4v	50.4v	49.5v	75.9v	0.0v	0.0v	0.0v	47.5v	507.46v
90	Mr T Keen	X	73.8v	69.4v	47.5v	50.6v	50.5v	49.2v	48.5v	73.7v	0.0v	0.0v	0.0v	48.3v	507.45v
91	Mr R Woodger	A	73.10v	68.3v	50.6v	48.2v	49.4v	48.3v	50.7v	75.9v	0.0v	0.0v	0.0v	46.1v	507.45v
92	Mr D Clark	O	74.4v	74.9v	47.2v	46.5v	50.5v	48.3v	50.7v	71.7v	0.0v	0.0v	0.0v	47.2v	507.44v
93	Miss AMG Ogilvie	A	74.7v	70.4v	48.2v	49.6v	50.5v	49.2v	48.6v	74.9v	0.0v	0.0v	0.0v	45.0v	507.41v
94	Mr SM Negus	X	74.13v	73.10v	46.2v	47.5v	49.8v	47.5v	49.7v	73.8v	0.0v	0.0v	0.0v	48.4v	506.62v
95	Mr TP Hammond	A	74.11v	69.3v	49.6v	46.3v	49.5v	48.5v	49.5v	74.13v	0.0v	0.0v	0.0v	48.8v	506.59v
96	Mr SME Hayton	O	75.15v	72.7v	47.2v	48.4v	48.6v	47.6v	49.5v	74.10v	0.0v	0.0v	0.0v	46.4v	506.59v
97	Mr JP Tapster	X	74.8v	71.8v	50.6v	49.2v	49.5v	49.8v	48.5v	75.11v	0.0v	0.0v	0.0v	41.3v	506.56v
98	Dr JDS Langley	X	71.8v	72.9v	49.6v	50.4v	50.3v	46.3v	48.7v	74.10v	0.0v	0.0v	0.0v	46.5v	506.55v
99	Mr AJ Haggerty	A	74.10v	73.4v	50.6v	48.4v	48.8v	50.6v	46.4v	73.8v	0.0v	0.0v	0.0v	44.3v	506.53v
100	Mr J Cload	O	74.10v	69.4v	50.5v	47.1v	48.8v	50.7v	49.5v	74.10v	0.0v	0.0v	0.0v	45.2v	506.52v
101	Mr JA Lindsay III	A	71.6v	73.10v	49.5v	49.6v	50.3v	48.4v	49.6v	74.6v	0.0v	0.0v	0.0v	43.2v	506.48v
102	Mr RH Gardiner	O	74.10v	70.6v	46.1v	49.6v	50.5v	48.3v	50.5v	72.8v	0.0v	0.0v	0.0v	47.3v	506.47v

103	Dr CD Haley	X	73.9v	74.9v	49.2v	47.4v	47.3v	49.5v	49.4v	74.7v	0.0v	0.0v	0.0v	44.4v	506.47v
104	Miss EJ Cannings	A	73.6v	74.3v	46.3v	44.4v	50.6v	49.6v	50.9v	72.6v	0.0v	0.0v	0.0v	48.3v	506.46v
105	Mr C Rivett-Carnac	X	75.8v	70.3v	48.4v	47.4v	47.4v	48.6v	48.3v	74.7v	0.0v	0.0v	0.0v	49.6v	506.45v
106	Mr MG Whicher	X	73.6v	72.4v	48.4v	50.6v	48.6v	50.1v	49.6v	71.6v	0.0v	0.0v	0.0v	45.3v	506.42v
107	Mr NRJ Brasier	X	73.11v	74.8v	48.5v	48.6v	49.7v	49.6v	48.6v	70.6v	0.0v	0.0v	0.0v	46.4v	505.59v
108	Mr TL Bedwell	A	75.11v	72.7v	49.8v	43.3v	49.4v	48.5v	49.6v	73.8v	0.0v	0.0v	0.0v	47.6v	505.58v
109	Mr S Whitby	X	73.12v	70.3v	48.2v	49.8v	50.8v	47.3v	49.6v	74.11v	0.0v	0.0v	0.0v	45.4v	505.57v
110	Mr E Praslick	X	74.10v	72.7v	47.4v	48.3v	48.5v	50.6v	50.7v	71.9v	0.0v	0.0v	0.0v	45.3v	505.54v
111	Mr H Wong Shui	A	73.8v	70.5v	50.7v	47.4v	49.8v	49.3v	47.5v	72.8v	0.0v	0.0v	0.0v	48.4v	505.52v
112	Mr ER Welford	O	73.7v	72.9v	50.7v	47.3v	47.3v	49.7v	47.3v	72.10v	0.0v	0.0v	0.0v	48.3v	505.52v
113	Mr T Johnston	A	70.7v	74.8v	50.5v	48.6v	48.3v	47.4v	50.5v	71.8v	0.0v	0.0v	0.0v	47.5v	505.51v
114	Mr OEJ Spencer	X	75.9v	72.7v	41.1v	49.2v	48.6v	49.5v	50.8v	74.9v	0.0v	0.0v	0.0v	47.4v	505.51v
115	Mr B Mehrtens	X	73.9v	74.9v	46.2v	45.2v	50.7v	47.5v	48.4v	74.9v	0.0v	0.0v	0.0v	48.3v	505.50v
116	Mr N Guernsey	X	75.11v	75.7v	49.5v	47.2v	50.4v	50.6v	44.4v	68.7v	0.0v	0.0v	0.0v	47.4v	505.50v
117	Mr P De Voil	X	72.7v	74.10v	47.3v	47.4v	50.8v	49.6v	49.3v	72.6v	0.0v	0.0v	0.0v	45.3v	505.50v
118	Mr LMD Cheek	A	73.6v	72.9v	47.3v	48.4v	50.5v	46.4v	49.3v	73.10v	0.0v	0.0v	0.0v	47.5v	505.49v
119	Mr SD Fulmer	X	73.7v	72.7v	48.7v	47.4v	50.3v	46.4v	48.4v	75.10v	0.0v	0.0v	0.0v	46.3v	505.49v
120	Mr PS Holmes	A	75.12v	71.5v	49.7v	47.3v	49.3v	49.5v	49.7v	70.5v	0.0v	0.0v	0.0v	46.2v	505.49v
121	Lady JM McQuillan	X	75.11v	75.3v	48.5v	45.3v	47.4v	48.5v	49.3v	74.10v	0.0v	0.0v	0.0v	44.3v	505.47v
122	Mr KB Hill	X	75.4v	72.6v	46.4v	46.5v	50.5v	47.4v	50.6v	71.6v	0.0v	0.0v	0.0v	48.4v	505.44v
123	Mr RM Hatcher	X	74.8v	71.6v	50.5v	47.3v	47.4v	47.3v	49.4v	72.8v	0.0v	0.0v	0.0v	48.3v	505.44v
124	Mr ADE Grounds	A	71.7v	71.3v	47.0v	50.6v	48.4v	48.5v	49.5v	73.8v	0.0v	0.0v	0.0v	48.4v	505.42v
125	Mr MI Buchanan	X	74.11v	72.9v	44.3v	46.3v	50.8v	49.7v	49.5v	72.9v	0.0v	0.0v	0.0v	48.5v	504.60v
126	Mrs RA Wiltshire	A	71.9v	73.7v	48.6v	46.2v	48.6v	50.7v	46.4v	74.12v	0.0v	0.0v	0.0v	48.5v	504.58v
127	Mr DAJ Talbot	A	73.8v	73.6v	49.6v	44.2v	49.7v	48.6v	47.3v	74.11v	0.0v	0.0v	0.0v	47.6v	504.55v
128	Mr GC Childs	A	74.7v	74.7v	49.5v	43.6v	49.9v	50.6v	48.3v	73.8v	0.0v	0.0v	0.0v	44.2v	504.53v
129	Mr JWE Lothian	A	75.12v	72.6v	46.3v	48.3v	50.5v	48.6v	48.7v	72.9v	0.0v	0.0v	0.0v	45.1v	504.52v
130	Air Cdre JA Ford	O	74.9v	70.7v	47.4v	48.3v	50.7v	48.5v	48.3v	75.12v	0.0v	0.0v	0.0v	44.2v	504.52v
131	Mr SJ Cane	O	71.5v	74.8v	48.4v	47.4v	48.7v	49.4v	49.5v	71.8v	0.0v	0.0v	0.0v	47.6v	504.51v
132	Mr PB Bromley	X	74.5v	72.7v	50.6v	44.4v	48.4v	48.4v	48.6v	71.8v	0.0v	0.0v	0.0v	49.6v	504.50v
133	Mr DG Young	X	74.9v	69.6v	48.5v	45.4v	50.8v	49.4v	50.6v	71.4v	0.0v	0.0v	0.0v	48.4v	504.50v
134	Dr G Stewart	A	73.7v	73.4v	49.7v	46.4v	49.5v	49.5v	50.7v	72.8v	0.0v	0.0v	0.0v	43.3v	504.50v
135	Mr IP Davison	X	75.7v	73.9v	49.5v	47.3v	48.6v	49.5v	44.2v	73.7v	0.0v	0.0v	0.0v	46.5v	504.49v
136	Mr JD Dixon	O	72.5v	73.6v	50.6v	47.2v	48.5v	50.6v	49.5v	71.8v	0.0v	0.0v	0.0v	44.4v	504.47v
137	Lt JW Jenkins	X	75.7v	73.8v	47.2v	48.5v	49.6v	49.4v	50.4v	72.9v	0.0v	0.0v	0.0v	41.2v	504.47v
138	Mrs GL Rantile	O	74.2v	73.7v	49.6v	48.4v	49.6v	49.5v	47.4v	72.8v	0.0v	0.0v	0.0v	43.3v	504.45v
139	Lcpl J Keates	A	74.9v	73.7v	48.4v	48.4v	47.3v	49.4v	47.3v	71.7v	0.0v	0.0v	0.0v	47.2v	504.43v
140	Mr S Sharma	O	74.10v	70.4v	49.4v	48.0v	48.4v	47.5v	48.5v	73.4v	0.0v	0.0v	0.0v	47.4v	504.40v
141	Mr HD Donovan	X	74.8v	69.5v	49.6v	45.0v	48.4v	49.3v	49.6v	74.5v	0.0v	0.0v	0.0v	47.2v	504.39v
142	Mr MA Kirkillo-Stacewicz	X	72.8v	70.7v	49.3v	46.2v	48.6v	48.6v	49.7v	72.10v	0.0v	0.0v	0.0v	49.6v	503.55v
143	Mr M Watkins	O	74.8v	70.8v	50.8v	44.2v	48.6v	49.5v	47.3v	74.9v	0.0v	0.0v	0.0v	47.6v	503.55v
144	Mr JM Taylor	X	74.8v	69.8v	48.8v	48.4v	47.6v	49.4v	50.4v	73.7v	0.0v	0.0v	0.0v	45.6v	503.55v
145	Mr S Osmond	X	74.9v	72.8v	48.4v	45.3v	50.10v	47.5v	48.4v	73.8v	0.0v	0.0v	0.0v	46.3v	503.54v
146	Mr B Langille	X	72.10v	72.6v	49.5v	47.4v	50.6v	49.5v	48.5v	74.12v	0.0v	0.0v	0.0v	42.1v	503.54v
147	Mr S Harding	X	75.12v	72.10v	48.6v	45.4v	48.5v	47.3v	48.3v	74.9v	0.0v	0.0v	0.0v	46.1v	503.53v
148	Mr M Liversage	X	73.9v	72.9v	48.4v	47.6v	49.3v	47.4v	49.7v	74.9v	0.0v	0.0v	0.0v	44.2v	503.53v
149	Mr ITR Jobling	O	75.10v	70.3v	50.6v	46.6v	49.4v	50.6v	47.5v	74.10v	0.0v	0.0v	0.0v	42.2v	503.52v
150	Miss H Freiman	X	74.9v	71.8v	48.5v	47.6v	48.5v	48.3v	49.2v	75.12v	0.0v	0.0v	0.0v	43.1v	503.51v
151	Mr MW Silver	X	73.11v	68.0v	49.7v	44.3v	48.3v	50.4v	49.5v	75.12v	0.0v	0.0v	0.0v	47.5v	503.50v
152	Mr WCP Richards	X	74.7v	73.9v	48.4v	46.2v	50.6v	47.6v	49.5v	72.8v	0.0v	0.0v	0.0v	44.3v	503.50v
153	Mr NC Mace	X	73.10v	71.6v	50.5v	44.2v	48.4v	47.3v	49.7v	74.8v	0.0v	0.0v	0.0v	47.3v	503.48v
154	Mr J Pepera-Hibbert	X	72.7v	69.4v	49.4v	46.3v	50.5v	48.6v	50.9v	73.7v	0.0v	0.0v	0.0v	46.3v	503.48v
155	Mr M Neal	O	73.8v	70.6v	47.3v	49.5v	49.5v	47.7v	50.5v	74.7v	0.0v	0.0v	0.0v	44.2v	503.48v
156	Mr CK Saina	A	74.8v	75.9v	49.4v	43.2v	48.5v	48.4v	46.3v	74.9v	0.0v	0.0v	0.0v	46.3v	503.47v
157	Mr DGM Coleman	X	74.8v	70.7v	50.7v	46.2v	49.4v	50.6v	48.5v	72.5v	0.0v	0.0v	0.0v	44.3v	503.47v
158	Ms AC Lohnes	O	74.9v	73.9v	46.4v	45.3v	46.3v	49.4v	50.5v	72.4v	0.0v	0.0v	0.0v	48.4v	503.45v
159	Mr JWE Lewis	A	72.8v	70.4v	47.3v	48.1v	47.6v	50.8v	49.6v	73.5v	0.0v	0.0v	0.0v	47.4v	503.45v
160	Mr ND Stangroom	O	73.5v	69.5v	48.3v	48.2v	47.5v	48.4v	48.3v	74.9v	0.0v	0.0v	0.0v	48.5v	503.41v
161	Mr PM Hakim	X	72.9v	71.8v	49.6v	46.3v	48.4v	48.4v	50.10v	72.8v	0.0v	0.0v	0.0v	46.4v	502.56v
162	Mr BN Carter	X	73.9v	71.9v	44.2v	47.4v	50.10v	48.4v	49.5v	75.11v	0.0v	0.0v	0.0v	45.2v	502.56v

163	Mr C Mallett	A	74.7v	70.6v	46.3v	47.5v	49.4v	50.8v	48.6v	70.9v	0.0v	0.0v	0.0v	48.5v	502.53v
164	Cdt F Grenier	T	71.7v	70.8v	50.4v	48.7v	49.7v	47.4v	49.3v	72.11v	0.0v	0.0v	0.0v	46.1v	502.52v
165	Mr B Le Cheminant	X	73.8v	73.8v	49.4v	47.5v	48.4v	48.7v	50.6v	71.9v	0.0v	0.0v	0.0v	43.1v	502.52v
166	Mr NBS Logan	X	73.8v	72.6v	47.5v	44.3v	47.5v	50.8v	49.7v	73.6v	0.0v	0.0v	0.0v	47.3v	502.51v
167	Mr AE Bromley	O	70.9v	72.8v	46.4v	47.2v	50.5v	46.2v	49.7v	75.9v	0.0v	0.0v	0.0v	47.3v	502.49v
168	Miss SP Ward	X	72.9v	71.7v	48.5v	50.4v	49.4v	48.5v	49.7v	73.6v	0.0v	0.0v	0.0v	42.2v	502.49v
169	Dr GP Nelson	X	74.4v	70.5v	46.3v	48.5v	50.7v	48.6v	46.4v	73.10v	0.0v	0.0v	0.0v	47.4v	502.48v
170	Mr DS Murray	X	75.9v	72.8v	44.4v	49.5v	48.3v	49.5v	48.5v	72.7v	0.0v	0.0v	0.0v	45.2v	502.48v
171	Miss S Ponter	O	74.8v	72.6v	48.2v	46.5v	49.8v	48.5v	45.2v	75.10v	0.0v	0.0v	0.0v	45.2v	502.48v
172	Mr L O'lynn	O	71.6v	74.6v	48.3v	47.3v	49.5v	50.7v	49.7v	68.8v	0.0v	0.0v	0.0v	46.1v	502.46v
173	Mr TJD Raincock	X	73.8v	73.8v	49.4v	47.5v	49.3v	49.7v	49.6v	71.2v	0.0v	0.0v	0.0v	42.3v	502.46v
174	Mr SC Postins	A	75.12v	72.8v	48.2v	47.5v	49.4v	46.3v	49.3v	70.4v	0.0v	0.0v	0.0v	46.3v	502.44v
175	Mr BN Craig	A	74.10v	73.8v	49.2v	43.1v	48.4v	50.6v	48.3v	73.8v	0.0v	0.0v	0.0v	44.2v	502.44v
176	Mr P Dawes	O	74.7v	70.4v	48.3v	46.6v	48.5v	49.3v	47.1v	71.7v	0.0v	0.0v	0.0v	49.6v	502.42v
177	Mr RM Roberts	X	74.12v	72.8v	46.5v	49.6v	47.7v	49.7v	47.5v	73.9v	0.0v	0.0v	0.0v	44.3v	501.62v
178	Mr C Rowe Jr	X	69.3v	73.8v	50.8v	45.5v	50.9v	46.5v	49.5v	73.12v	0.0v	0.0v	0.0v	46.3v	501.58v
179	Mrs GC O'Leary	O	75.11v	71.6v	47.4v	48.5v	50.10v	47.4v	49.7v	69.7v	0.0v	0.0v	0.0v	45.3v	501.57v
180	Mr O Milanovic	X	74.12v	74.10v	46.2v	42.2v	48.5v	48.7v	49.6v	72.7v	0.0v	0.0v	0.0v	48.3v	501.54v
181	Mr AP Sykes	O	74.11v	71.5v	49.4v	45.4v	49.7v	46.4v	47.5v	75.11v	0.0v	0.0v	0.0v	45.3v	501.54v
182	Mr NP Moxon	X	72.8v	72.6v	48.6v	44.2v	50.7v	49.6v	47.5v	74.10v	0.0v	0.0v	0.0v	45.2v	501.52v
183	Mr LM Peden	A	74.8v	73.7v	46.5v	45.2v	49.6v	48.5v	50.8v	73.8v	0.0v	0.0v	0.0v	43.3v	501.52v
184	Mr RW Hallows	X	74.10v	72.4v	46.2v	47.4v	47.6v	50.6v	49.7v	72.10v	0.0v	0.0v	0.0v	44.2v	501.51v
185	Miss CA Evans	X	75.11v	73.9v	46.4v	45.2v	46.3v	49.2v	50.8v	70.6v	0.0v	0.0v	0.0v	47.4v	501.49v
186	Mr APW Daw	O	73.7v	71.5v	49.4v	48.4v	50.5v	43.2v	49.7v	74.11v	0.0v	0.0v	0.0v	44.4v	501.49v
187	Maj D Thompson	X	73.10v	70.6v	46.2v	50.5v	48.4v	47.6v	46.4v	73.8v	0.0v	0.0v	0.0v	48.3v	501.48v
188	Mr KO Pugh	A	73.7v	71.5v	48.3v	46.1v	49.7v	50.7v	48.7v	70.5v	0.0v	0.0v	0.0v	46.6v	501.48v
189	Mr J Phillipps	X	71.7v	72.6v	49.6v	47.3v	49.7v	48.5v	49.6v	70.6v	0.0v	0.0v	0.0v	46.1v	501.47v
190	Mr RR Grisenthwaite	O	73.8v	74.6v	48.3v	46.4v	49.6v	47.5v	48.6v	72.7v	0.0v	0.0v	0.0v	44.2v	501.47v
191	Mr RMR Stearn	A	74.10v	71.5v	50.4v	45.4v	48.5v	46.5v	48.5v	75.7v	0.0v	0.0v	0.0v	44.1v	501.46v
192	Mr NJ Atkins	O	74.9v	71.8v	47.1v	46.3v	47.5v	46.2v	50.6v	73.9v	0.0v	0.0v	0.0v	47.2v	501.45v
193	Cdt C Crosby	T	75.12v	70.3v	48.6v	46.4v	50.4v	50.2v	46.4v	71.8v	0.0v	0.0v	0.0v	45.1v	501.44v
194	Dr JR Deane	X	72.9v	73.5v	46.2v	46.4v	48.2v	50.7v	49.6v	74.7v	0.0v	0.0v	0.0v	43.2v	501.44v
195	Cpl O Farrell	O	73.4v	69.4v	50.8v	47.5v	47.4v	49.5v	47.4v	72.4v	0.0v	0.0v	0.0v	47.5v	501.43v
196	Mrs CJ Clifford-Evans	O	74.6v	72.4v	47.5v	43.1v	47.5v	49.5v	50.4v	74.9v	0.0v	0.0v	0.0v	45.4v	501.43v
197	Mr KM Willingale	O	72.7v	69.4v	47.1v	48.5v	46.1v	49.5v	48.6v	73.7v	0.0v	0.0v	0.0v	49.4v	501.40v
198	Mr TA Ringer	X	74.10v	74.6v	45.3v	47.1v	45.3v	48.3v	49.5v	72.7v	0.0v	0.0v	0.0v	47.2v	501.40v
199	Mr S Wingrove	A	73.8v	69.5v	48.3v	50.6v	47.3v	46.2v	48.3v	74.7v	0.0v	0.0v	0.0v	46.3v	501.40v
200	Mr PJ Westlake	X	74.8v	72.6v	48.3v	47.2v	49.4v	45.3v	49.5v	74.8v	0.0v	0.0v	0.0v	43.1v	501.40v
201	Mr AJ Leech	A	73.8v	73.6v	46.2v	46.3v	49.3v	50.4v	46.6v	72.4v	0.0v	0.0v	0.0v	46.2v	501.38v
202	Maj CP Judge	O	72.4v	71.6v	47.4v	50.3v	47.4v	47.3v	44.1v	74.6v	0.0v	0.0v	0.0v	49.5v	501.36v
203	Mr AM Sadler	A	74.9v	73.5v	48.4v	48.5v	48.1v	44.1v	49.5v	73.5v	0.0v	0.0v	0.0v	44.0v	501.35v
204	Mr D de Vere	X	74.10v	72.6v	49.6v	45.6v	48.7v	49.5v	47.4v	71.8v	0.0v	0.0v	0.0v	45.4v	500.56v
205	Mr J Thorp	O	75.11v	75.9v	48.3v	49.7v	48.5v	44.6v	45.4v	73.9v	0.0v	0.0v	0.0v	43.2v	500.56v
206	Miss EG Charlton	A	73.10v	69.6v	49.5v	46.2v	47.5v	49.6v	48.8v	73.7v	0.0v	0.0v	0.0v	46.6v	500.55v
207	Mr DR Armstrong	X	73.11v	71.5v	49.6v	46.5v	50.6v	47.4v	46.5v	75.11v	0.0v	0.0v	0.0v	43.1v	500.54v
208	Miss A Southall	X	72.9v	74.6v	47.7v	49.3v	49.6v	50.8v	48.4v	74.8v	0.0v	0.0v	0.0v	37.2v	500.53v
209	Mr JMA Thompson	X	74.12v	73.10v	46.3v	47.2v	50.5v	49.6v	43.3v	71.7v	0.0v	0.0v	0.0v	47.4v	500.52v
210	Mr DN Lindsay	A	72.8v	69.6v	49.5v	45.3v	49.5v	47.3v	48.4v	74.10v	0.0v	0.0v	0.0v	47.5v	500.49v
211	Mr JR Davies	O	73.9v	69.6v	47.4v	47.0v	49.6v	49.9v	49.7v	71.6v	0.0v	0.0v	0.0v	46.2v	500.49v
212	Mr DFP Richards	A	74.11v	66.3v	46.4v	50.4v	49.6v	47.2v	47.4v	74.8v	0.0v	0.0v	0.0v	47.6v	500.48v
213	Mr GK Alexander	X	72.6v	70.6v	49.5v	50.6v	50.5v	48.6v	49.6v	70.7v	0.0v	0.0v	0.0v	42.1v	500.48v
214	Mr RCT Jeens	X	73.8v	71.6v	48.2v	47.4v	48.6v	47.3v	49.5v	74.9v	0.0v	0.0v	0.0v	43.3v	500.46v
215	Mr CS Lamont	A	74.11v	71.5v	49.4v	45.1v	49.7v	47.4v	45.4v	74.8v	0.0v	0.0v	0.0v	46.1v	500.45v
216	Mr T Smith	X	73.8v	68.3v	49.5v	47.4v	50.7v	50.5v	47.3v	74.10v	0.0v	0.0v	0.0v	42.0v	500.45v
217	Mr ML Millar	X	73.7v	74.9v	47.4v	44.2v	49.4v	47.4v	49.4v	71.7v	0.0v	0.0v	0.0v	46.2v	500.43v
218	Mr RT MacLeod	X	73.7v	73.8v	47.6v	46.1v	49.4v	49.7v	45.2v	74.8v	0.0v	0.0v	0.0v	44.0v	500.43v
219	Mr TJ Bullock	A	74.8v	67.5v	46.1v	44.3v	49.6v	49.4v	49.5v	75.8v	0.0v	0.0v	0.0v	47.2v	500.42v
220	Dr JW Page	A	73.9v	70.5v	48.4v	45.5v	49.0v	49.7v	45.5v	74.4v	0.0v	0.0v	0.0v	47.2v	500.41v
221	Cdt D Bolduc	T	73.5v	70.5v	48.4v	45.4v	49.2v	48.4v	49.5v	73.9v	0.0v	0.0v	0.0v	45.3v	500.41v
222	Mr PD Griggs	X	73.5v	68.4v	50.4v	46.2v	48.4v	48.2v	48.8v	72.8v	0.0v	0.0v	0.0v	47.3v	500.40v

223	Mr M Mann	A	75.5v	72.5v	47.4v	48.2v	46.4v	45.2v	49.4v	74.10v	0.0v	0.0v	0.0v	44.4v	500.40v
224	Mr TJ Bryan	A	73.7v	66.2v	49.6v	47.4v	50.4v	48.5v	47.3v	73.6v	0.0v	0.0v	0.0v	47.1v	500.38v
225	Mr CP Weeden	X	73.8v	72.9v	49.6v	46.6v	49.5v	50.6v	49.5v	70.6v	0.0v	0.0v	0.0v	41.2v	499.53v
226	Mr AC Haley	X	73.6v	72.7v	47.6v	41.2v	49.5v	48.5v	50.7v	74.10v	0.0v	0.0v	0.0v	45.3v	499.51v
227	Dr PR Wheeler	X	69.8v	69.4v	50.4v	43.1v	46.5v	49.8v	50.5v	74.9v	0.0v	0.0v	0.0v	49.5v	499.49v
228	Mr RI Coventry	A	72.8v	71.6v	47.4v	47.3v	48.4v	47.5v	49.7v	72.8v	0.0v	0.0v	0.0v	46.4v	499.49v
229	Mr SC Williamson	A	75.9v	71.5v	49.6v	47.4v	45.3v	49.7v	46.4v	72.8v	0.0v	0.0v	0.0v	45.3v	499.49v
230	Mr JR Thombora	X	72.7v	73.8v	47.3v	47.3v	49.7v	49.6v	50.6v	70.7v	0.0v	0.0v	0.0v	42.2v	499.49v
231	Mr JB Tuck	X	74.6v	73.10v	47.3v	44.2v	49.6v	49.3v	47.5v	69.7v	0.0v	0.0v	0.0v	47.6v	499.48v
232	Mr JGM Webster	A	75.10v	72.7v	49.5v	41.1v	46.4v	50.7v	47.5v	72.6v	0.0v	0.0v	0.0v	47.3v	499.48v
233	LCpl B Rigo	T	73.6v	74.8v	49.4v	45.1v	48.7v	48.7v	47.2v	74.11v	0.0v	0.0v	0.0v	41.2v	499.48v
234	Cdt T Cubitt	A	73.8v	71.8v	50.7v	47.4v	47.4v	47.3v	46.2v	72.7v	0.0v	0.0v	0.0v	46.4v	499.47v
235	Mrs LE Haley	X	73.9v	69.3v	44.1v	45.4v	50.7v	47.5v	49.6v	73.5v	0.0v	0.0v	0.0v	49.5v	499.45v
236	Mr JC Evans	X	72.7v	70.6v	47.5v	43.1v	48.6v	49.5v	48.4v	75.7v	0.0v	0.0v	0.0v	47.4v	499.45v
237	Mr CD Heales	A	73.6v	68.7v	48.6v	48.4v	49.4v	46.3v	48.4v	72.9v	0.0v	0.0v	0.0v	47.2v	499.45v
238	Mr JR Dunbar	A	74.8v	70.3v	47.4v	42.3v	49.6v	49.7v	50.6v	72.7v	0.0v	0.0v	0.0v	46.1v	499.45v
239	Mr A Fowler	A	74.6v	69.4v	49.7v	46.4v	48.4v	47.6v	48.2v	73.9v	0.0v	0.0v	0.0v	45.3v	499.45v
240	Mrs K Rowe	X	73.7v	71.5v	47.3v	47.3v	48.3v	48.4v	47.7v	73.9v	0.0v	0.0v	0.0v	45.3v	499.44v
241	Mr JB Hull	X	74.7v	68.3v	49.6v	47.3v	48.5v	48.5v	49.7v	70.4v	0.0v	0.0v	0.0v	46.3v	499.43v
242	Mr RAV Hebblethwaite	A	72.5v	69.4v	50.8v	48.4v	49.4v	47.4v	49.5v	72.6v	0.0v	0.0v	0.0v	43.3v	499.43v
243	Dr MW Wrigley	X	71.6v	70.1v	49.7v	48.3v	49.8v	47.2v	49.6v	71.6v	0.0v	0.0v	0.0v	45.3v	499.42v
244	Capt AG McLean	A	72.9v	73.5v	48.2v	48.5v	49.7v	48.3v	45.4v	72.5v	0.0v	0.0v	0.0v	44.2v	499.42v
245	Miss C Catuogno-Cal	A	74.6v	72.7v	47.4v	44.2v	48.4v	46.4v	48.5v	74.7v	0.0v	0.0v	0.0v	46.2v	499.41v
246	Mr MDE Larcombe	A	73.7v	72.5v	49.4v	47.3v	48.5v	49.4v	48.2v	71.6v	0.0v	0.0v	0.0v	42.1v	499.37v
247	Miss K Fleck	O	74.8v	71.4v	49.3v	49.2v	48.4v	47.4v	46.3v	72.7v	0.0v	0.0v	0.0v	43.1v	499.36v
248	Mr MJJ Charlton	A	73.4v	71.4v	47.2v	46.3v	48.4v	49.4v	50.6v	69.5v	0.0v	0.0v	0.0v	46.3v	499.35v
249	Mr SYM Ali	O	72.9v	69.6v	49.4v	42.3v	49.5v	48.5v	47.7v	74.10v	0.0v	0.0v	0.0v	48.5v	498.54v
250	Mr RJS Clark	X	72.6v	70.5v	50.6v	42.2v	49.8v	49.6v	48.6v	73.10v	0.0v	0.0v	0.0v	45.4v	498.53v
251	Cdt B Danziger	A	72.7v	70.6v	45.3v	49.7v	49.7v	45.2v	49.9v	74.7v	0.0v	0.0v	0.0v	45.3v	498.51v
252	Mr R Kloosterman	X	72.7v	72.7v	47.4v	45.4v	48.5v	47.3v	48.6v	71.7v	0.0v	0.0v	0.0v	48.5v	498.48v
253	Mr JA Bullock	O	73.9v	74.10v	47.4v	45.4v	47.2v	46.1v	49.6v	72.7v	0.0v	0.0v	0.0v	45.4v	498.47v
254	Mr MJ Wood	A	74.10v	71.7v	47.6v	45.2v	47.3v	48.7v	50.2v	73.9v	0.0v	0.0v	0.0v	43.1v	498.47v
255	Miss RL Laird	O	73.7v	68.4v	47.4v	45.3v	49.4v	48.5v	45.3v	74.10v	0.0v	0.0v	0.0v	49.4v	498.44v
256	Mr B Horwood	X	72.4v	70.3v	49.3v	45.3v	47.5v	47.5v	46.4v	75.10v	0.0v	0.0v	0.0v	47.5v	498.42v
257	Mr PAE Charlton	X	74.6v	71.3v	45.3v	49.6v	49.4v	47.7v	47.3v	71.7v	0.0v	0.0v	0.0v	45.3v	498.42v
258	Mr AM Bullen	A	69.6v	70.4v	48.5v	47.3v	48.5v	48.5v	49.4v	73.8v	0.0v	0.0v	0.0v	46.1v	498.41v
259	Dr IT Matsumoto	A	73.8v	69.4v	48.3v	45.2v	49.4v	47.4v	49.6v	74.7v	0.0v	0.0v	0.0v	44.3v	498.41v
260	Mr RN Stebbings	X	72.7v	69.2v	49.5v	48.5v	50.5v	47.2v	45.3v	73.6v	0.0v	0.0v	0.0v	45.5v	498.40v
261	Mr JPL Sweet	A	74.5v	70.5v	48.3v	46.3v	45.3v	47.1v	49.6v	73.9v	0.0v	0.0v	0.0v	46.3v	498.38v
262	Miss K Milner	O	73.5v	71.3v	48.5v	48.5v	46.3v	49.6v	47.3v	72.6v	0.0v	0.0v	0.0v	44.2v	498.38v
263	Sgt O Hutt	T	73.7v	70.7v	47.5v	46.4v	46.3v	48.5v	49.7v	71.8v	0.0v	0.0v	0.0v	47.5v	497.51v
264	Miss H Bennett	O	73.9v	72.7v	48.7v	47.4v	47.3v	49.6v	45.3v	69.7v	0.0v	0.0v	0.0v	47.5v	497.51v
265	Mr D Blake	O	74.12v	72.8v	48.3v	43.4v	46.5v	49.5v	47.3v	72.6v	0.0v	0.0v	0.0v	46.4v	497.50v
266	Major RHG Riley	X	71.7v	68.4v	50.6v	45.3v	48.6v	47.4v	49.6v	73.12v	0.0v	0.0v	0.0v	46.2v	497.50v
267	Pte HG Asquith-Beard	T	73.9v	69.9v	46.4v	45.4v	49.4v	48.5v	48.3v	74.7v	0.0v	0.0v	0.0v	45.5v	497.50v
268	Mr G Trembath	X	73.8v	68.7v	48.5v	47.3v	50.7v	49.6v	43.3v	74.7v	0.0v	0.0v	0.0v	45.3v	497.49v
269	Mr PM Lanigan	O	74.8v	75.10v	46.2v	45.3v	48.5v	48.5v	46.4v	70.11v	0.0v	0.0v	0.0v	45.0v	497.48v
270	Dr HHG Pollock	X	73.9v	72.6v	49.5v	49.5v	45.5v	45.2v	47.6v	74.9v	0.0v	0.0v	0.0v	43.1v	497.48v
271	Mr H Awin	X	75.9v	69.2v	46.2v	45.3v	48.6v	48.6v	48.5v	73.9v	0.0v	0.0v	0.0v	45.5v	497.47v
272	Mr M Horton-Baker	A	71.8v	69.7v	46.5v	46.3v	45.3v	49.6v	49.4v	74.9v	0.0v	0.0v	0.0v	48.1v	497.46v
273	Mr GED Hart	O	72.9v	71.8v	46.2v	47.1v	49.5v	47.5v	49.3v	70.9v	0.0v	0.0v	0.0v	46.4v	497.46v
274	Mr A Mcconnell	O	69.5v	70.7v	49.7v	48.5v	48.4v	49.6v	47.3v	73.6v	0.0v	0.0v	0.0v	44.2v	497.45v
275	Mr JA Watson	X	75.6v	70.5v	48.6v	44.3v	50.8v	46.2v	47.5v	73.6v	0.0v	0.0v	0.0v	44.3v	497.44v
276	Mr W Johnson	X	73.6v	71.7v	50.5v	43.3v	49.3v	46.4v	46.3v	72.8v	0.0v	0.0v	0.0v	47.4v	497.43v
277	Mr WDH Burden	A	74.10v	70.5v	47.4v	42.3v	50.6v	47.2v	48.4v	72.6v	0.0v	0.0v	0.0v	47.3v	497.43v
278	Cdt HMC Ardern	T	73.7v	72.4v	48.5v	47.3v	45.3v	47.4v	49.7v	73.7v	0.0v	0.0v	0.0v	43.2v	497.42v
279	Miss S Williams	T	72.5v	71.2v	45.3v	48.5v	48.4v	48.5v	50.8v	69.6v	0.0v	0.0v	0.0v	46.2v	497.40v
280	Miss LG Taylor	A	73.4v	70.6v	48.4v	47.3v	49.5v	49.7v	48.5v	72.6v	0.0v	0.0v	0.0v	41.0v	497.40v
281	Mr DM Epton	O	71.9v	70.5v	49.4v	47.2v	48.3v	48.5v	47.4v	71.7v	0.0v	0.0v	0.0v	46.0v	497.39v
282	Miss K Lindsay	T	72.5v	74.5v	48.4v	39.0v	49.5v	46.2v	49.6v	73.8v	0.0v	0.0v	0.0v	47.2v	497.37v

283	Mr RW Shaw	X	73.5v	70.7v	50.5v	40.3v	49.4v	47.2v	47.4v	74.5v	0.0v	0.0v	0.0v	47.2v	497.37v
284	Miss JE Ouston	A	73.5v	71.4v	47.3v	45.2v	46.3v	48.6v	47.3v	74.6v	0.0v	0.0v	0.0v	46.2v	497.34v
285	Mr CR Hirst	O	73.5v	71.3v	48.6v	45.4v	48.4v	47.3v	50.3v	73.4v	0.0v	0.0v	0.0v	42.1v	497.33v
286	Mr G Woodman	A	75.9v	72.9v	45.2v	48.8v	49.7v	43.4v	48.6v	72.12v	0.0v	0.0v	0.0v	44.2v	496.59v
287	Mr J Purdy	O	73.8v	69.2v	50.9v	47.4v	47.6v	47.5v	49.6v	73.8v	0.0v	0.0v	0.0v	41.3v	496.51v
288	Mr JA Anderson	O	74.9v	70.6v	46.3v	45.5v	47.6v	49.5v	47.5v	74.7v	0.0v	0.0v	0.0v	44.4v	496.50v
289	Mr D Lowe	A	73.7v	70.3v	48.6v	50.6v	47.4v	43.4v	47.6v	71.10v	0.0v	0.0v	0.0v	47.3v	496.49v
290	Mr A Jones	A	73.11v	65.4v	48.3v	47.2v	50.7v	49.3v	49.4v	72.11v	0.0v	0.0v	0.0v	43.4v	496.49v
291	Mr MR Horrell	X	73.8v	70.7v	48.6v	45.2v	49.5v	47.4v	49.4v	73.10v	0.0v	0.0v	0.0v	42.3v	496.49v
292	Cdt D Armstrong	O	73.11v	72.6v	46.5v	44.1v	48.5v	47.5v	47.5v	71.7v	0.0v	0.0v	0.0v	48.3v	496.48v
293	Mr SL Larter-Whitcher	A	71.9v	72.8v	47.5v	43.2v	47.3v	48.4v	50.7v	72.7v	0.0v	0.0v	0.0v	46.3v	496.48v
294	Mr WC Cowen	O	73.9v	71.8v	47.5v	45.2v	50.7v	45.3v	50.6v	74.6v	0.0v	0.0v	0.0v	41.2v	496.48v
295	Mr TM Stevenson	X	72.8v	72.4v	49.5v	48.7v	45.5v	48.4v	48.3v	71.8v	0.0v	0.0v	0.0v	43.1v	496.45v
296	Mr T Steele	A	70.5v	72.5v	48.5v	46.5v	48.7v	46.4v	45.2v	75.8v	0.0v	0.0v	0.0v	46.3v	496.44v
297	Mr JR Stirland	O	71.4v	70.4v	48.5v	48.6v	47.4v	48.5v	48.6v	70.4v	0.0v	0.0v	0.0v	46.4v	496.42v
298	Mr MR Ebbetts	O	69.3v	72.7v	46.3v	47.5v	48.4v	50.5v	47.4v	73.7v	0.0v	0.0v	0.0v	44.3v	496.41v
299	Mr AD Le Cheminant	X	73.5v	73.6v	45.3v	49.5v	50.8v	46.3v	47.5v	70.4v	0.0v	0.0v	0.0v	43.2v	496.41v
300	Mr R Edwards	T	72.7v	71.8v	48.4v	45.2v	48.3v	49.4v	49.6v	70.4v	0.0v	0.0v	0.0v	44.2v	496.40v
301	Mr JR Lindsay	O	71.8v	71.8v	50.4v	47.2v	49.2v	50.5v	46.3v	72.8v	0.0v	0.0v	0.0v	40.0v	496.40v
302	Mr RG Faulkner	O	72.7v	68.4v	50.6v	44.4v	48.3v	47.2v	49.4v	71.6v	0.0v	0.0v	0.0v	47.3v	496.39v
303	Cdt M Neumann	T	71.6v	65.3v	48.6v	48.3v	48.6v	47.2v	48.5v	74.7v	0.0v	0.0v	0.0v	47.1v	496.39v
304	Cdt L Allinott	T	72.5v	69.5v	49.7v	47.1v	47.3v	48.3v	49.5v	72.9v	0.0v	0.0v	0.0v	43.1v	496.39v
305	Mr M Witherley	A	73.4v	72.3v	46.2v	44.3v	47.4v	47.4v	47.4v	73.11v	0.0v	0.0v	0.0v	47.3v	496.38v
306	Mr CM Brooks	A	65.2v	74.5v	50.7v	46.3v	48.3v	48.2v	49.5v	70.7v	0.0v	0.0v	0.0v	46.4v	496.38v
307	Mr EK Ngetich	O	69.4v	70.4v	47.7v	45.1v	49.7v	50.6v	48.1v	72.5v	0.0v	0.0v	0.0v	46.3v	496.38v
308	Mr EWV Feast	A	74.7v	72.6v	49.3v	47.3v	47.4v	49.3v	47.3v	70.6v	0.0v	0.0v	0.0v	41.2v	496.37v
309	Mr A Lloyd	O	72.2v	67.2v	48.2v	47.3v	46.3v	48.3v	48.4v	73.7v	0.0v	0.0v	0.0v	47.5v	496.31v
310	Mr GL Clarke	O	72.6v	71.6v	48.6v	44.5v	49.6v	48.5v	44.4v	72.8v	0.0v	0.0v	0.0v	47.6v	495.52v
311	LCpl SER Cherry	A	74.11v	71.5v	49.6v	49.4v	47.2v	49.2v	49.8v	72.12v	0.0v	0.0v	0.0v	35.2v	495.52v
312	Brig AJW Sturrock	O	71.6v	70.11v	49.6v	48.5v	46.5v	48.2v	49.3v	73.8v	0.0v	0.0v	0.0v	41.3v	495.49v
313	Mr K Hoverstad	X	72.8v	73.10v	47.6v	48.4v	47.4v	47.5v	46.3v	71.7v	0.0v	0.0v	0.0v	44.1v	495.48v
314	Miss TJ Fitzsimons	O	71.6v	71.7v	48.4v	49.6v	43.4v	49.6v	48.5v	72.8v	0.0v	0.0v	0.0v	44.1v	495.47v
315	Mr WP Hanley	O	71.9v	70.4v	49.7v	47.4v	48.5v	48.5v	44.0v	75.10v	0.0v	0.0v	0.0v	43.3v	495.47v
316	Mr R Johnson	O	73.10v	68.6v	49.3v	45.4v	48.5v	48.5v	44.0v	72.9v	0.0v	0.0v	0.0v	48.4v	495.46v
317	Mr MHH John	O	73.9v	68.4v	46.2v	46.3v	50.7v	48.7v	46.2v	74.9v	0.0v	0.0v	0.0v	44.3v	495.46v
318	Cdt J Gendron	T	73.7v	69.6v	48.4v	45.2v	47.5v	48.4v	48.6v	71.7v	0.0v	0.0v	0.0v	46.4v	495.45v
319	Mr M Le Vasseur	A	73.9v	71.7v	49.6v	40.1v	47.4v	48.5v	48.4v	74.8v	0.0v	0.0v	0.0v	45.1v	495.45v
320	Mr MF Boucher	A	72.9v	69.1v	50.4v	48.4v	49.6v	42.4v	47.4v	72.8v	0.0v	0.0v	0.0v	46.3v	495.43v
321	Miss HV Southall	A	74.6v	70.5v	49.7v	47.5v	43.4v	49.4v	46.3v	71.6v	0.0v	0.0v	0.0v	46.3v	495.43v
322	Dr N Hendrikz	X	71.4v	70.4v	46.2v	46.4v	50.7v	49.7v	48.5v	72.8v	0.0v	0.0v	0.0v	43.2v	495.43v
323	Dr MWM Veltman-Grisenthwaite	O	72.6v	73.4v	50.5v	48.5v	48.4v	49.6v	48.3v	73.7v	0.0v	0.0v	0.0v	34.2v	495.42v
324	Col FC Sykes	A	72.6v	72.5v	46.4v	46.4v	49.5v	48.3v	47.4v	71.6v	0.0v	0.0v	0.0v	44.3v	495.40v
325	Mr GW Robinson	O	72.5v	72.8v	47.3v	47.5v	47.3v	50.5v	45.3v	73.7v	0.0v	0.0v	0.0v	42.1v	495.40v
326	Mr B Jones	O	69.4v	74.7v	48.4v	48.5v	48.4v	47.5v	47.4v	68.5v	0.0v	0.0v	0.0v	46.1v	495.39v
327	Mr E Atkins	A	72.8v	66.2v	49.5v	47.3v	48.7v	48.3v	46.4v	74.6v	0.0v	0.0v	0.0v	45.1v	495.39v
328	Mr B Hebblethwaite	O	70.3v	71.6v	47.4v	49.5v	49.6v	48.5v	47.3v	69.5v	0.0v	0.0v	0.0v	45.1v	495.38v
329	Mr K Crabtree	A	75.10v	67.2v	49.4v	48.1v	48.4v	49.6v	46.2v	72.6v	0.0v	0.0v	0.0v	41.3v	495.38v
330	Mr J Allum	X	70.6v	75.6v	49.3v	44.2v	48.4v	48.3v	46.4v	72.8v	0.0v	0.0v	0.0v	43.1v	495.37v
331	Mr B Heatley	O	72.3v	73.5v	49.4v	46.4v	47.5v	48.5v	46.4v	71.2v	0.0v	0.0v	0.0v	43.2v	495.34v
332	Mr TM Green	A	72.5v	70.5v	47.2v	44.0v	47.4v	46.3v	49.5v	74.9v	0.0v	0.0v	0.0v	46.0v	495.33v
333	Mr LS Otundo	O	71.8v	72.8v	46.2v	47.6v	46.4v	47.5v	48.5v	75.12v	0.0v	0.0v	0.0v	42.0v	494.50v
334	Mr DE Nuthall	X	74.10v	72.5v	48.4v	46.6v	49.6v	48.6v	44.2v	69.6v	0.0v	0.0v	0.0v	44.3v	494.48v
335	Mr IW Robertson	A	71.5v	71.8v	49.7v	42.4v	47.4v	48.3v	49.4v	74.9v	0.0v	0.0v	0.0v	43.2v	494.46v
336	Cdt S Hodge	T	74.9v	67.3v	49.6v	47.6v	48.2v	47.5v	48.3v	73.9v	0.0v	0.0v	0.0v	41.2v	494.45v
337	Mr TP Clarke	X	73.11v	70.4v	47.3v	48.4v	48.4v	47.2v	48.5v	70.9v	0.0v	0.0v	0.0v	43.2v	494.44v
338	Mr TLW Kidner	A	70.7v	70.4v	48.3v	44.2v	49.7v	50.7v	48.6v	71.5v	0.0v	0.0v	0.0v	44.2v	494.43v
339	Mrs D Negus	X	74.8v	72.7v	45.3v	46.4v	46.5v	49.5v	48.6v	70.4v	0.0v	0.0v	0.0v	44.0v	494.42v
340	Mr R Stewart	O	72.9v	69.5v	48.4v	48.5v	44.2v	48.4v	50.5v	73.7v	0.0v	0.0v	0.0v	42.1v	494.42v
341	Mr DJ Gass	X	72.8v	69.4v	47.5v	46.4v	48.3v	47.4v	46.2v	73.7v	0.0v	0.0v	0.0v	46.4v	494.41v
342	Mr JIB Halahan	A	74.6v	70.2v	46.6v	43.3v	47.4v	46.3v	48.5v	74.8v	0.0v	0.0v	0.0v	46.4v	494.41v

343	Mr R Pike	X	71.5v	73.6v	49.8v	49.3v	47.3v	44.2v	47.7v	71.4v	0.0v	0.0v	0.0v	43.2v	494.40v
344	Mr DJ Curtis	A	71.8v	71.4v	48.4v	44.0v	44.3v	47.3v	46.5v	75.7v	0.0v	0.0v	0.0v	48.4v	494.38v
345	Mr WJ Rowland	A	73.7v	71.6v	45.2v	46.2v	48.4v	49.5v	46.5v	72.4v	0.0v	0.0v	0.0v	44.2v	494.37v
346	Miss HPC Bramwell	O	72.4v	71.6v	47.5v	45.3v	49.5v	48.4v	49.3v	68.4v	0.0v	0.0v	0.0v	45.2v	494.36v
347	Mr BJ Wood	A	69.6v	73.8v	47.5v	43.4v	44.1v	50.7v	48.6v	73.8v	0.0v	0.0v	0.0v	46.2v	493.47v
348	Mr G Stewart	T	71.8v	67.4v	46.5v	48.3v	46.1v	48.6v	50.8v	69.8v	0.0v	0.0v	0.0v	48.3v	493.46v
349	Mr GA Aitchison	X	75.11v	73.8v	43.4v	44.2v	49.4v	45.3v	47.5v	72.6v	0.0v	0.0v	0.0v	45.3v	493.46v
350	Mr T Little	A	75.9v	69.3v	47.3v	47.3v	50.6v	47.7v	36.2v	73.8v	0.0v	0.0v	0.0v	49.4v	493.45v
351	Mr CES Dickenson	A	67.8v	71.5v	46.1v	45.5v	47.5v	47.3v	50.7v	72.8v	0.0v	0.0v	0.0v	48.2v	493.44v
352	Mr MJ Creber	A	75.10v	68.4v	45.1v	48.3v	45.4v	48.6v	49.6v	71.7v	0.0v	0.0v	0.0v	44.3v	493.44v
353	Mr T Horrocks	A	72.6v	72.4v	48.4v	46.4v	50.7v	47.4v	48.4v	73.10v	0.0v	0.0v	0.0v	37.0v	493.43v
354	Cdt F Cade	A	73.5v	71.5v	47.3v	42.3v	48.5v	47.2v	49.6v	72.10v	0.0v	0.0v	0.0v	44.3v	493.42v
355	Mr WA Odhiambo	O	72.7v	68.6v	48.6v	44.2v	47.3v	50.5v	48.4v	71.7v	0.0v	0.0v	0.0v	45.1v	493.41v
356	Mr RA Benest	O	73.4v	73.9v	48.6v	47.5v	49.2v	47.4v	49.2v	72.7v	0.0v	0.0v	0.0v	35.2v	493.41v
357	Cdt CL Breckendridge	T	72.6v	68.3v	49.4v	47.5v	46.2v	46.3v	47.6v	73.9v	0.0v	0.0v	0.0v	45.2v	493.40v
358	Mr T Bonner	X	73.7v	72.5v	49.3v	44.3v	47.3v	48.5v	49.7v	70.5v	0.0v	0.0v	0.0v	41.2v	493.40v
359	Mr L Nagy	T	74.7v	68.5v	48.4v	47.5v	45.4v	46.3v	48.2v	73.6v	0.0v	0.0v	0.0v	44.3v	493.39v
360	Mr PS Gray	O	70.6v	69.4v	49.2v	46.3v	47.4v	47.4v	47.5v	72.7v	0.0v	0.0v	0.0v	46.3v	493.38v
361	Mr JN McLaren	A	70.6v	68.4v	47.3v	47.2v	50.5v	47.2v	47.5v	71.5v	0.0v	0.0v	0.0v	46.5v	493.37v
362	Mr AW Hellings	X	73.7v	73.8v	47.2v	45.2v	47.4v	46.3v	47.4v	71.6v	0.0v	0.0v	0.0v	44.1v	493.37v
363	Sgt F Johnston	T	69.5v	68.2v	48.4v	46.1v	48.5v	48.4v	50.6v	72.9v	0.0v	0.0v	0.0v	44.0v	493.36v
364	Mr OD De Gruchy	O	69.4v	67.3v	46.2v	47.3v	49.6v	49.4v	48.3v	75.9v	0.0v	0.0v	0.0v	43.1v	493.35v
365	Mr JRC Stanford-Beale	O	70.2v	69.4v	49.3v	46.3v	47.2v	48.2v	49.6v	71.3v	0.0v	0.0v	0.0v	44.1v	493.26v
366	Mr H Ball	O	70.8v	73.11v	48.3v	44.1v	47.6v	50.8v	44.5v	68.4v	0.0v	0.0v	0.0v	48.6v	492.52v
367	Cpl H Quillam	O	73.7v	68.4v	49.8v	43.3v	47.3v	46.5v	47.3v	75.10v	0.0v	0.0v	0.0v	44.4v	492.47v
368	Mr L Reid	O	73.8v	70.5v	49.7v	45.3v	48.6v	47.4v	48.7v	70.2v	0.0v	0.0v	0.0v	42.4v	492.46v
369	Miss AJ Carnell	O	73.10v	62.0v	50.8v	48.4v	50.6v	47.5v	46.1v	72.7v	0.0v	0.0v	0.0v	44.4v	492.45v
370	Miss SIM Anderson	A	71.9v	70.5v	49.4v	47.3v	45.4v	50.6v	45.5v	70.5v	0.0v	0.0v	0.0v	45.3v	492.44v
371	Mr W Meade	X	70.8v	70.6v	48.4v	45.4v	49.4v	49.8v	48.4v	69.4v	0.0v	0.0v	0.0v	44.1v	492.43v
372	Miss KAN Jack	O	73.8v	70.7v	49.4v	47.4v	47.6v	46.2v	46.2v	73.9v	0.0v	0.0v	0.0v	41.1v	492.43v
373	Mr SDJ Glanville	X	75.9v	68.6v	49.3v	45.3v	46.2v	44.3v	47.4v	72.7v	0.0v	0.0v	0.0v	46.4v	492.41v
374	Mr B Millard	A	72.8v	71.4v	43.2v	47.2v	48.5v	45.3v	47.5v	73.8v	0.0v	0.0v	0.0v	46.3v	492.40v
375	LCpl A Morriss	T	72.6v	70.6v	44.2v	47.3v	48.5v	47.6v	47.4v	72.6v	0.0v	0.0v	0.0v	45.2v	492.40v
376	Cdt T Jones	O	73.7v	69.5v	49.6v	41.3v	48.5v	47.2v	49.3v	72.7v	0.0v	0.0v	0.0v	44.2v	492.40v
377	Mr C Kershaw	X	73.9v	73.9v	45.1v	47.3v	47.2v	45.4v	46.3v	70.5v	0.0v	0.0v	0.0v	46.3v	492.39v
378	Mr A Booker	O	70.8v	71.7v	48.4v	44.3v	50.3v	47.2v	47.3v	70.5v	0.0v	0.0v	0.0v	45.3v	492.38v
379	Mr MR Fugeman	A	73.7v	72.5v	45.2v	43.4v	48.3v	49.6v	47.3v	72.6v	0.0v	0.0v	0.0v	43.2v	492.38v
380	Mr M Todd	A	73.6v	65.4v	50.6v	46.2v	47.3v	49.5v	47.4v	71.5v	0.0v	0.0v	0.0v	44.2v	492.37v
381	Lt E Bosse	O	72.8v	71.7v	47.2v	47.2v	47.5v	43.1v	46.3v	71.5v	0.0v	0.0v	0.0v	48.3v	492.36v
382	Mr A Eckardt	A	71.3v	71.6v	49.5v	42.3v	47.4v	46.2v	47.3v	72.8v	0.0v	0.0v	0.0v	47.2v	492.36v
383	Wg. Cdr. CJ Hockley	O	71.7v	68.3v	48.4v	48.1v	48.5v	49.3v	48.2v	69.7v	0.0v	0.0v	0.0v	43.3v	492.35v
384	Mr SNS Penrose	X	71.9v	68.3v	48.1v	46.2v	48.6v	47.3v	49.4v	70.4v	0.0v	0.0v	0.0v	45.2v	492.34v
385	Dr AJ Pilgrim	A	71.3v	72.4v	49.2v	46.4v	48.5v	50.9v	44.2v	69.5v	0.0v	0.0v	0.0v	43.0v	492.34v
386	Dr M Stopher	T	68.1v	71.9v	48.2v	43.0v	48.6v	49.5v	46.2v	71.4v	0.0v	0.0v	0.0v	48.4v	492.33v
387	Mr M Rewston	O	72.7v	72.8v	47.6v	45.4v	48.5v	46.4v	46.3v	71.6v	0.0v	0.0v	0.0v	44.3v	491.46v
388	Miss R Lusty	O	72.6v	70.6v	47.3v	46.5v	48.6v	44.4v	48.3v	74.8v	0.0v	0.0v	0.0v	42.2v	491.43v
389	Mr AD Robertson	T	72.9v	71.6v	47.3v	41.1v	48.4v	46.3v	49.5v	75.10v	0.0v	0.0v	0.0v	42.2v	491.43v
390	Mr S Brewer-Marchant	O	73.8v	71.4v	47.4v	45.2v	47.6v	48.6v	48.5v	71.7v	0.0v	0.0v	0.0v	41.1v	491.43v
391	Mr D Morris	A	72.8v	67.2v	48.4v	47.4v	45.5v	48.5v	48.4v	71.6v	0.0v	0.0v	0.0v	45.4v	491.42v
392	Mr G Palmer	A	73.8v	67.2v	48.6v	44.3v	48.5v	45.3v	49.6v	74.6v	0.0v	0.0v	0.0v	43.3v	491.42v
393	Mr PJS Bysshe	A	74.6v	67.6v	46.1v	46.3v	48.3v	46.4v	48.5v	73.8v	0.0v	0.0v	0.0v	43.2v	491.38v
394	Mr MF Martel	O	72.7v	72.8v	42.2v	45.1v	48.5v	48.3v	46.4v	73.6v	0.0v	0.0v	0.0v	45.1v	491.37v
395	Mr C Chen	T	71.5v	73.6v	47.1v	45.3v	46.3v	46.4v	45.3v	71.5v	0.0v	0.0v	0.0v	47.6v	491.36v
396	Mr E Sewell	O	70.4v	69.5v	50.6v	42.3v	48.4v	47.2v	47.4v	73.5v	0.0v	0.0v	0.0v	45.3v	491.36v
397	Mr S Dowley	A	73.9v	70.5v	46.3v	47.2v	46.3v	49.4v	47.4v	70.5v	0.0v	0.0v	0.0v	43.1v	491.36v
398	Mr AW Lothian	A	73.5v	72.7v	45.4v	47.4v	49.4v	46.2v	42.3v	72.3v	0.0v	0.0v	0.0v	45.3v	491.35v
399	Mr MD Joyce	A	70.5v	71.6v	46.3v	48.3v	46.3v	47.4v	46.3v	71.5v	0.0v	0.0v	0.0v	46.2v	491.34v
400	Miss N Barnes	O	74.6v	70.3v	46.3v	46.3v	46.4v	48.2v	49.6v	69.6v	0.0v	0.0v	0.0v	43.1v	491.34v
401	Mr SJ Comins	O	73.10v	68.4v	47.4v	44.1v	47.3v	48.2v	47.3v	71.3v	0.0v	0.0v	0.0v	46.1v	491.31v
402	Dr EN Munro	T	69.7v	73.5v	42.3v	48.6v	48.6v	49.6v	44.5v	69.2v	0.0v	0.0v	0.0v	48.6v	490.46v

403	Mr JRJ Kennedy	O	73.7v	69.6v	49.4v	48.3v	46.4v	48.6v	47.5v	71.7v	0.0v	0.0v	0.0v	39.3v	490.45v
404	Mrs LK Mace	A	73.8v	71.5v	47.5v	40.1v	47.4v	46.5v	49.6v	71.6v	0.0v	0.0v	0.0v	46.3v	490.43v
405	Mr J Foster	X	72.7v	64.1v	48.4v	47.5v	48.6v	45.3v	49.4v	73.10v	0.0v	0.0v	0.0v	44.2v	490.42v
406	Mr PJ Johnson	A	73.8v	68.6v	46.5v	41.3v	49.8v	47.3v	49.4v	69.2v	0.0v	0.0v	0.0v	48.2v	490.41v
407	Mr LT Wicker	O	73.5v	70.5v	45.2v	48.6v	45.3v	47.5v	47.4v	69.7v	0.0v	0.0v	0.0v	46.4v	490.41v
408	Miss S Cheslyn-Curtis	O	72.9v	71.5v	48.6v	44.4v	47.1v	48.5v	45.4v	70.5v	0.0v	0.0v	0.0v	45.2v	490.41v
409	Mr E Vert	T	72.6v	68.5v	47.3v	48.5v	50.5v	46.4v	40.2v	72.6v	0.0v	0.0v	0.0v	47.4v	490.40v
410	Mr RL Sampson	O	74.8v	70.7v	50.4v	46.1v	45.4v	46.4v	47.5v	67.5v	0.0v	0.0v	0.0v	45.2v	490.40v
411	Mr LR Coventry	T	73.7v	69.5v	47.7v	46.1v	47.3v	48.5v	46.3v	71.7v	0.0v	0.0v	0.0v	43.2v	490.40v
412	Mr MR Clewer	O	70.8v	69.3v	47.5v	46.2v	43.2v	47.5v	49.4v	72.7v	0.0v	0.0v	0.0v	47.3v	490.39v
413	Cdt M Serr	T	73.10v	69.4v	45.3v	46.2v	47.3v	48.5v	44.3v	72.6v	0.0v	0.0v	0.0v	46.3v	490.39v
414	Mr JA Haward	X	74.6v	68.7v	45.3v	46.3v	45.3v	48.1v	50.6v	71.7v	0.0v	0.0v	0.0v	43.3v	490.39v
415	Mr B Lacey	O	73.11v	71.5v	48.0v	45.2v	45.4v	46.5v	49.5v	74.7v	0.0v	0.0v	0.0v	39.0v	490.39v
416	Mr RDP Knapstein	A	69.5v	65.1v	49.5v	48.4v	49.4v	45.3v	47.5v	75.10v	0.0v	0.0v	0.0v	43.1v	490.38v
417	Mr I Reeves	O	72.6v	69.2v	45.2v	43.1v	48.3v	49.7v	49.4v	70.6v	0.0v	0.0v	0.0v	45.2v	490.33v
418	Mr D Acton	T	68.6v	68.1v	49.3v	46.1v	48.5v	45.3v	47.2v	71.5v	0.0v	0.0v	0.0v	48.6v	490.32v
419	Mr M Palmer	X	75.6v	74.7v	47.1v	39.2v	48.2v	47.1v	45.2v	71.7v	0.0v	0.0v	0.0v	44.2v	490.30v
420	Mr R Kligge	O	71.3v	69.3v	47.5v	45.2v	50.3v	48.6v	45.3v	72.5v	0.0v	0.0v	0.0v	43.0v	490.30v
421	Dr J Mehta	A	75.12v	74.10v	49.4v	44.5v	45.4v	49.2v	34.3v	73.8v	0.0v	0.0v	0.0v	46.3v	489.51v
422	Mr A Le Cheminant	O	68.3v	69.9v	43.2v	48.5v	50.8v	47.2v	48.6v	70.8v	0.0v	0.0v	0.0v	46.5v	489.48v
423	Mr GV Feast	A	71.7v	66.3v	50.5v	44.4v	46.4v	48.5v	49.5v	72.7v	0.0v	0.0v	0.0v	43.4v	489.44v
424	Mr RBC Baker	A	73.6v	73.7v	49.5v	46.4v	43.3v	48.6v	46.4v	72.6v	0.0v	0.0v	0.0v	39.3v	489.44v
425	Mr GM Gee	A	73.9v	69.5v	47.1v	50.5v	49.5v	49.6v	48.5v	69.8v	0.0v	0.0v	0.0v	35.0v	489.44v
426	Mr JT Kennedy	O	69.5v	68.3v	49.5v	47.3v	48.4v	44.6v	44.4v	74.10v	0.0v	0.0v	0.0v	46.3v	489.43v
427	Mr MR Frost	O	72.6v	71.8v	47.4v	42.2v	49.7v	46.3v	44.4v	72.5v	0.0v	0.0v	0.0v	46.1v	489.40v
428	Miss KE Pope	A	73.9v	69.1v	44.4v	44.2v	46.3v	50.6v	50.4v	71.7v	0.0v	0.0v	0.0v	42.3v	489.39v
429	Miss J Hince	A	71.7v	75.7v	47.3v	44.2v	48.5v	47.4v	47.2v	69.8v	0.0v	0.0v	0.0v	41.1v	489.39v
430	Mr CK Kiptarus	A	70.3v	71.2v	49.6v	40.3v	48.5v	49.4v	46.5v	71.7v	0.0v	0.0v	0.0v	45.3v	489.38v
431	Mr DRG Rich	O	69.2v	74.6v	43.3v	46.4v	50.7v	48.4v	48.4v	72.5v	0.0v	0.0v	0.0v	39.2v	489.37v
432	Mr MD Wright	O	67.4v	72.7v	47.3v	47.4v	47.4v	46.2v	46.4v	72.6v	0.0v	0.0v	0.0v	45.2v	489.36v
433	Miss CM Jones	O	72.6v	72.7v	46.3v	47.3v	45.1v	45.3v	49.4v	69.7v	0.0v	0.0v	0.0v	44.2v	489.36v
434	Mr B Creane	X	72.8v	71.1v	42.0v	48.3v	47.3v	47.5v	47.6v	71.7v	0.0v	0.0v	0.0v	44.2v	489.35v
435	Miss P Evans	O	72.5v	70.3v	48.6v	42.1v	44.2v	48.4v	47.6v	71.5v	0.0v	0.0v	0.0v	47.2v	489.34v
436	Mr TP Shaw	O	75.11v	63.2v	48.0v	44.0v	46.3v	45.1v	49.6v	73.8v	0.0v	0.0v	0.0v	46.2v	489.33v
437	Mr T Fermor	O	73.8v	69.3v	47.4v	47.2v	45.4v	46.2v	47.3v	73.5v	0.0v	0.0v	0.0v	42.1v	489.32v
438	Mr D Wilks	T	71.7v	69.4v	46.2v	47.1v	49.4v	48.4v	48.5v	72.5v	0.0v	0.0v	0.0v	39.0v	489.32v
439	Mr T Chapman	O	71.6v	71.6v	47.5v	42.2v	47.4v	48.4v	49.7v	71.9v	0.0v	0.0v	0.0v	42.2v	488.45v
440	Mr DN Webber	O	70.7v	73.9v	45.4v	46.4v	48.4v	46.1v	48.7v	66.4v	0.0v	0.0v	0.0v	46.4v	488.44v
441	Mr NJ Burnip	O	70.9v	66.2v	45.0v	45.4v	45.2v	48.6v	48.4v	72.9v	0.0v	0.0v	0.0v	49.4v	488.40v
442	Mr SJ Carson	X	73.5v	73.6v	43.2v	45.2v	47.5v	48.6v	47.4v	69.7v	0.0v	0.0v	0.0v	43.1v	488.38v
443	Mr RW Ramage	A	68.5v	71.7v	46.5v	48.4v	47.4v	46.1v	45.2v	71.6v	0.0v	0.0v	0.0v	46.3v	488.37v
444	Mr DH Allen	O	69.6v	69.4v	48.4v	48.4v	46.4v	47.2v	44.4v	70.5v	0.0v	0.0v	0.0v	47.3v	488.36v
445	Mr T Colston Sr	A	73.7v	68.2v	48.6v	38.0v	47.3v	49.6v	49.3v	72.6v	0.0v	0.0v	0.0v	44.3v	488.36v
446	Mr RF Barrington	A	67.2v	72.5v	47.4v	47.4v	49.6v	48.6v	45.0v	71.6v	0.0v	0.0v	0.0v	42.3v	488.36v
447	Miss M Message	T	72.7v	69.3v	46.3v	47.1v	43.3v	50.3v	45.3v	69.5v	0.0v	0.0v	0.0v	47.5v	488.33v
448	Miss F Beard	T	71.4v	69.6v	47.3v	40.1v	48.8v	47.2v	47.2v	72.5v	0.0v	0.0v	0.0v	47.1v	488.32v
449	Mr S De Gruchy	O	72.5v	67.2v	42.2v	48.5v	47.5v	47.1v	48.6v	71.4v	0.0v	0.0v	0.0v	46.1v	488.31v
450	Mr A Hynd	T	72.6v	70.2v	43.3v	48.3v	48.1v	45.2v	48.3v	70.7v	0.0v	0.0v	0.0v	44.3v	488.30v
451	Mr A Coakes	A	72.9v	69.6v	47.6v	41.2v	49.5v	47.5v	45.2v	70.6v	0.0v	0.0v	0.0v	47.4v	487.45v
452	Mr H Waldern	O	72.6v	71.7v	45.5v	42.4v	48.4v	48.5v	49.6v	70.6v	0.0v	0.0v	0.0v	42.0v	487.43v
453	Mr MJ Dodson	X	74.10v	69.6v	45.4v	47.5v	49.3v	42.0v	48.5v	72.8v	0.0v	0.0v	0.0v	41.1v	487.42v
454	Mr DK Kirui	O	70.9v	72.5v	49.7v	37.1v	50.6v	48.2v	48.6v	68.3v	0.0v	0.0v	0.0v	45.2v	487.41v
455	Mr SP O'Brien	A	72.7v	69.5v	48.3v	44.4v	48.5v	49.2v	48.6v	65.6v	0.0v	0.0v	0.0v	44.3v	487.41v
456	Mr AI Brown	O	72.8v	68.4v	48.5v	47.2v	48.6v	47.3v	50.8v	64.4v	0.0v	0.0v	0.0v	43.1v	487.41v
457	Mr CP Goad	X	69.8v	70.3v	43.1v	50.6v	48.3v	45.4v	48.5v	70.6v	0.0v	0.0v	0.0v	44.4v	487.40v
458	Mrs K Le Quesne	O	69.4v	71.5v	46.1v	44.1v	50.6v	46.4v	49.8v	71.7v	0.0v	0.0v	0.0v	41.4v	487.40v
459	Mr O Hudson	X	72.3v	73.9v	45.4v	47.4v	48.5v	48.5v	46.3v	64.3v	0.0v	0.0v	0.0v	44.3v	487.39v
460	Cdt P Wilkinson	T	70.6v	73.8v	50.5v	47.5v	45.2v	46.2v	42.0v	71.7v	0.0v	0.0v	0.0v	43.3v	487.38v
461	Mr RF Burden	O	70.9v	69.3v	47.6v	44.2v	47.3v	48.3v	47.4v	71.6v	0.0v	0.0v	0.0v	44.1v	487.37v
462	Miss B Fraser-Burn	O	67.4v	64.2v	47.3v	44.0v	49.6v	49.7v	43.2v	74.8v	0.0v	0.0v	0.0v	50.2v	487.34v

463	Mr S Pearson	X	72.6v	70.3v	45.3v	42.2v	48.5v	47.2v	47.5v	72.6v	0.0v	0.0v	0.0v	44.2v	487.34v
464	Mr B Soelzer	O	69.4v	70.5v	45.1v	45.2v	49.8v	48.5v	46.2v	73.5v	0.0v	0.0v	0.0v	42.2v	487.34v
465	Cdt J Zheng	T	70.4v	70.6v	44.4v	46.1v	47.2v	47.3v	45.1v	74.9v	0.0v	0.0v	0.0v	44.2v	487.32v
466	Mr AF Donald	O	72.8v	68.1v	45.2v	46.2v	45.1v	48.4v	48.6v	71.5v	0.0v	0.0v	0.0v	44.1v	487.30v
467	Mr RP Rosling	O	74.6v	70.4v	45.2v	39.1v	45.1v	47.2v	49.5v	72.4v	0.0v	0.0v	0.0v	46.2v	487.27v
468	Mr RA Welford	A	71.10v	72.6v	47.1v	44.4v	47.6v	49.6v	47.3v	66.6v	0.0v	0.0v	0.0v	43.2v	486.44v
469	Mr B Colman-Sadd	O	74.10v	65.1v	49.7v	44.2v	48.4v	48.5v	48.5v	66.5v	0.0v	0.0v	0.0v	44.2v	486.41v
470	Mr NG Gibbins	X	74.8v	69.3v	48.5v	41.2v	49.7v	47.4v	46.5v	72.6v	0.0v	0.0v	0.0v	40.1v	486.41v
471	Mr MJ Barlow	A	72.5v	68.4v	46.3v	40.1v	49.6v	49.4v	47.1v	69.6v	0.0v	0.0v	0.0v	46.4v	486.34v
472	Mr WP Playle	T	69.3v	68.3v	47.4v	42.0v	46.3v	48.5v	47.5v	72.7v	0.0v	0.0v	0.0v	47.3v	486.33v
473	Mr P Thompson	A	73.6v	67.4v	46.2v	47.3v	47.5v	45.1v	46.5v	71.6v	0.0v	0.0v	0.0v	44.1v	486.33v
474	Mr SJ Dawes	O	71.4v	68.7v	45.1v	48.3v	43.2v	49.3v	49.4v	70.8v	0.0v	0.0v	0.0v	43.1v	486.33v
475	Dr AF Aspin	O	72.4v	70.6v	45.3v	43.3v	48.5v	48.1v	46.2v	67.1v	0.0v	0.0v	0.0v	47.5v	486.30v
476	Mr SW Maris	O	65.3v	70.2v	49.5v	47.1v	48.4v	47.5v	46.1v	71.5v	0.0v	0.0v	0.0v	43.1v	486.27v
477	Mr PJ Chance	X	69.5v	71.9v	47.5v	43.1v	48.7v	48.3v	46.4v	67.4v	0.0v	0.0v	0.0v	46.6v	485.44v
478	Mr MR Steele	X	74.9v	60.3v	47.4v	47.4v	48.7v	43.2v	48.5v	75.8v	0.0v	0.0v	0.0v	43.2v	485.44v
479	Mr J Matheson	T	71.8v	65.5v	44.4v	45.2v	48.7v	48.2v	48.6v	70.4v	0.0v	0.0v	0.0v	46.3v	485.41v
480	Mr SE Frost	O	73.10v	68.4v	44.2v	46.2v	47.4v	48.6v	39.1v	73.7v	0.0v	0.0v	0.0v	47.4v	485.40v
481	Mr C Philp	T	73.6v	71.8v	49.6v	39.1v	47.3v	48.5v	48.3v	66.6v	0.0v	0.0v	0.0v	44.1v	485.39v
482	Dr NP Tucker	O	70.5v	68.3v	48.5v	44.3v	46.2v	45.4v	49.6v	72.8v	0.0v	0.0v	0.0v	43.3v	485.39v
483	Mr A Partridge	O	69.6v	70.5v	47.2v	47.5v	48.6v	46.4v	46.4v	72.6v	0.0v	0.0v	0.0v	40.1v	485.39v
484	Dr CW Freeman	O	71.4v	70.5v	42.4v	48.3v	48.4v	46.5v	47.5v	68.3v	0.0v	0.0v	0.0v	45.4v	485.37v
485	Mr CJ Sherratt	O	68.5v	71.5v	48.5v	41.1v	45.4v	48.0v	46.4v	72.8v	0.0v	0.0v	0.0v	46.4v	485.36v
486	Mr RJR Mott	X	73.4v	69.2v	45.3v	50.6v	47.5v	37.1v	46.3v	74.10v	0.0v	0.0v	0.0v	44.2v	485.36v
487	Mr R McVeigh	O	73.6v	71.7v	48.4v	45.0v	48.3v	46.2v	47.6v	74.7v	0.0v	0.0v	0.0v	33.1v	485.36v
488	Mr JJ Parsons	O	72.5v	66.5v	46.1v	42.0v	50.4v	49.7v	44.4v	69.5v	0.0v	0.0v	0.0v	47.4v	485.35v
489	CSgt M Luckyn-Malone	T	70.5v	67.3v	47.5v	44.4v	46.2v	50.5v	47.2v	70.6v	0.0v	0.0v	0.0v	44.1v	485.33v
490	Mr R Ellis	O	72.7v	66.3v	47.5v	45.3v	48.2v	50.7v	49.3v	66.2v	0.0v	0.0v	0.0v	42.1v	485.33v
491	Mr S Pigeon	T	71.5v	69.7v	48.3v	42.2v	46.3v	46.2v	46.3v	72.5v	0.0v	0.0v	0.0v	45.2v	485.32v
492	Mr BA Young	O	70.6v	70.3v	45.2v	47.3v	47.2v	49.4v	44.3v	65.3v	0.0v	0.0v	0.0v	48.5v	485.31v
493	Mrs JC Scott Langley	O	69.2v	72.2v	45.1v	46.1v	45.4v	45.3v	45.2v	71.10v	0.0v	0.0v	0.0v	47.5v	485.30v
494	Mrs T Newbold	O	69.4v	69.5v	46.3v	45.0v	48.4v	50.5v	45.3v	68.4v	0.0v	0.0v	0.0v	45.2v	485.30v
495	Mr RA Jobson	O	74.12v	68.4v	50.7v	46.4v	47.2v	42.2v	43.2v	74.7v	0.0v	0.0v	0.0v	40.1v	484.41v
496	Prince A zu Sayn-Wittgenstein-Sayn	O	72.10v	70.4v	42.1v	39.3v	48.6v	45.4v	49.6v	72.4v	0.0v	0.0v	0.0v	47.2v	484.40v
497	Mr CA Skellett	O	71.7v	70.6v	40.1v	47.6v	47.5v	48.4v	49.5v	70.6v	0.0v	0.0v	0.0v	42.0v	484.40v
498	Mr AJ Luckman	X	72.6v	60.3v	45.4v	48.4v	47.3v	48.5v	47.5v	71.4v	0.0v	0.0v	0.0v	46.5v	484.39v
499	Mr RB Fitzsimmons	O	71.9v	71.5v	46.2v	46.4v	45.2v	45.3v	46.2v	71.9v	0.0v	0.0v	0.0v	43.3v	484.39v
500	Mr ARN Kinross	O	69.4v	65.3v	47.3v	44.2v	49.5v	47.4v	46.5v	71.8v	0.0v	0.0v	0.0v	46.4v	484.38v
501	Mr M Hartung	A	70.6v	73.5v	42.0v	48.4v	45.2v	46.3v	49.6v	72.10v	0.0v	0.0v	0.0v	39.1v	484.37v
502	Mr HD Werner	O	68.5v	67.4v	48.4v	46.2v	47.6v	42.1v	47.2v	72.8v	0.0v	0.0v	0.0v	47.3v	484.35v
503	Mr DTA Cobb	O	69.4v	67.2v	44.3v	46.1v	46.4v	47.2v	47.7v	71.5v	0.0v	0.0v	0.0v	47.5v	484.33v
504	Cdt P Ready	T	69.4v	67.4v	49.5v	42.1v	47.3v	47.2v	47.6v	70.5v	0.0v	0.0v	0.0v	46.3v	484.33v
505	Mr M Dodd	O	71.6v	70.8v	45.2v	46.4v	47.4v	46.2v	45.1v	68.4v	0.0v	0.0v	0.0v	46.2v	484.33v
506	Mr MD Jenvey	O	70.5v	68.4v	49.2v	46.3v	46.3v	49.6v	46.2v	66.6v	0.0v	0.0v	0.0v	44.2v	484.33v
507	Cdt A Doody	T	69.3v	69.1v	46.4v	45.3v	46.4v	49.8v	48.5v	70.2v	0.0v	0.0v	0.0v	42.2v	484.32v
508	Miss C Chan	T	72.7v	69.6v	46.3v	45.2v	49.5v	45.0v	48.5v	68.2v	0.0v	0.0v	0.0v	42.0v	484.30v
509	Mr B Digby	O	71.6v	70.7v	38.2v	47.2v	48.7v	43.3v	46.3v	73.7v	0.0v	0.0v	0.0v	47.5v	483.42v
510	Cdt WP Cubitt	O	70.7v	69.3v	44.3v	37.0v	48.3v	48.5v	47.3v	72.10v	0.0v	0.0v	0.0v	48.6v	483.40v
511	Mr WHC Alexander	O	69.5v	69.4v	46.1v	43.2v	45.3v	47.5v	49.7v	72.9v	0.0v	0.0v	0.0v	43.3v	483.39v
512	Miss FE Purdy	O	69.5v	67.3v	49.7v	44.4v	45.5v	49.5v	47.2v	70.5v	0.0v	0.0v	0.0v	43.3v	483.39v
513	Mr JE White	O	71.6v	68.3v	49.5v	45.4v	46.3v	43.0v	45.5v	72.9v	0.0v	0.0v	0.0v	44.3v	483.38v
514	Cpl B Robinson	T	66.6v	69.3v	49.5v	47.6v	42.1v	47.5v	47.4v	70.3v	0.0v	0.0v	0.0v	46.4v	483.37v
515	Mr CA Stewart	O	71.7v	70.4v	45.3v	41.2v	46.4v	46.4v	47.5v	71.5v	0.0v	0.0v	0.0v	46.3v	483.37v
516	Mr SJ Bissonnette	A	73.6v	72.4v	44.4v	46.2v	48.2v	40.4v	48.5v	71.8v	0.0v	0.0v	0.0v	41.2v	483.37v
517	Mr BJ Page	O	69.5v	68.2v	44.3v	45.3v	43.4v	46.1v	49.4v	74.10v	0.0v	0.0v	0.0v	45.4v	483.36v
518	Miss A Burrows	O	72.7v	69.2v	48.4v	41.1v	48.4v	49.7v	41.2v	73.7v	0.0v	0.0v	0.0v	42.1v	483.35v
519	Cdt M Woodcock	O	70.5v	69.3v	48.4v	47.3v	50.6v	46.3v	47.3v	65.5v	0.0v	0.0v	0.0v	41.3v	483.35v
520	Mr DA Smith	O	69.6v	69.2v	50.3v	47.3v	37.0v	43.1v	50.6v	73.11v	0.0v	0.0v	0.0v	45.2v	483.34v
521	Rev Dr A Simpson	O	70.4v	66.3v	48.2v	42.2v	45.2v	47.3v	49.6v	69.6v	0.0v	0.0v	0.0v	47.5v	483.33v
522	Mr B Hendrikz	O	71.7v	69.6v	48.3v	49.3v	48.3v	43.2v	46.2v	67.3v	0.0v	0.0v	0.0v	42.1v	483.30v

523	Cdt D Cai	T	73.4v	70.5v	46.3v	44.0v	41.1v	49.3v	43.1v	71.9v	0.0v	0.0v	0.0v	46.2v	483.28v
524	Mr ML Cotillard	O	64.8v	67.2v	50.5v	43.1v	49.8v	48.4v	45.3v	73.11v	0.0v	0.0v	0.0v	43.2v	482.44v
525	Mr CB Cotillard	O	75.11v	72.6v	43.2v	43.3v	49.5v	45.2v	46.3v	72.9v	0.0v	0.0v	0.0v	37.1v	482.42v
526	Mr P Kiveleeti	X	69.5v	70.6v	49.6v	41.3v	46.2v	46.5v	45.4v	70.6v	0.0v	0.0v	0.0v	46.3v	482.40v
527	Mr AG Harrison	O	73.7v	70.7v	46.3v	48.5v	45.2v	44.1v	49.6v	71.8v	0.0v	0.0v	0.0v	36.1v	482.40v
528	Mr RJ Quay	O	71.7v	71.7v	46.3v	46.3v	44.2v	44.2v	46.5v	71.7v	0.0v	0.0v	0.0v	43.2v	482.38v
529	Mr AP Clark	T	70.6v	71.4v	49.6v	38.0v	46.6v	49.3v	48.4v	69.4v	0.0v	0.0v	0.0v	42.4v	482.37v
530	Mr CPP Brewin	O	73.7v	68.4v	47.2v	46.2v	47.6v	44.1v	45.3v	67.6v	0.0v	0.0v	0.0v	45.4v	482.35v
531	Miss KM Butler	T	74.6v	62.7v	47.2v	45.3v	46.3v	46.2v	47.5v	72.4v	0.0v	0.0v	0.0v	43.3v	482.35v
532	Mr GRP Shapland	O	70.8v	70.6v	45.4v	44.2v	42.2v	49.3v	47.5v	67.2v	0.0v	0.0v	0.0v	48.2v	482.34v
533	Mr TM Mulholland	T	69.2v	72.7v	40.3v	47.1v	46.6v	47.5v	47.4v	72.5v	0.0v	0.0v	0.0v	42.1v	482.34v
534	Cdt JH Lee	T	72.7v	67.4v	45.2v	45.6v	42.1v	48.2v	49.3v	70.4v	0.0v	0.0v	0.0v	44.4v	482.33v
535	Mr J Maguire	O	71.6v	69.1v	47.4v	45.3v	48.3v	44.3v	44.3v	68.5v	0.0v	0.0v	0.0v	46.3v	482.31v
536	Mr C Waldron	O	68.4v	67.4v	47.3v	48.5v	45.3v	45.2v	46.3v	71.7v	0.0v	0.0v	0.0v	45.0v	482.31v
537	Mr SH Dickson	O	68.5v	67.2v	45.5v	47.3v	45.2v	48.3v	46.2v	72.6v	0.0v	0.0v	0.0v	44.3v	482.31v
538	Mr CC Mallett Jnr	A	71.5v	69.4v	44.3v	46.3v	44.4v	46.0v	47.2v	65.4v	0.0v	0.0v	0.0v	50.4v	482.29v
539	Mrs R Merridew	O	71.5v	70.7v	43.3v	44.1v	46.4v	46.4v	47.4v	69.5v	0.0v	0.0v	0.0v	45.2v	481.35v
540	Mr JA Marshall	X	70.5v	72.6v	46.3v	42.4v	46.4v	47.3v	45.4v	70.3v	0.0v	0.0v	0.0v	43.2v	481.34v
541	Mr RA Webb	O	73.7v	70.5v	47.4v	41.2v	46.2v	45.3v	48.5v	69.4v	0.0v	0.0v	0.0v	42.2v	481.34v
542	Mr L Malcic	A	71.3v	68.2v	42.2v	47.1v	47.3v	46.4v	46.3v	73.10v	0.0v	0.0v	0.0v	41.3v	481.31v
543	Mr GK Goodwin	O	72.5v	70.4v	44.3v	49.3v	46.5v	43.3v	48.2v	67.4v	0.0v	0.0v	0.0v	42.1v	481.30v
544	Miss A Good	O	71.6v	63.3v	46.4v	49.4v	47.7v	48.6v	43.1v	68.5v	0.0v	0.0v	0.0v	45.4v	480.40v
545	Mr C Perry	O	72.8v	66.5v	48.3v	48.4v	47.4v	47.4v	46.4v	68.6v	0.0v	0.0v	0.0v	38.2v	480.40v
546	Mr RK Jackson	O	75.10v	68.5v	48.5v	45.2v	45.3v	44.2v	46.4v	68.5v	0.0v	0.0v	0.0v	41.3v	480.39v
547	Dr N Hart	O	70.7v	69.6v	46.5v	40.2v	44.4v	48.3v	48.4v	68.4v	0.0v	0.0v	0.0v	47.3v	480.38v
548	Mr PCW Rose	O	72.9v	67.3v	44.2v	48.7v	46.6v	46.3v	42.2v	70.4v	0.0v	0.0v	0.0v	45.1v	480.37v
549	Mr F Barratt	T	72.5v	67.6v	48.6v	42.3v	48.4v	44.2v	44.5v	71.5v	0.0v	0.0v	0.0v	44.1v	480.37v
550	Mr M Clark	O	72.4v	69.6v	42.1v	42.4v	48.3v	45.4v	46.1v	73.10v	0.0v	0.0v	0.0v	43.4v	480.37v
551	Dr AI Ashworth	O	71.6v	69.5v	45.3v	44.3v	48.6v	47.2v	50.4v	69.6v	0.0v	0.0v	0.0v	37.1v	480.36v
552	Mr AJ Coleman-Cooke	O	72.5v	67.5v	45.2v	46.4v	48.5v	46.5v	44.1v	68.7v	0.0v	0.0v	0.0v	44.1v	480.35v
553	Mr D Fox	T	64.3v	68.4v	48.1v	38.2v	46.3v	48.7v	49.6v	72.6v	0.0v	0.0v	0.0v	47.1v	480.33v
554	Dr MJ Schwarz	O	70.6v	71.8v	49.2v	44.3v	47.5v	44.3v	44.0v	70.4v	0.0v	0.0v	0.0v	41.2v	480.33v
555	Miss ISA Hunt	T	71.3v	69.6v	42.1v	48.5v	47.4v	48.5v	45.2v	71.7v	0.0v	0.0v	0.0v	39.0v	480.33v
556	Mr TS McDowell	O	73.7v	69.4v	45.0v	40.1v	48.6v	45.2v	43.5v	70.4v	0.0v	0.0v	0.0v	47.3v	480.32v
557	Mr W Ross	O	70.6v	68.2v	44.3v	48.4v	46.0v	46.3v	49.4v	69.6v	0.0v	0.0v	0.0v	40.1v	480.29v
558	Mr A Singh	T	71.3v	68.4v	42.2v	45.2v	45.2v	46.3v	50.5v	68.3v	0.0v	0.0v	0.0v	45.3v	480.27v
559	Cdt K Kapustina	O	69.7v	66.1v	48.6v	40.1v	49.4v	48.5v	47.3v	70.6v	0.0v	0.0v	0.0v	42.4v	479.37v
560	Mr J Smith	A	67.3v	69.8v	46.3v	41.1v	46.5v	46.2v	45.2v	71.8v	0.0v	0.0v	0.0v	48.3v	479.35v
561	Mr PG Kelly	O	71.8v	67.5v	50.3v	46.2v	48.3v	48.3v	45.4v	69.4v	0.0v	0.0v	0.0v	35.2v	479.34v
562	Mr MPJ Pybus	T	70.5v	64.2v	47.4v	42.3v	45.3v	44.3v	48.5v	71.5v	0.0v	0.0v	0.0v	48.3v	479.33v
563	Mr BV Cambray	O	72.6v	68.2v	48.8v	46.4v	46.1v	42.2v	47.4v	67.2v	0.0v	0.0v	0.0v	43.3v	479.32v
564	Mr FPR Northam	O	69.4v	68.3v	46.4v	46.1v	45.2v	48.2v	48.5v	65.4v	0.0v	0.0v	0.0v	44.5v	479.30v
565	Mr DAF Parkinson	O	71.6v	66.2v	47.3v	45.4v	46.4v	43.1v	48.3v	69.5v	0.0v	0.0v	0.0v	44.2v	479.30v
566	Cdt T Tancred	O	68.4v	71.7v	47.3v	44.2v	46.0v	44.2v	47.2v	70.4v	0.0v	0.0v	0.0v	42.0v	479.24v
567	Mr S Edwards	T	66.5v	68.7v	44.3v	43.1v	46.2v	46.3v	45.3v	73.8v	0.0v	0.0v	0.0v	47.4v	478.36v
568	Mr S Livingston	T	71.6v	69.7v	47.4v	42.2v	41.1v	47.3v	44.2v	74.8v	0.0v	0.0v	0.0v	43.2v	478.35v
569	Sqn. Ldr. CM Fopp	O	69.5v	68.6v	44.2v	45.2v	49.5v	41.2v	47.1v	75.11v	0.0v	0.0v	0.0v	40.1v	478.35v
570	Mr J Goss	T	70.8v	71.3v	45.3v	46.1v	47.4v	44.3v	42.1v	71.8v	0.0v	0.0v	0.0v	42.3v	478.34v
571	Mr T Craig-Fleming	T	71.7v	67.1v	44.0v	43.3v	42.2v	49.6v	46.2v	69.7v	0.0v	0.0v	0.0v	47.5v	478.33v
572	Mr P Goubert	O	70.4v	69.7v	48.5v	42.1v	45.2v	45.3v	46.4v	69.4v	0.0v	0.0v	0.0v	44.2v	478.32v
573	Mr RG Hilyard	O	71.8v	68.3v	47.3v	44.2v	47.4v	47.3v	44.3v	67.4v	0.0v	0.0v	0.0v	43.2v	478.32v
574	Miss K Hinkly	T	68.5v	69.3v	41.3v	47.2v	46.5v	44.2v	48.5v	70.4v	0.0v	0.0v	0.0v	45.2v	478.31v
575	Cdt CAV Hilton	T	68.6v	68.2v	46.3v	43.1v	50.5v	44.1v	47.4v	71.8v	0.0v	0.0v	0.0v	41.1v	478.31v
576	Mr MK Townsend	O	68.3v	65.3v	42.1v	48.5v	45.2v	49.4v	49.6v	69.4v	0.0v	0.0v	0.0v	43.2v	478.30v
577	Mr G Yates	O	67.4v	68.4v	48.5v	46.2v	43.1v	45.2v	46.3v	72.7v	0.0v	0.0v	0.0v	43.1v	478.29v
578	Mr O Taylor	T	73.7v	66.5v	45.1v	42.1v	46.2v	47.3v	49.4v	74.6v	0.0v	0.0v	0.0v	36.0v	478.29v
579	Mr IR Thomson	O	71.4v	66.1v	41.3v	45.3v	49.7v	45.2v	44.3v	71.5v	0.0v	0.0v	0.0v	46.0v	478.28v
580	Mr TG Garfield-Bennett	O	68.3v	67.2v	46.2v	48.3v	49.6v	48.3v	44.3v	66.2v	0.0v	0.0v	0.0v	42.2v	478.26v
581	Mr C Pawlik	T	69.3v	69.1v	43.3v	49.6v	40.1v	46.2v	47.1v	69.3v	0.0v	0.0v	0.0v	46.2v	478.22v
582	Mr W Jowett	O	72.6v	69.4v	47.4v	37.2v	48.5v	47.3v	44.3v	67.3v	0.0v	0.0v	0.0v	46.4v	477.34v

583	Mr W Mulholland	O	66.4v	68.3v	46.4v	44.3v	43.3v	48.5v	46.4v	71.6v	0.0v	0.0v	0.0v	45.2v	477.34v
584	Cpl G Bramwell	T	71.6v	67.2v	47.4v	46.1v	47.5v	43.1v	39.2v	71.6v	0.0v	0.0v	0.0v	46.5v	477.32v
585	Mr JS Ritchie	O	68.5v	69.5v	44.3v	47.4v	46.5v	48.3v	47.2v	64.3v	0.0v	0.0v	0.0v	44.1v	477.31v
586	Mr A Radkovskii	T	70.5v	70.5v	43.1v	44.4v	45.3v	49.4v	47.3v	70.5v	0.0v	0.0v	0.0v	39.0v	477.30v
587	Cdr M Jordan	O	73.8v	69.3v	46.2v	45.3v	47.2v	46.2v	46.4v	62.4v	0.0v	0.0v	0.0v	43.1v	477.29v
588	Miss A Forsyth	T	70.3v	71.4v	44.2v	46.1v	46.4v	47.5v	45.2v	69.4v	0.0v	0.0v	0.0v	39.1v	477.26v
589	Mr PB Cutts	O	74.10v	70.5v	48.6v	44.2v	44.1v	41.0v	43.6v	73.9v	0.0v	0.0v	0.0v	39.3v	476.42v
590	Cdt E Pasemko	T	71.5v	68.5v	48.3v	47.4v	47.6v	43.5v	50.6v	69.6v	0.0v	0.0v	0.0v	33.0v	476.40v
591	Mr C Mckenzie	T	71.6v	68.7v	47.3v	46.3v	45.3v	44.1v	41.2v	71.7v	0.0v	0.0v	0.0v	43.3v	476.35v
592	Mr PK Kapkundos	O	69.6v	66.4v	47.4v	41.1v	49.2v	46.4v	47.2v	69.8v	0.0v	0.0v	0.0v	42.4v	476.35v
593	Mr C Maher	O	66.3v	69.6v	40.3v	46.5v	48.4v	46.3v	48.5v	70.5v	0.0v	0.0v	0.0v	43.0v	476.34v
594	Cdt JC Duffy	T	73.9v	69.4v	46.1v	44.1v	44.3v	47.3v	48.6v	66.5v	0.0v	0.0v	0.0v	39.2v	476.34v
595	Cdt I Levesque	T	72.7v	67.5v	43.1v	40.1v	49.4v	46.3v	47.3v	67.4v	0.0v	0.0v	0.0v	45.5v	476.33v
596	Mr SA Hunting	O	69.5v	72.4v	47.4v	47.4v	44.2v	49.5v	44.3v	64.4v	0.0v	0.0v	0.0v	40.0v	476.31v
597	Dr G Stevenson	O	71.6v	67.1v	42.2v	46.4v	45.2v	46.4v	45.1v	67.4v	0.0v	0.0v	0.0v	47.4v	476.28v
598	Mr GC Baylis	O	68.5v	69.4v	45.4v	42.2v	48.4v	45.1v	43.1v	70.3v	0.0v	0.0v	0.0v	46.4v	476.28v
599	Cdt R Cameron	T	69.4v	67.3v	50.7v	48.1v	45.2v	45.3v	41.1v	69.5v	0.0v	0.0v	0.0v	42.1v	476.27v
600	Mr JRD Clegg	O	72.5v	69.6v	47.4v	42.2v	46.3v	46.1v	45.3v	68.3v	0.0v	0.0v	0.0v	41.0v	476.27v
601	Mr A Rooney	T	71.1v	68.4v	46.3v	44.4v	44.3v	48.4v	44.3v	68.3v	0.0v	0.0v	0.0v	43.1v	476.26v
602	Mr H Vaughan-Johnson	T	70.3v	67.3v	46.5v	45.5v	45.1v	45.1v	45.2v	68.2v	0.0v	0.0v	0.0v	45.3v	476.25v
603	Mr AGH Van Koetsveld	O	72.6v	71.7v	46.2v	39.2v	48.2v	43.4v	45.4v	71.7v	0.0v	0.0v	0.0v	40.4v	475.38v
604	Mr CM Nunan	O	71.4v	61.1v	46.4v	45.4v	47.3v	47.4v	47.6v	67.5v	0.0v	0.0v	0.0v	44.3v	475.34v
605	Mr ISL Dampney	O	69.4v	69.4v	40.0v	45.5v	46.2v	45.4v	50.3v	69.6v	0.0v	0.0v	0.0v	42.3v	475.31v
606	Mr DE Fields	O	68.4v	68.3v	49.5v	46.2v	50.4v	48.5v	41.1v	68.5v	0.0v	0.0v	0.0v	37.1v	475.30v
607	Mr W Adams	T	67.3v	72.6v	47.3v	45.2v	46.3v	48.3v	42.2v	67.4v	0.0v	0.0v	0.0v	41.3v	475.29v
608	Maj Rtd P Mathenge	O	69.5v	70.5v	39.3v	48.5v	46.5v	46.3v	44.4v	70.5v	0.0v	0.0v	0.0v	42.2v	474.37v
609	Wg. Cdr. MJ Gregory	O	66.3v	66.1v	41.3v	43.1v	46.3v	47.4v	49.6v	69.4v	0.0v	0.0v	0.0v	47.7v	474.32v
610	Miss SJ Dick	O	71.7v	68.3v	47.4v	38.0v	47.3v	46.1v	47.4v	64.3v	0.0v	0.0v	0.0v	46.1v	474.26v
611	Mr R Johnson	T	67.2v	65.3v	46.2v	45.2v	45.5v	46.4v	47.3v	68.0v	0.0v	0.0v	0.0v	45.3v	474.24v
612	Mr P Cameron Taylor	O	68.6v	71.6v	36.0v	47.5v	46.2v	48.5v	45.7v	72.9v	0.0v	0.0v	0.0v	40.1v	473.41v
613	Miss K Foye	T	70.9v	69.5v	46.3v	43.2v	46.4v	44.1v	44.4v	71.8v	0.0v	0.0v	0.0v	40.0v	473.36v
614	Miss C Alvarez	T	68.5v	67.5v	45.5v	39.2v	44.3v	48.2v	47.5v	70.5v	0.0v	0.0v	0.0v	45.1v	473.33v
615	Mr R Winney	A	72.6v	69.5v	47.5v	37.1v	40.0v	47.4v	46.2v	71.4v	0.0v	0.0v	0.0v	44.3v	473.30v
616	Mr J Kellinger	T	70.4v	69.4v	45.2v	44.4v	48.4v	46.4v	44.3v	65.3v	0.0v	0.0v	0.0v	42.1v	473.29v
617	LCpl J Ingham	T	69.6v	69.3v	43.4v	46.1v	47.3v	42.3v	44.1v	70.2v	0.0v	0.0v	0.0v	43.2v	473.25v
618	Mr C Berntsen	O	68.5v	62.2v	47.2v	43.0v	50.4v	46.1v	46.4v	70.5v	0.0v	0.0v	0.0v	41.1v	473.24v
619	Miss CE Davies	O	70.6v	71.2v	44.1v	38.0v	44.2v	49.5v	47.0v	68.4v	0.0v	0.0v	0.0v	42.2v	473.22v
620	Mr ND Gomez	O	73.5v	63.2v	35.0v	49.3v	47.0v	46.3v	46.2v	69.2v	0.0v	0.0v	0.0v	45.3v	473.20v
621	Colonel N Stebbings	O	68.4v	68.5v	46.3v	44.3v	44.2v	44.2v	45.5v	69.3v	0.0v	0.0v	0.0v	44.4v	472.31v
622	Mr T Clifford	T	69.3v	67.3v	45.1v	47.3v	43.3v	45.3v	46.5v	66.3v	0.0v	0.0v	0.0v	44.3v	472.27v
623	Mr H Marden	T	68.2v	63.1v	46.3v	47.3v	48.4v	49.6v	47.3v	67.2v	0.0v	0.0v	0.0v	37.2v	472.26v
624	Mr JAH Nicholls	T	65.3v	69.5v	44.2v	46.3v	47.1v	47.4v	41.2v	66.2v	0.0v	0.0v	0.0v	47.1v	472.23v
625	Mr KR Trowbridge	O	71.6v	60.5v	44.2v	49.4v	43.2v	44.5v	49.8v	69.5v	0.0v	0.0v	0.0v	42.2v	471.39v
626	Mr CTS Belk	O	67.6v	63.3v	45.2v	48.8v	45.4v	41.0v	48.4v	73.9v	0.0v	0.0v	0.0v	41.1v	471.37v
627	Mr C Koros	O	70.8v	65.3v	45.2v	44.0v	45.2v	44.5v	47.5v	68.7v	0.0v	0.0v	0.0v	43.1v	471.33v
628	Ms V Bieger	O	71.9v	69.4v	44.3v	40.2v	48.6v	49.4v	48.2v	66.3v	0.0v	0.0v	0.0v	36.0v	471.33v
629	Mr P Waldron	O	69.3v	64.3v	48.3v	43.5v	47.4v	42.3v	46.5v	66.4v	0.0v	0.0v	0.0v	46.1v	471.31v
630	Mr JD Badman	O	70.7v	70.5v	45.5v	43.1v	46.2v	40.1v	44.4v	69.4v	0.0v	0.0v	0.0v	44.0v	471.29v
631	Mr DJ Stewart	O	69.3v	71.6v	46.3v	42.2v	44.3v	45.1v	42.2v	70.6v	0.0v	0.0v	0.0v	42.2v	471.28v
632	Mr GR Thomas	O	71.4v	66.2v	43.1v	46.3v	47.3v	42.2v	46.5v	70.5v	0.0v	0.0v	0.0v	40.1v	471.26v
633	Cdt J Beddoe	T	70.4v	67.4v	48.6v	42.1v	43.3v	39.1v	46.2v	69.6v	0.0v	0.0v	0.0v	46.4v	470.31v
634	Mr B Harrigan	O	66.2v	68.5v	41.1v	49.4v	48.4v	48.5v	39.0v	71.7v	0.0v	0.0v	0.0v	40.1v	470.29v
635	Mr MK Keel	T	68.7v	62.1v	44.2v	45.1v	46.3v	45.0v	47.5v	63.4v	0.0v	0.0v	0.0v	50.4v	470.27v
636	Mr B Tinegate-Smith	T	66.2v	67.4v	49.5v	43.0v	44.2v	49.7v	43.1v	63.3v	0.0v	0.0v	0.0v	46.3v	470.27v
637	Mr AC Barrell	O	69.6v	67.3v	45.0v	35.1v	44.1v	49.3v	45.1v	68.4v	0.0v	0.0v	0.0v	48.5v	470.24v
638	Mr RM Culverwell	O	72.6v	70.4v	43.2v	42.3v	42.2v	41.1v	44.2v	69.5v	0.0v	0.0v	0.0v	46.4v	469.29v
639	Mr J Scambler	O	68.5v	71.2v	40.1v	43.1v	47.2v	47.5v	47.3v	71.7v	0.0v	0.0v	0.0v	35.2v	469.28v
640	Mr JMS Samson	O	69.3v	67.4v	44.2v	41.2v	46.3v	46.3v	46.3v	66.2v	0.0v	0.0v	0.0v	44.3v	469.25v
641	Mr JL Poulin	O	70.6v	66.1v	48.1v	42.1v	40.1v	45.3v	46.2v	69.7v	0.0v	0.0v	0.0v	43.2v	469.24v
642	Mr J Oakland	T	68.3v	66.1v	39.0v	45.4v	45.3v	49.6v	46.1v	64.2v	0.0v	0.0v	0.0v	47.3v	469.23v

643	Mr TF Kurn	O	64.2v	67.3v	48.1v	43.1v	47.4v	45.2v	46.2v	64.2v	0.0v	0.0v	0.0v	45.1v	469.18v
644	LCpl E Robinson	T	72.7v	67.4v	48.4v	42.1v	47.6v	48.3v	39.4v	71.5v	0.0v	0.0v	0.0v	34.2v	468.36v
645	Mr OJ Hughes	T	69.7v	69.7v	35.0v	46.2v	44.2v	47.2v	45.2v	70.6v	0.0v	0.0v	0.0v	43.2v	468.30v
646	Cdt R Morin	T	70.5v	69.6v	44.2v	43.2v	49.6v	44.3v	44.2v	64.2v	0.0v	0.0v	0.0v	41.0v	468.28v
647	Mr H Emck	O	69.5v	65.2v	43.0v	42.3v	44.2v	44.3v	47.2v	71.8v	0.0v	0.0v	0.0v	43.1v	468.26v
648	Miss V Carman	T	71.5v	67.3v	41.1v	49.4v	48.4v	47.3v	33.0v	71.6v	0.0v	0.0v	0.0v	41.0v	468.26v
649	Mr TD De La Cour	X	70.5v	63.1v	44.1v	41.3v	46.5v	46.1v	45.2v	69.3v	0.0v	0.0v	0.0v	44.2v	468.23v
650	Lt AG Stewart	T	69.6v	72.8v	37.1v	50.6v	44.2v	43.4v	37.1v	70.5v	0.0v	0.0v	0.0v	45.2v	467.35v
651	Mr J Allan	O	69.4v	71.5v	45.3v	48.7v	46.5v	41.4v	47.3v	62.2v	0.0v	0.0v	0.0v	38.1v	467.34v
652	Mr E Stuart-Bamford	O	72.8v	67.4v	41.1v	44.4v	45.3v	42.4v	45.3v	69.3v	0.0v	0.0v	0.0v	42.2v	467.32v
653	Mr RM Smith	T	69.6v	65.3v	48.3v	43.3v	45.2v	44.2v	45.3v	63.3v	0.0v	0.0v	0.0v	45.4v	467.29v
654	Mr R Tiffin	T	69.4v	66.1v	46.4v	41.2v	46.2v	45.4v	47.4v	70.7v	0.0v	0.0v	0.0v	37.1v	467.29v
655	Mr R Bird	A	66.3v	69.4v	43.4v	42.1v	45.3v	40.3v	47.4v	68.1v	0.0v	0.0v	0.0v	47.4v	467.27v
656	Cpl SL Josling	T	71.6v	70.7v	39.2v	39.1v	44.3v	45.1v	47.3v	68.1v	0.0v	0.0v	0.0v	44.2v	467.26v
657	Cpl J Rowe	T	66.3v	68.3v	40.1v	45.3v	44.3v	47.2v	46.4v	68.3v	0.0v	0.0v	0.0v	43.1v	467.23v
658	Mr JC Hilton-Johnson	O	70.4v	67.6v	41.3v	45.3v	45.2v	43.0v	47.1v	67.2v	0.0v	0.0v	0.0v	42.1v	467.22v
659	Mr JE Fraser	O	68.3v	69.2v	42.1v	40.3v	44.1v	46.2v	45.2v	67.4v	0.0v	0.0v	0.0v	46.3v	467.21v
660	Miss A Hendy	T	72.7v	63.3v	46.2v	46.4v	47.3v	49.2v	43.4v	62.4v	0.0v	0.0v	0.0v	38.1v	466.30v
661	Mr N Mringie	X	71.5v	68.4v	34.0v	48.4v	41.2v	48.5v	42.2v	69.6v	0.0v	0.0v	0.0v	45.1v	466.29v
662	Mr DF Nesbitt	O	71.7v	66.3v	44.4v	46.3v	43.3v	46.1v	46.2v	63.3v	0.0v	0.0v	0.0v	41.1v	466.27v
663	Cdt M Philo	T	72.5v	63.1v	44.3v	42.2v	47.1v	46.2v	47.2v	63.2v	0.0v	0.0v	0.0v	42.2v	466.20v
664	Mr C Vonchek	T	67.3v	68.4v	45.4v	44.2v	42.3v	45.3v	48.3v	63.5v	0.0v	0.0v	0.0v	43.3v	465.30v
665	Mr SA Ching	T	68.4v	65.3v	47.4v	47.3v	49.4v	43.3v	37.1v	68.6v	0.0v	0.0v	0.0v	41.2v	465.30v
666	Cpl K Nichols	T	70.2v	70.4v	45.4v	39.1v	42.2v	49.5v	43.2v	68.1v	0.0v	0.0v	0.0v	39.0v	465.21v
667	Mr U Soelzer	O	69.4v	66.1v	47.4v	46.1v	42.0v	44.2v	47.5v	66.4v	0.0v	0.0v	0.0v	38.0v	465.21v
668	Mr E Parkins	T	65.4v	70.6v	45.2v	34.2v	46.3v	48.6v	45.3v	70.2v	0.0v	0.0v	0.0v	41.3v	464.31v
669	Mr C Herter	O	65.3v	61.0v	46.1v	41.2v	46.5v	45.2v	45.2v	74.10v	0.0v	0.0v	0.0v	41.0v	464.25v
670	Miss A Woodland	T	65.4v	69.5v	41.2v	28.1v	49.7v	48.6v	48.7v	70.5v	0.0v	0.0v	0.0v	45.3v	463.40v
671	Mr D Neal	O	61.3v	70.5v	47.3v	44.3v	45.3v	43.3v	43.4v	67.6v	0.0v	0.0v	0.0v	43.2v	463.32v
672	Miss C Pearce	O	71.5v	64.2v	44.3v	45.4v	45.3v	46.3v	44.3v	69.7v	0.0v	0.0v	0.0v	35.1v	463.31v
673	Mr WJ Slatford	T	71.6v	72.6v	44.4v	46.2v	44.3v	47.2v	32.1v	68.4v	0.0v	0.0v	0.0v	39.1v	463.29v
674	Mr H Mayne	T	67.6v	71.4v	42.2v	35.0v	46.4v	46.1v	46.3v	67.3v	0.0v	0.0v	0.0v	43.2v	463.25v
675	Cpl K Hines	T	65.0v	69.1v	46.3v	37.0v	45.3v	49.2v	43.5v	68.5v	0.0v	0.0v	0.0v	41.2v	463.21v
676	Mr A Koffmann	T	66.1v	67.4v	46.4v	44.2v	45.1v	45.2v	41.0v	67.1v	0.0v	0.0v	0.0v	42.3v	463.18v
677	Miss E Graham	T	65.3v	67.4v	44.2v	43.1v	47.6v	48.4v	38.2v	64.2v	0.0v	0.0v	0.0v	46.6v	462.30v
678	Cdt J Fifield	T	73.4v	68.3v	40.2v	41.5v	49.2v	45.4v	41.2v	71.7v	0.0v	0.0v	0.0v	34.0v	462.29v
679	Mr C Smith	T	67.4v	66.4v	41.1v	49.5v	45.4v	43.2v	43.3v	65.4v	0.0v	0.0v	0.0v	43.1v	462.28v
680	Mr CW Dale	T	71.8v	64.3v	42.1v	38.0v	45.1v	46.3v	47.5v	63.2v	0.0v	0.0v	0.0v	46.3v	462.26v
681	Miss EMG Robertson	O	74.7v	60.0v	40.2v	43.3v	49.4v	43.2v	47.3v	67.1v	0.0v	0.0v	0.0v	39.0v	462.22v
682	Dr K Genders	O	72.6v	72.9v	45.3v	46.2v	47.5v	45.4v	22.1v	71.4v	0.0v	0.0v	0.0v	41.0v	461.34v
683	Mr CSJ Marlow	O	70.7v	67.2v	36.1v	40.3v	44.2v	47.4v	49.7v	65.2v	0.0v	0.0v	0.0v	43.2v	461.30v
684	Mr FM Key	O	67.2v	67.0v	42.2v	38.1v	47.6v	49.6v	43.3v	64.1v	0.0v	0.0v	0.0v	44.6v	461.27v
685	Mr MP Perez	O	73.8v	69.4v	45.1v	27.0v	47.4v	45.3v	45.2v	67.3v	0.0v	0.0v	0.0v	43.1v	461.26v
686	Mr AJD Saunders	O	63.2v	68.4v	39.1v	46.2v	45.3v	46.2v	45.5v	67.5v	0.0v	0.0v	0.0v	42.0v	461.24v
687	Cdt Sgt DL Martin	T	69.5v	67.4v	47.4v	43.3v	43.2v	45.0v	44.2v	64.2v	0.0v	0.0v	0.0v	39.2v	461.24v
688	Mr RK Sheead	A	69.6v	64.2v	42.1v	44.2v	47.3v	39.0v	47.5v	64.3v	0.0v	0.0v	0.0v	45.1v	461.23v
689	Mr R Roche	T	69.6v	64.1v	41.0v	47.3v	41.2v	45.2v	48.2v	66.4v	0.0v	0.0v	0.0v	40.2v	461.22v
690	Mr T Nightingale	T	71.5v	67.2v	45.4v	48.6v	45.4v	42.0v	35.1v	73.4v	0.0v	0.0v	0.0v	34.1v	460.27v
691	Cpl M Garrood	T	71.7v	69.5v	45.5v	37.0v	48.3v	49.3v	34.1v	66.2v	0.0v	0.0v	0.0v	40.1v	459.27v
692	Mr PD Pelly	O	59.0v	71.5v	48.4v	41.2v	45.2v	41.3v	46.3v	69.5v	0.0v	0.0v	0.0v	39.1v	459.25v
693	Cdt N Ertl	T	69.6v	61.1v	43.2v	46.3v	47.4v	46.2v	40.3v	72.4v	0.0v	0.0v	0.0v	35.0v	459.25v
694	Mr J Golling	X	70.4v	69.5v	12.1v	46.2v	47.4v	48.3v	48.4v	72.8v	0.0v	0.0v	0.0v	46.4v	458.35v
695	FS M Phipps	T	70.5v	70.5v	48.4v	42.2v	28.2v	46.3v	45.2v	68.4v	0.0v	0.0v	0.0v	41.2v	458.29v
696	Mr E Woodall	T	70.7v	66.3v	46.1v	40.2v	41.0v	42.1v	43.2v	73.9v	0.0v	0.0v	0.0v	37.0v	458.25v
697	Cdt F Le Marinel	T	66.3v	73.5v	42.2v	48.3v	43.0v	38.0v	44.3v	62.4v	0.0v	0.0v	0.0v	42.2v	458.22v
698	Mr LS Smith	T	68.4v	68.1v	38.1v	39.1v	49.2v	42.3v	43.1v	69.8v	0.0v	0.0v	0.0v	42.1v	458.22v
699	Mr S Bose	T	69.3v	62.4v	46.4v	48.4v	40.1v	44.2v	46.4v	65.2v	0.0v	0.0v	0.0v	37.2v	457.26v
700	Miss E Smith	T	66.5v	65.3v	49.4v	42.2v	47.3v	46.3v	31.1v	66.3v	0.0v	0.0v	0.0v	45.1v	457.25v
701	Cdt AR Le Quesne	T	71.7v	65.1v	43.3v	34.1v	42.3v	46.2v	46.0v	66.1v	0.0v	0.0v	0.0v	44.1v	457.19v
702	Mr EM Brice	O	70.4v	62.1v	42.3v	44.1v	46.2v	45.1v	42.1v	68.5v	0.0v	0.0v	0.0v	38.0v	457.18v

703	Mr E Chambers	T	66.2v	67.2v	45.3v	45.4v	44.1v	40.1v	40.0v	66.1v	0.0v	0.0v	0.0v	44.1v	457.15v
704	Mr SD Douglas	O	65.2v	67.3v	43.4v	37.0v	43.1v	42.2v	43.1v	71.5v	0.0v	0.0v	0.0v	44.2v	455.20v
705	Mrs S Kent	O	73.9v	73.7v	45.3v	47.2v	49.7v	50.6v	0.0v	73.7v	0.0v	0.0v	0.0v	44.5v	454.46v
706	Mr RA Carmichael	T	73.10v	71.4v	48.5v	45.3v	48.6v	45.1v	49.5v	75.10v	0.0v	0.0v	0.0v	0.0v	454.44v
707	Mr A Chown	O	67.6v	66.5v	45.2v	44.3v	44.4v	44.0v	44.3v	58.1v	0.0v	0.0v	0.0v	42.1v	454.25v
708	Mr ML Kirkillo-Stacewicz	O	67.4v	63.3v	46.2v	46.2v	43.4v	40.3v	46.6v	62.0v	0.0v	0.0v	0.0v	41.1v	454.25v
709	Sgt I Seddon	T	70.6v	66.2v	45.3v	41.3v	46.4v	48.1v	46.3v	70.6v	0.0v	0.0v	0.0v	21.1v	453.29v
710	Mr MP Sheppard	T	66.4v	66.5v	25.1v	45.3v	47.2v	45.1v	47.5v	70.5v	0.0v	0.0v	0.0v	42.2v	453.28v
711	Mr J de Bruijn	X	71.5v	69.4v	43.3v	29.1v	45.3v	42.3v	46.4v	70.5v	0.0v	0.0v	0.0v	38.0v	453.28v
712	Cpl P Paudyal	T	68.6v	62.3v	44.2v	45.1v	45.4v	40.3v	45.2v	66.3v	0.0v	0.0v	0.0v	38.1v	453.25v
713	Mr WT Kemsley	T	70.5v	65.2v	37.2v	40.2v	45.3v	43.2v	46.3v	65.4v	0.0v	0.0v	0.0v	42.1v	453.24v
714	Mr J Burch	T	69.8v	68.3v	38.0v	43.2v	40.1v	43.2v	45.2v	64.1v	0.0v	0.0v	0.0v	42.2v	452.21v
715	LCpl RP McGowan	T	68.4v	60.2v	44.1v	39.0v	43.1v	41.2v	47.1v	65.3v	0.0v	0.0v	0.0v	45.3v	452.17v
716	Mr JA Hopkins	O	59.0v	66.2v	44.2v	43.1v	39.0v	42.2v	47.1v	67.3v	0.0v	0.0v	0.0v	45.2v	452.13v
717	Mr KJ Aldridge	O	64.2v	65.0v	45.4v	35.1v	44.3v	47.3v	43.0v	69.5v	0.0v	0.0v	0.0v	39.2v	451.20v
718	Mr IF Luckman	O	73.5v	58.1v	45.1v	40.0v	44.4v	41.0v	46.4v	62.2v	0.0v	0.0v	0.0v	42.2v	451.19v
719	Mr ATB Tompson	A	69.7v	71.8v	49.3v	42.2v	49.4v	49.5v	16.2v	67.4v	0.0v	0.0v	0.0v	38.1v	450.36v
720	Miss JC Westall	T	67.2v	62.2v	45.4v	43.4v	40.4v	44.2v	43.2v	64.2v	0.0v	0.0v	0.0v	41.3v	449.25v
721	Mr GMC Hunter	T	60.3v	71.7v	42.1v	46.0v	44.2v	43.2v	36.2v	65.3v	0.0v	0.0v	0.0v	42.0v	449.20v
722	Mrs C Snowden	X	67.2v	65.4v	41.2v	44.4v	41.1v	42.1v	46.3v	62.2v	0.0v	0.0v	0.0v	40.2v	448.21v
723	Mr SJ Bates	O	63.1v	64.2v	41.2v	44.2v	43.3v	46.1v	46.3v	60.2v	0.0v	0.0v	0.0v	41.0v	448.16v
724	Cdt B Hunt	T	61.2v	66.2v	43.3v	45.4v	36.0v	44.2v	42.2v	68.4v	0.0v	0.0v	0.0v	42.1v	447.20v
725	Mr GAE Lacombe	O	73.3v	68.4v	0.0v	46.5v	49.3v	46.4v	48.3v	72.7v	0.0v	0.0v	0.0v	44.7v	446.36v
726	Mr PJ Holden	O	70.0v	64.1v	42.1v	46.4v	35.2v	45.0v	44.0v	60.2v	0.0v	0.0v	0.0v	40.1v	446.11v
727	Mr D Thomas Du Toit	T	72.6v	69.3v	47.2v	48.5v	47.6v	49.5v	0.0v	71.7v	0.0v	0.0v	0.0v	42.2v	445.36v
728	Cdt S Rorison	T	72.7v	70.3v	46.3v	0.0v	46.3v	48.3v	50.6v	71.5v	0.0v	0.0v	0.0v	42.3v	445.33v
729	Mr CB Stone	O	70.6v	65.5v	36.2v	45.2v	43.2v	40.2v	46.3v	57.3v	0.0v	0.0v	0.0v	43.2v	445.27v
730	Cdt A Shine	T	65.1v	66.2v	46.3v	43.1v	41.0v	42.1v	44.1v	68.5v	0.0v	0.0v	0.0v	30.1v	445.15v
731	Miss N Pasternak Albert	T	71.7v	61.4v	45.2v	39.3v	42.3v	38.3v	44.2v	65.4v	0.0v	0.0v	0.0v	39.1v	444.29v
732	Cdt A Fata	T	69.4v	66.3v	38.3v	46.3v	42.2v	39.2v	43.2v	68.3v	0.0v	0.0v	0.0v	31.2v	442.24v
733	Cdt F Robson	T	69.6v	55.0v	44.3v	34.0v	42.1v	42.2v	44.4v	63.3v	0.0v	0.0v	0.0v	49.4v	442.23v
734	LCpl A Wiseman	T	64.3v	68.3v	41.1v	46.2v	35.0v	47.2v	42.2v	61.4v	0.0v	0.0v	0.0v	38.2v	442.19v
735	Mr O Garfield-Bennett	T	68.4v	62.1v	42.3v	39.2v	42.3v	42.1v	45.3v	58.1v	0.0v	0.0v	0.0v	43.3v	441.21v
736	Mr HDL Turnbull-Hall	T	70.6v	66.2v	39.3v	39.1v	45.4v	45.4v	43.2v	58.2v	0.0v	0.0v	0.0v	35.1v	440.25v
737	Mr AJCB de Launay	O	72.4v	66.3v	12.1v	47.1v	46.4v	43.2v	42.1v	68.5v	0.0v	0.0v	0.0v	44.1v	440.22v
738	Mr GFH Nichols	O	70.8v	71.4v	0.0v	45.2v	46.4v	49.5v	44.1v	69.5v	0.0v	0.0v	0.0v	45.2v	439.31v
739	Ms BM Moore	O	71.5v	70.4v	47.2v	41.0v	45.2v	49.6v	46.4v	70.5v	0.0v	0.0v	0.0v	0.0v	439.28v
740	Cdt GDD Godwin-Austen	T	68.4v	63.1v	45.1v	41.3v	44.1v	40.2v	35.0v	62.0v	0.0v	0.0v	0.0v	41.0v	439.12v
741	Mr O Daniel	O	66.6v	57.3v	37.2v	39.0v	46.4v	46.4v	33.3v	69.6v	0.0v	0.0v	0.0v	45.3v	438.31v
742	Cpl Z Melhuish	T	65.1v	64.3v	36.2v	44.2v	42.4v	45.2v	39.2v	64.0v	0.0v	0.0v	0.0v	39.0v	438.16v
743	Miss E Trace	T	62.0v	69.2v	39.3v	44.3v	42.1v	40.3v	34.0v	65.4v	0.0v	0.0v	0.0v	42.3v	437.19v
744	Miss TRE White	T	59.2v	68.2v	46.3v	45.1v	45.2v	45.1v	32.1v	60.0v	0.0v	0.0v	0.0v	37.2v	437.14v
745	Mr D Studholme	T	66.1v	63.2v	41.2v	41.0v	41.1v	44.1v	44.2v	62.2v	0.0v	0.0v	0.0v	35.1v	437.12v
746	Ms O Ross	T	67.2v	64.2v	45.2v	44.3v	29.1v	41.0v	40.1v	67.4v	0.0v	0.0v	0.0v	39.2v	436.17v
747	Mr S Burden	T	56.1v	64.2v	45.3v	43.2v	42.1v	44.0v	35.0v	65.3v	0.0v	0.0v	0.0v	41.1v	435.13v
748	Mr G Twinn	T	61.1v	60.3v	43.1v	38.1v	39.0v	41.2v	44.1v	67.4v	0.0v	0.0v	0.0v	40.2v	433.15v
749	Mr E Ervine	T	65.2v	66.3v	48.3v	43.1v	47.2v	49.4v	0.0v	69.4v	0.0v	0.0v	0.0v	45.3v	432.22v
750	Mr AJ Woodward	O	74.12v	71.7v	47.4v	50.6v	47.6v	49.4v	48.6v	0.0v	0.0v	0.0v	0.0v	45.3v	431.48v
751	Mr H Bull	T	68.4v	68.5v	45.2v	5.0v	45.2v	45.4v	47.1v	64.4v	0.0v	0.0v	0.0v	44.3v	431.25v
752	Mr PGW Purdy	O	71.2v	67.4v	42.1v	47.1v	47.5v	41.2v	5.1v	72.6v	0.0v	0.0v	0.0v	39.2v	431.24v
753	Mr M Kuanyshv	T	65.0v	61.1v	39.0v	42.3v	41.2v	39.0v	42.2v	62.3v	0.0v	0.0v	0.0v	40.0v	431.11v
754	Mr PA Hatfield	A	74.12v	72.6v	49.3v	46.3v	50.7v	49.5v	43.5v	0.0v	0.0v	0.0v	0.0v	47.4v	430.45v
755	Mr CAD Flanagan	O	66.4v	67.4v	0.0v	47.4v	48.5v	47.4v	45.3v	67.4v	0.0v	0.0v	0.0v	43.2v	430.30v
756	Mr TM Booth	T	63.1v	65.3v	38.0v	44.4v	45.3v	45.4v	45.3v	46.1v	0.0v	0.0v	0.0v	39.0v	430.19v
757	Mr HM Dodds	T	64.4v	65.1v	41.2v	42.3v	38.1v	43.1v	42.1v	56.3v	0.0v	0.0v	0.0v	39.0v	430.16v
758	Mr F Stewart	T	68.2v	63.1v	42.1v	38.2v	39.1v	41.1v	43.2v	56.1v	0.0v	0.0v	0.0v	39.1v	429.12v
759	Mr OP Henry	A	70.5v	72.8v	36.1v	41.3v	49.5v	45.2v	0.0v	70.7v	0.0v	0.0v	0.0v	44.1v	427.32v
760	Mr A Niblett	T	64.5v	59.1v	46.5v	41.2v	36.0v	44.2v	41.2v	60.2v	0.0v	0.0v	0.0v	35.0v	426.19v
761	Miss E Campbell	T	62.2v	62.2v	39.2v	42.1v	36.1v	43.1v	43.4v	62.2v	0.0v	0.0v	0.0v	37.0v	426.15v
762	Cdt G Moore	T	67.4v	65.2v	42.1v	42.2v	45.3v	40.2v	38.1v	59.2v	0.0v	0.0v	0.0v	25.0v	423.17v

763	CWO L Bryant	T	64.3v	60.0v	33.0v	38.0v	44.2v	44.2v	34.1v	66.4v	0.0v	0.0v	0.0v	39.0v	422.12v
764	Mr BDW Parsons	A	0.0v	66.4v	46.1v	49.4v	47.5v	48.6v	48.4v	73.7v	0.0v	0.0v	0.0v	44.1v	421.32v
765	Mr WT Tiffin	O	0.0v	69.5v	50.8v	47.2v	49.5v	48.7v	46.3v	72.6v	0.0v	0.0v	0.0v	39.2v	420.38v
766	Mr S Glen	X	74.7v	0.0v	47.1v	41.1v	46.4v	46.4v	46.2v	74.7v	0.0v	0.0v	0.0v	46.1v	420.27v
767	Bdr L Taylor	T	0.0v	72.5v	50.4v	44.2v	48.2v	45.5v	46.4v	69.6v	0.0v	0.0v	0.0v	44.2v	418.30v
768	Mr RJ Cade	O	70.4v	58.1v	48.4v	46.3v	45.1v	48.4v	36.2v	67.3v	0.0v	0.0v	0.0v	0.0v	418.22v
769	Miss K Johnson	T	66.3v	68.3v	49.6v	47.5v	46.4v	48.6v	47.3v	0.0v	0.0v	0.0v	0.0v	46.3v	417.33v
770	Miss I Logan	T	69.4v	70.4v	43.2v	40.2v	37.2v	47.3v	0.0v	64.4v	0.0v	0.0v	0.0v	45.3v	415.24v
771	Mr MG Grimsdell	O	65.2v	69.5v	42.0v	45.3v	41.2v	40.2v	0.0v	67.4v	0.0v	0.0v	0.0v	46.2v	415.20v
772	Sgt M Barnes	T	62.2v	67.2v	45.4v	29.0v	45.4v	41.3v	19.0v	58.1v	0.0v	0.0v	0.0v	48.6v	414.22v
773	Cdt A Leneveu	T	72.6v	66.4v	50.6v	47.5v	48.4v	44.3v	47.3v	0.0v	0.0v	0.0v	0.0v	39.1v	413.32v
774	Mr AGM Fyfe	A	66.3v	70.7v	48.4v	44.1v	46.5v	0.0v	49.4v	73.5v	0.0v	0.0v	0.0v	13.0v	409.29v
775	Cpl M Bell	T	70.5v	65.4v	21.1v	47.2v	43.2v	36.0v	33.1v	55.3v	0.0v	0.0v	0.0v	39.0v	409.18v
776	Miss N Murrin	T	62.3v	63.1v	40.1v	41.1v	41.1v	41.2v	22.0v	69.6v	0.0v	0.0v	0.0v	29.1v	408.16v
777	Mr NW Penn	O	62.1v	65.1v	44.4v	46.3v	43.1v	42.1v	47.3v	18.0v	0.0v	0.0v	0.0v	41.0v	408.14v
778	Mr M Bell	T	63.1v	48.0v	42.1v	38.0v	37.1v	42.2v	41.2v	59.1v	0.0v	0.0v	0.0v	38.1v	408.9v
779	Mr G Smith	T	67.2v	66.3v	43.0v	44.1v	44.0v	44.1v	0.0v	64.3v	0.0v	0.0v	0.0v	33.1v	405.11v
780	Mr S Paul	T	67.1v	63.1v	47.3v	42.2v	39.0v	45.2v	5.1v	54.0v	0.0v	0.0v	0.0v	42.0v	404.10v
781	Mr G Meijer	O	0.0v	65.3v	44.3v	43.2v	48.5v	43.1v	44.1v	69.6v	0.0v	0.0v	0.0v	46.4v	402.25v
782	Mr A Harrison	T	62.2v	64.2v	42.2v	40.0v	46.3v	44.2v	0.0v	63.3v	0.0v	0.0v	0.0v	41.2v	402.16v
783	Cdt KH Redpath	T	67.2v	72.5v	43.0v	44.2v	36.1v	23.1v	40.1v	60.3v	0.0v	0.0v	0.0v	15.0v	400.15v
784	Mr A Patrick	A	74.13v	72.5v	0.0v	39.0v	48.5v	46.3v	0.0v	73.8v	0.0v	0.0v	0.0v	46.4v	398.38v
785	Cdt M Cooper	T	55.1v	63.3v	30.0v	39.1v	37.1v	45.0v	37.0v	57.0v	0.0v	0.0v	0.0v	34.1v	397.7v
786	Mr T Galliers	O	65.3v	0.0v	44.1v	45.3v	45.4v	44.1v	42.2v	63.3v	0.0v	0.0v	0.0v	44.4v	392.21v
787	Mr WR Hinton	O	68.3v	65.3v	43.2v	43.3v	44.1v	42.1v	39.1v	0.0v	0.0v	0.0v	0.0v	41.1v	385.15v
788	Ms T Peters	T	62.2v	63.2v	0.0v	33.0v	38.1v	43.1v	36.1v	63.2v	0.0v	0.0v	0.0v	45.3v	383.12v
789	Mr D Taylor	O	60.2v	69.5v	0.0v	0.0v	42.2v	44.3v	48.6v	69.4v	0.0v	0.0v	0.0v	41.2v	373.24v
790	Miss L Watson	O	0.0v	73.6v	41.1v	45.2v	48.4v	47.4v	0.0v	72.4v	0.0v	0.0v	0.0v	44.3v	370.24v
791	Mr RL Eayrs	A	75.8v	69.5v	43.3v	38.5v	0.0v	0.0v	48.4v	70.6v	0.0v	0.0v	0.0v	0.0v	343.31v
792	Mr AP Smith	O	0.0v	72.8v	46.4v	0.0v	49.7v	47.3v	0.0v	69.6v	0.0v	0.0v	0.0v	42.2v	325.30v
793	Mr ID Markwell	O	65.3v	0.0v	47.5v	39.0v	42.0v	44.3v	39.1v	0.0v	0.0v	0.0v	0.0v	44.2v	320.14v
794	Mr RA Mullin	O	71.6v	0.0v	15.0v	48.5v	49.6v	47.4v	0.0v	72.9v	0.0v	0.0v	0.0v	17.0v	319.30v
795	Cdt Sgt EE Bruce-Gardyne	T	63.2v	0.0v	39.2v	27.0v	38.1v	39.1v	34.0v	38.0v	0.0v	0.0v	0.0v	35.0v	313.6v
796	Cpl A Foster	T	66.0v	63.2v	4.0v	32.0v	43.3v	39.0v	0.0v	61.2v	0.0v	0.0v	0.0v	4.0v	312.7v
797	Mr D Chalmers	T	67.3v	0.0v	0.0v	0.0v	47.4v	47.5v	48.5v	68.4v	0.0v	0.0v	0.0v	32.1v	309.22v
798	Ms H Sparkes	T	69.4v	59.1v	41.1v	40.3v	0.0v	49.7v	42.4v	0.0v	0.0v	0.0v	0.0v	0.0v	300.20v
799	Mr M Cooper	X	74.7v	70.6v	49.6v	47.2v	0.0v	0.0v	49.7v	0.0v	0.0v	0.0v	0.0v	0.0v	289.28v
800	Mr NR Wells	O	0.0v	0.0v	46.4v	45.3v	47.3v	43.0v	0.0v	63.1v	0.0v	0.0v	0.0v	44.1v	288.12v
801	Mr A Thomson	A	72.9v	71.9v	49.5v	46.1v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	0.0v	0.0v	284.28v
802	Mr IRM Brown	O	0.0v	71.6v	0.0v	0.0v	48.6v	45.6v	0.0v	70.3v	0.0v	0.0v	0.0v	46.0v	280.21v
803	LCpl SE Jones	T	64.1v	0.0v	0.0v	43.2v	46.2v	45.2v	8.1v	70.7v	0.0v	0.0v	0.0v	0.0v	276.15v
804	Cdt LCpl HM Read	T	61.0v	0.0v	37.0v	40.0v	34.1v	39.0v	19.4v	0.0v	0.0v	0.0v	0.0v	34.0v	264.5v
805	Mr J Hollingdale	O	71.8v	0.0v	46.4v	48.3v	0.0v	48.3v	45.5v	0.0v	0.0v	0.0v	0.0v	0.0v	258.23v
806	Mr AP Powell	O	0.0v	62.0v	42.2v	0.0v	43.3v	46.3v	0.0v	63.4v	0.0v	0.0v	0.0v	0.0v	256.12v
807	Mr SL Cleveland	A	0.0v	0.0v	0.0v	0.0v	0.0v	47.3v	47.3v	70.5v	0.0v	0.0v	0.0v	47.5v	211.16v
808	Mr HGM Mooiman	O	0.0v	70.3v	49.8v	0.0v	0.0v	45.4v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	164.15v
809	Miss SG Gould	O	74.3v	0.0v	44.3v	0.0v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	0.0v	0.0v	164.10v
810	Mr MJ Ensor	X	0.0v	0.0v	0.0v	0.0v	0.0v	50.7v	0.0v	0.0v	0.0v	0.0v	0.0v	47.5v	97.12v
811	Mr M Endres	T	0.0v	51.0v	0.0v	25.1v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	76.1v
812	Mr TG Rylands	A	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	74.6v	0.0v	0.0v	0.0v	0.0v	74.6v
813	Dr CI Johnston	A	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	71.6v	0.0v	0.0v	0.0v	0.0v	71.6v
814	Mr J Lam	T	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	55.1v	0.0v	0.0v	0.0v	0.0v	55.1v