

NRA 150th Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	PoW	Lovell	Corp	Total	
1	Mr GCD Barnett	X	75.12v	74.7v	50.8v	50.5v	50.9v	49.7v	47.3v	74.13v	103.12v	0.0v	46.3v	48.4v	666.83v
2	Mr ANR Walker	X	74.10v	74.10v	47.4v	49.5v	50.8v	50.7v	49.5v	75.13v	104.14v	0.0v	46.4v	47.5v	665.85v
3	Dr PD Sykes	X	74.12v	73.7v	50.7v	43.1v	50.9v	50.7v	49.5v	74.14v	105.12v	0.0v	49.6v	48.4v	665.84v
4	Mr DC Luckman	X	75.13v	73.5v	49.4v	47.4v	50.7v	50.6v	49.7v	72.5v	104.15v	0.0v	46.4v	49.7v	664.77v
5	Mr TW Tatchell	X	74.11v	74.10v	49.7v	48.4v	48.5v	50.7v	50.3v	73.9v	104.11v	0.0v	49.6v	45.2v	664.75v
6	Mr M Pozzebon	X	75.6v	72.4v	49.7v	47.5v	49.6v	50.8v	48.5v	73.8v	104.11v	0.0v	49.4v	48.5v	664.69v
7	Miss JH Messer	X	73.5v	73.10v	46.3v	50.5v	50.6v	50.9v	50.9v	74.12v	102.11v	0.0v	49.6v	46.5v	663.81v
8	Miss EJ Nuttall	X	75.9v	73.8v	49.8v	49.3v	50.8v	48.6v	50.7v	73.9v	101.9v	0.0v	48.1v	47.5v	663.73v
9	Mr JC Underwood	X	74.7v	74.8v	48.2v	49.3v	50.6v	50.8v	47.4v	75.10v	102.14v	0.0v	48.7v	46.4v	663.73v
10	Mr CJ Watson	X	74.6v	73.6v	50.7v	48.4v	48.6v	49.4v	50.7v	74.8v	102.11v	0.0v	46.5v	49.4v	663.68v
11	Mr MRM Millar	X	74.11v	72.8v	50.6v	49.5v	50.4v	50.5v	50.7v	73.7v	103.8v	0.0v	45.3v	47.2v	663.66v
12	Mr R Johansen	X	75.6v	73.7v	48.2v	48.6v	50.8v	50.3v	50.6v	73.10v	104.12v	0.0v	46.3v	46.2v	663.65v
13	Mr D Brewster	X	75.8v	74.11v	50.8v	45.3v	49.8v	50.5v	47.5v	75.10v	101.13v	0.0v	46.5v	50.2v	662.78v
14	Mr AD Hunter	X	73.9v	71.8v	48.5v	49.5v	50.7v	49.4v	50.9v	74.8v	103.14v	0.0v	48.2v	47.4v	662.75v
15	Mr THD Dodds	A	73.10v	74.5v	48.5v	49.6v	50.9v	49.6v	48.5v	74.13v	102.7v	0.0v	47.4v	48.4v	662.74v
16	Mr SA Thomas	X	73.10v	73.7v	49.8v	49.6v	50.5v	50.5v	49.3v	74.8v	100.10v	0.0v	47.2v	48.5v	662.69v
17	Capt MJ Purdy	X	75.8v	73.7v	46.1v	49.7v	49.5v	49.6v	49.6v	72.9v	102.14v	0.0v	50.7v	47.5v	661.75v
18	Mr HJ Golaszewski	X	74.9v	72.8v	49.8v	48.4v	48.4v	49.4v	49.6v	73.9v	104.13v	0.0v	46.4v	49.5v	661.74v
19	Mr DR Le Quesne	X	72.6v	73.9v	48.2v	47.5v	50.7v	48.6v	50.9v	75.10v	103.13v	0.0v	48.2v	47.3v	661.72v
20	Mr J Corbett	X	75.13v	74.9v	47.6v	47.4v	50.8v	50.7v	50.8v	75.13v	102.11v	0.0v	45.2v	45.4v	660.85v
21	Mr SM Negus	X	74.13v	73.10v	46.2v	47.5v	49.8v	47.5v	49.7v	73.8v	105.14v	0.0v	49.6v	48.4v	660.82v
22	Mrs N Rossignol	X	73.10v	72.10v	49.2v	49.5v	50.8v	48.7v	48.6v	75.11v	101.9v	0.0v	49.4v	46.4v	660.76v
23	Mid CE Mawson	A	75.10v	72.6v	46.3v	49.5v	50.9v	48.5v	48.7v	75.12v	101.11v	0.0v	49.7v	47.0v	660.75v
24	Mr M Horsnell	X	75.9v	72.9v	50.6v	47.4v	48.6v	48.5v	47.5v	73.8v	103.11v	0.0v	48.2v	49.5v	660.70v
25	Mr C Fitzpatrick	X	74.10v	74.5v	50.7v	50.5v	46.2v	48.7v	49.4v	74.10v	103.12v	0.0v	47.1v	45.2v	660.65v
26	Mr T Drysdale	X	74.8v	75.9v	48.6v	48.7v	47.6v	50.6v	49.5v	73.9v	98.10v	0.0v	48.5v	49.5v	659.76v
27	Mr R Birtwistle	X	73.9v	72.6v	47.6v	47.4v	50.6v	48.4v	49.8v	72.9v	102.12v	0.0v	49.5v	50.6v	659.75v
28	Mr WF Livesey	A	74.6v	72.7v	50.7v	49.5v	49.6v	49.3v	50.6v	74.9v	102.6v	0.0v	45.3v	45.5v	659.63v
29	Mr C Gordon	X	74.9v	74.9v	49.6v	46.3v	50.7v	50.7v	49.6v	73.12v	103.13v	0.0v	46.3v	44.5v	658.80v
30	Mr JW Alexander	X	72.11v	73.5v	50.8v	50.6v	50.9v	50.9v	45.1v	72.9v	101.7v	0.0v	48.6v	47.6v	658.77v
31	Mr KM Mccamley	O	75.10v	73.8v	50.6v	47.3v	50.6v	48.6v	50.8v	73.7v	99.9v	0.0v	49.7v	44.3v	658.73v
32	Mr RC Oxford	X	75.11v	71.5v	46.2v	48.5v	50.8v	50.6v	47.4v	74.12v	102.9v	0.0v	49.5v	46.2v	658.69v
33	Mr S Belither	X	74.10v	73.8v	50.6v	45.4v	48.5v	50.5v	48.5v	73.9v	102.10v	0.0v	47.3v	48.4v	658.69v
34	Miss HP McCullough	X	74.10v	72.8v	46.4v	49.6v	50.5v	48.4v	50.2v	74.10v	103.14v	0.0v	47.4v	45.2v	658.69v
35	Mr BMA Stevens	A	74.6v	74.10v	49.4v	49.3v	50.7v	49.5v	48.7v	75.10v	101.11v	0.0v	45.2v	44.4v	658.69v
36	Mr ERT Jeens	X	73.8v	75.8v	50.6v	46.3v	48.3v	50.7v	49.5v	72.10v	102.11v	0.0v	46.2v	47.5v	658.68v
37	Lady JM McQuillan	X	75.11v	75.3v	48.5v	45.3v	47.4v	48.5v	49.3v	74.10v	105.14v	0.0v	48.4v	44.3v	658.65v
38	Wg. Cdr. DP Calvert	X	73.11v	74.7v	49.7v	48.7v	49.6v	48.7v	48.5v	74.10v	103.12v	0.0v	47.4v	44.3v	657.79v
39	Mr P Patel	X	74.12v	74.6v	49.6v	46.3v	50.5v	49.8v	50.10v	73.12v	101.11v	0.0v	46.3v	45.3v	657.79v
40	Mr SME Hayton	O	75.15v	72.7v	47.2v	48.4v	48.6v	47.6v	49.5v	74.10v	102.13v	0.0v	49.6v	46.4v	657.78v
41	Mr C Mitchell	X	73.9v	73.10v	50.6v	49.5v	48.8v	49.6v	49.3v	75.14v	99.8v	0.0v	49.7v	43.1v	657.77v
42	Dr JD Warburton	X	74.8v	74.9v	50.8v	48.4v	46.3v	48.6v	49.7v	73.10v	98.9v	0.0v	47.4v	50.5v	657.73v
43	Mr PM Jory	X	73.11v	74.7v	48.7v	49.6v	49.8v	47.5v	50.6v	74.10v	101.7v	0.0v	46.2v	46.4v	657.73v

44	Maj AW Gill	X	75.13v	73.3v	49.5v	46.3v	46.5v	48.6v	48.8v	74.8v	104.11v	0.0v	45.3v	49.7v	657.72v
45	Mr JAM Paton	X	73.12v	74.7v	48.5v	48.7v	49.5v	50.7v	49.4v	72.7v	102.8v	0.0v	46.2v	46.2v	657.66v
46	Mr ORW Russell	X	74.9v	73.8v	50.5v	44.1v	49.5v	46.1v	50.10v	75.12v	101.7v	0.0v	47.2v	48.4v	657.64v
47	Mr RSF Shouler	X	75.9v	71.7v	48.6v	49.7v	50.8v	48.5v	49.7v	73.12v	98.9v	0.0v	48.5v	47.5v	656.80v
48	Mr JP Tapster	X	74.8v	71.8v	50.6v	49.2v	49.5v	49.8v	48.5v	75.11v	102.12v	0.0v	48.5v	41.3v	656.73v
49	Mr JBG Shepherd	O	73.8v	71.6v	49.5v	49.2v	50.8v	49.7v	48.3v	72.9v	100.9v	0.0v	49.4v	46.4v	656.65v
50	Mr JRW Postle	A	74.9v	69.4v	49.5v	45.1v	49.4v	50.4v	49.5v	75.9v	100.11v	0.0v	49.6v	47.5v	656.63v
51	Mr J Pugsley	X	74.9v	74.8v	48.5v	46.1v	50.7v	48.4v	45.2v	75.11v	105.10v	0.0v	44.3v	47.3v	656.63v
52	Dr CD Haley	X	73.9v	74.9v	49.2v	47.4v	47.3v	49.5v	49.4v	74.7v	103.12v	0.0v	47.3v	44.4v	656.62v
53	Mr PA Maher	X	73.9v	70.6v	49.6v	49.3v	47.2v	49.2v	49.6v	74.10v	104.11v	0.0v	44.0v	48.3v	656.58v
54	Dr JO Ahrens	X	75.14v	69.5v	50.5v	47.3v	50.5v	48.4v	48.5v	75.13v	101.11v	0.0v	47.4v	45.3v	655.72v
55	Dr H Day	X	74.9v	72.7v	50.5v	48.5v	48.6v	50.5v	49.5v	74.10v	101.11v	0.0v	44.1v	45.3v	655.67v
56	Mr R Woodger	A	73.10v	68.3v	50.6v	48.2v	49.4v	48.3v	50.7v	75.9v	102.13v	0.0v	46.3v	46.1v	655.61v
57	Mr K Ramsey	X	74.8v	71.6v	49.4v	48.6v	50.7v	48.4v	50.6v	75.13v	102.12v	0.0v	43.3v	44.3v	654.72v
58	Major AR McLeod	X	74.8v	71.6v	48.7v	47.3v	49.5v	49.2v	50.6v	74.9v	101.11v	0.0v	46.4v	45.4v	654.65v
59	Mr RJ McQuillan	A	75.6v	69.5v	50.9v	48.7v	49.3v	49.6v	49.6v	75.9v	97.4v	0.0v	49.6v	44.2v	654.63v
60	Mr DA Richardson	X	72.8v	70.5v	50.4v	46.4v	49.3v	47.6v	50.5v	73.8v	103.12v	0.0v	44.1v	50.5v	654.61v
61	Lt B Fung	A	73.8v	71.7v	49.7v	50.5v	50.5v	47.5v	47.3v	75.8v	98.7v	0.0v	48.3v	46.2v	654.60v
62	Mr T Keen	X	73.8v	69.4v	47.5v	50.6v	50.5v	49.2v	48.5v	73.7v	100.9v	0.0v	47.4v	48.3v	654.58v
63	Mr S Sharma	O	74.10v	70.4v	49.4v	48.0v	48.4v	47.5v	48.5v	73.4v	102.10v	0.0v	48.4v	47.4v	654.54v
64	Mr MCJ Button	X	73.10v	73.8v	48.8v	45.4v	49.7v	49.6v	49.5v	75.11v	101.11v	0.0v	43.3v	48.4v	653.77v
65	Mr TP Hammond	A	74.11v	69.3v	49.6v	46.3v	49.5v	48.5v	49.5v	74.13v	101.15v	0.0v	46.1v	48.8v	653.75v
66	Mr O Milanovic	X	74.12v	74.10v	46.2v	42.2v	48.5v	48.7v	49.6v	72.7v	104.13v	0.0v	48.4v	48.3v	653.71v
67	Mr HAD Howard	X	75.10v	71.10v	48.3v	47.6v	50.4v	47.4v	50.7v	74.10v	99.9v	0.0v	46.4v	46.4v	653.71v
68	Mr A Fitzpatrick	X	74.9v	73.7v	48.2v	48.5v	49.8v	49.6v	47.4v	72.8v	103.14v	0.0v	42.2v	48.6v	653.71v
69	Mr OEJ Spencer	X	75.9v	72.7v	41.1v	49.2v	48.6v	49.5v	50.8v	74.9v	100.9v	0.0v	48.7v	47.4v	653.67v
70	Mr NJ Ball	X	74.6v	73.11v	49.5v	48.5v	50.7v	49.5v	50.6v	75.10v	95.8v	0.0v	49.4v	41.0v	653.67v
71	Mr E Praslick	X	74.10v	72.7v	47.4v	48.3v	48.5v	50.6v	50.7v	71.9v	102.9v	0.0v	46.3v	45.3v	653.66v
72	SSgt RH Kitson	A	74.11v	72.9v	50.4v	50.8v	49.5v	50.6v	49.5v	71.5v	98.9v	0.0v	45.2v	45.1v	653.65v
73	Mr RCT Jeens	X	73.8v	71.6v	48.2v	47.4v	48.6v	47.3v	49.5v	74.9v	103.10v	0.0v	50.6v	43.3v	653.62v
74	Miss H Freiman	X	74.9v	71.8v	48.5v	47.6v	48.5v	48.3v	49.2v	75.12v	101.8v	0.0v	49.3v	43.1v	653.62v
75	Mr JWE Lewis	A	72.8v	70.4v	47.3v	48.1v	47.6v	50.8v	49.6v	73.5v	102.13v	0.0v	48.3v	47.4v	653.61v
76	Mr KB Hill	X	75.4v	72.6v	46.4v	46.5v	50.5v	47.4v	50.6v	71.6v	103.14v	0.0v	45.2v	48.4v	653.60v
77	Mr JEM Bellringer	X	74.8v	72.8v	49.6v	45.4v	50.7v	48.5v	50.2v	72.9v	101.7v	0.0v	45.2v	47.2v	653.60v
78	Miss EJ Cannings	A	73.6v	74.3v	46.3v	44.4v	50.6v	49.6v	50.9v	72.6v	104.12v	0.0v	43.2v	48.3v	653.60v
79	Mr JD Dixon	O	72.5v	73.6v	50.6v	47.2v	48.5v	50.6v	49.5v	71.8v	102.10v	0.0v	47.2v	44.4v	653.59v
80	Mr ND Stangroom	O	73.5v	69.5v	48.3v	48.2v	47.5v	48.4v	48.3v	74.9v	102.10v	0.0v	48.4v	48.5v	653.55v
81	Mr MI Buchanan	X	74.11v	72.9v	44.3v	46.3v	50.8v	49.7v	49.5v	72.9v	100.10v	0.0v	48.5v	48.5v	652.75v
82	Mr S Whitby	X	73.12v	70.3v	48.2v	49.8v	50.8v	47.3v	49.6v	74.11v	100.12v	0.0v	47.3v	45.4v	652.72v
83	Mr SE Young	A	71.6v	73.9v	48.5v	48.4v	49.7v	50.9v	47.5v	73.6v	100.7v	0.0v	44.3v	49.8v	652.69v
84	Dr JDS Langley	X	71.8v	72.9v	49.6v	50.4v	50.3v	46.3v	48.7v	74.10v	100.7v	0.0v	46.6v	46.5v	652.68v
85	Mr S Osmond	X	74.9v	72.8v	48.4v	45.3v	50.10v	47.5v	48.4v	73.8v	103.10v	0.0v	46.4v	46.3v	652.68v
86	Dr AM Jory	X	75.7v	75.9v	49.8v	47.5v	49.6v	48.2v	49.7v	71.9v	96.6v	0.0v	46.5v	47.3v	652.67v
87	Mr IP Davison	X	75.7v	73.9v	49.5v	47.3v	48.6v	49.5v	44.2v	73.7v	103.13v	0.0v	45.4v	46.5v	652.66v
88	Mr NC Mace	X	73.10v	71.6v	50.5v	44.2v	48.4v	47.3v	49.7v	74.8v	103.12v	0.0v	46.3v	47.3v	652.63v
89	Mr PS Holmes	A	75.12v	71.5v	49.7v	47.3v	49.3v	49.5v	49.7v	70.5v	101.12v	0.0v	46.2v	46.2v	652.63v
90	Mr JA Lindsay III	A	71.6v	73.10v	49.5v	49.6v	50.3v	48.4v	49.6v	74.6v	100.10v	0.0v	46.5v	43.2v	652.63v
91	Mr C Dart	A	73.10v	70.7v	49.3v	48.3v	48.5v	49.3v	50.6v	73.9v	99.6v	0.0v	46.6v	47.3v	652.61v
92	Mr D Rose	X	74.7v	73.6v	48.6v	46.4v	49.4v	49.6v	49.3v	73.8v	100.11v	0.0v	44.2v	47.1v	652.58v
93	Mr D Clark	O	74.4v	74.9v	47.2v	46.5v	50.5v	48.3v	50.7v	71.7v	98.4v	0.0v	47.4v	47.2v	652.52v
94	Mr ITG Shaw	X	75.11v	74.10v	50.7v	45.2v	49.5v	48.7v	48.2v	74.12v	98.9v	0.0v	46.4v	44.5v	651.74v
95	Mr C Rowe Jr	X	69.3v	73.8v	50.8v	45.5v	50.9v	46.5v	49.5v	73.12v	101.8v	0.0v	49.6v	46.3v	651.72v
96	Mr LR Braithwaite	X	74.10v	73.11v	49.7v	46.3v	50.9v	49.6v	49.7v	73.6v	100.8v	0.0v	39.1v	49.3v	651.71v
97	Mr NNT Kerins	X	74.10v	73.8v	46.3v	48.5v	50.6v	49.6v	49.7v	72.8v	96.8v	0.0v	47.5v	47.4v	651.70v
98	Mr C Mallett	A	74.7v	70.6v	46.3v	47.5v	49.4v	50.8v	48.6v	70.9v	100.10v	0.0v	49.6v	48.5v	651.69v
99	Mr SJ East	A	75.14v	75.6v	48.6v	42.2v	48.6v	49.4v	49.7v	75.8v	101.8v	0.0v	43.3v	46.2v	651.66v
100	Air Cdre JA Ford	O	74.9v	70.7v	47.4v	48.3v	50.7v	48.5v	48.3v	75.12v	100.9v	0.0v	47.3v	44.2v	651.64v
101	Miss C Halleran	O	75.8v	75.10v	47.5v	44.3v	50.5v	49.5v	47.3v	72.8v	102.8v	0.0v	41.0v	49.6v	651.61v
102	Mr RM Hatcher	X	74.8v	71.6v	50.5v	47.3v	47.4v	47.3v	49.4v	72.8v	102.10v	0.0v	44.4v	48.3v	651.58v

103	Mr RH Gardiner	O	74.10v	70.6v	46.1v	49.6v	50.5v	48.3v	50.5v	72.8v	99.6v	0.0v	46.4v	47.3v	651.57v
104	Mr AP Barnes	A	73.4v	72.4v	49.5v	48.5v	49.5v	47.3v	50.6v	73.7v	100.10v	0.0v	42.0v	48.5v	651.54v
105	Mr PJ Chapman-Sheath	X	73.9v	72.6v	48.5v	49.2v	49.4v	49.5v	47.5v	73.4v	98.5v	0.0v	45.1v	48.6v	651.52v
106	Mr J Snowden	X	72.11v	75.12v	49.7v	48.6v	48.7v	49.4v	49.6v	74.9v	96.9v	0.0v	43.2v	47.6v	650.79v
107	Mr MA Kirkillio-Stacewicz	X	72.8v	70.7v	49.3v	46.2v	48.6v	48.6v	49.7v	72.10v	100.11v	0.0v	47.4v	49.6v	650.70v
108	Mr BN Carter	X	73.9v	71.9v	44.2v	47.4v	50.10v	48.4v	49.5v	75.11v	100.9v	0.0v	48.5v	45.2v	650.70v
109	Mr N Cole-Hawkins	A	75.12v	73.8v	50.4v	47.4v	50.10v	48.3v	47.4v	74.9v	99.10v	0.0v	41.0v	46.4v	650.68v
110	Mr H Wong Shui	A	73.8v	70.5v	50.7v	47.4v	49.8v	49.3v	47.5v	72.8v	98.9v	0.0v	47.5v	48.4v	650.66v
111	Mr GE Grosskreutz	X	74.7v	73.9v	49.4v	47.3v	49.6v	48.4v	49.7v	74.12v	96.6v	0.0v	46.4v	45.4v	650.66v
112	Mr S Mackey	X	73.6v	71.7v	50.8v	48.6v	49.5v	50.6v	48.4v	74.10v	94.9v	0.0v	46.3v	47.1v	650.65v
113	Mr CN Tremlett	X	75.10v	74.7v	50.5v	46.3v	49.6v	50.7v	48.5v	72.7v	95.6v	0.0v	44.5v	47.4v	650.65v
114	Mr DGM Coleman	X	74.8v	70.7v	50.7v	46.2v	49.4v	50.6v	48.5v	72.5v	101.12v	0.0v	46.4v	44.3v	650.63v
115	LCpl B Rigo	T	73.6v	74.8v	49.4v	45.1v	48.7v	48.7v	47.2v	74.11v	103.12v	0.0v	48.3v	41.2v	650.63v
116	Mr KO Pugh	A	73.7v	71.5v	48.3v	46.1v	49.7v	50.7v	48.7v	70.5v	102.10v	0.0v	47.4v	46.6v	650.62v
117	Mrs K Rowe	X	73.7v	71.5v	47.3v	47.3v	48.3v	48.4v	47.7v	73.9v	101.9v	0.0v	50.6v	45.3v	650.59v
118	Mr GK Alexander	X	72.6v	70.6v	49.5v	50.6v	50.5v	48.6v	49.6v	70.7v	101.8v	0.0v	49.3v	42.1v	650.59v
119	Mr WCP Richards	X	74.7v	73.9v	48.4v	46.2v	50.6v	47.6v	49.5v	72.8v	102.8v	0.0v	45.1v	44.3v	650.59v
120	Miss S Ponter	O	74.8v	72.6v	48.2v	46.5v	49.8v	48.5v	45.2v	75.10v	99.7v	0.0v	49.3v	45.2v	650.58v
121	Mr P Holden	X	72.9v	72.6v	47.5v	46.3v	50.6v	50.6v	49.4v	74.7v	100.8v	0.0v	43.1v	47.3v	650.58v
122	Mrs GL Rantile	O	74.2v	73.7v	49.6v	48.4v	49.6v	49.5v	47.4v	72.8v	98.7v	0.0v	48.5v	43.3v	650.57v
123	Cdt C Crosby	T	75.12v	70.3v	48.6v	46.4v	50.4v	50.2v	46.4v	71.8v	100.7v	0.0v	49.3v	45.1v	650.54v
124	Mr MG Whicher	X	73.6v	72.4v	48.4v	50.6v	48.6v	50.1v	49.6v	71.6v	97.6v	0.0v	47.2v	45.3v	650.50v
125	Mr HD Donovan	X	74.8v	69.5v	49.6v	45.0v	48.4v	49.3v	49.6v	74.5v	102.6v	0.0v	44.4v	47.2v	650.49v
126	Mr TL Bedwell	A	75.11v	72.7v	49.8v	43.3v	49.4v	48.5v	49.6v	73.8v	98.8v	0.0v	46.3v	47.6v	649.69v
127	Mrs RA Wiltshire	A	71.9v	73.7v	48.6v	46.2v	48.6v	50.7v	46.4v	74.12v	100.7v	0.0v	45.4v	48.5v	649.69v
128	Mr RJS Curtis	X	75.9v	69.7v	50.6v	42.1v	50.8v	49.6v	50.8v	74.9v	99.8v	0.0v	43.1v	48.6v	649.69v
129	Mr J Clod	O	74.10v	69.4v	50.5v	47.1v	48.8v	50.7v	49.5v	74.10v	93.8v	0.0v	50.6v	45.2v	649.66v
130	Mr DG Young	X	74.9v	69.6v	48.5v	45.4v	50.8v	49.4v	50.6v	71.4v	105.14v	0.0v	40.2v	48.4v	649.66v
131	Mr NBS Logan	X	73.8v	72.6v	47.5v	44.3v	47.5v	50.8v	49.7v	73.6v	102.10v	0.0v	45.4v	47.3v	649.65v
132	Cpl CH Cuming	O	74.9v	74.9v	47.5v	49.5v	49.5v	48.4v	48.5v	73.8v	99.9v	0.0v	43.2v	45.3v	649.64v
133	Mr L O'lynn	O	71.6v	74.6v	48.3v	47.3v	49.5v	50.7v	49.7v	68.8v	103.11v	0.0v	44.2v	46.1v	649.59v
134	Dr JR Deane	X	72.9v	73.5v	46.2v	46.4v	48.2v	50.7v	49.6v	74.7v	102.13v	0.0v	46.2v	43.2v	649.59v
135	Mr AJ Haggerty	A	74.10v	73.4v	50.6v	48.4v	48.8v	50.6v	46.4v	73.8v	95.3v	0.0v	48.2v	44.3v	649.58v
136	Miss H Bennett	O	73.9v	72.7v	48.7v	47.4v	47.3v	49.6v	45.3v	69.7v	103.15v	0.0v	48.5v	47.5v	648.71v
137	Mr B Le Cheminant	X	73.8v	73.8v	49.4v	47.5v	48.4v	48.7v	50.6v	71.9v	100.11v	0.0v	46.5v	43.1v	648.68v
138	Mr DAJ Talbot	A	73.8v	73.6v	49.6v	44.2v	49.7v	48.6v	47.3v	74.11v	98.6v	0.0v	46.3v	47.6v	648.64v
139	Mr SJ Cane	O	71.5v	74.8v	48.4v	47.4v	48.7v	49.4v	49.5v	71.8v	99.10v	0.0v	45.3v	47.6v	648.64v
140	Mr J Wallace	O	74.9v	71.8v	50.3v	46.3v	49.7v	48.4v	47.2v	74.10v	101.10v	0.0v	40.1v	48.7v	648.64v
141	Mr ITR Jobling	O	75.10v	70.3v	50.6v	46.6v	49.4v	50.6v	47.5v	74.10v	101.9v	0.0v	44.3v	42.2v	648.64v
142	Mr RI Coventry	A	72.8v	71.6v	47.4v	47.3v	48.4v	47.5v	49.7v	72.8v	101.9v	0.0v	48.5v	46.4v	648.63v
143	Mr ER Welford	O	73.7v	72.9v	50.7v	47.3v	47.3v	49.7v	47.3v	72.10v	98.9v	0.0v	45.1v	48.3v	648.62v
144	Mr AD Le Cheminant	X	73.5v	73.6v	45.3v	49.5v	50.8v	46.3v	47.5v	70.4v	103.15v	0.0v	49.6v	43.2v	648.62v
145	Mr J Pepera-Hibbert	X	72.7v	69.4v	49.4v	46.3v	50.5v	48.6v	50.9v	73.7v	99.11v	0.0v	46.3v	46.3v	648.62v
146	Mr APW Daw	O	73.7v	71.5v	49.4v	48.4v	50.5v	43.2v	49.7v	74.11v	100.10v	0.0v	47.3v	44.4v	648.62v
147	Mr LMD Cheek	A	73.6v	72.9v	47.3v	48.4v	50.5v	46.4v	49.3v	73.10v	98.8v	0.0v	45.4v	47.5v	648.61v
148	Dr GP Nelson	X	74.4v	70.5v	46.3v	48.5v	50.7v	48.6v	46.4v	73.10v	99.8v	0.0v	47.4v	47.4v	648.60v
149	Mr PB Bromley	X	74.5v	72.7v	50.6v	44.4v	48.4v	48.4v	48.6v	71.8v	100.6v	0.0v	44.3v	49.6v	648.59v
150	Lt Col A Bell	X	72.9v	73.7v	48.5v	47.3v	49.5v	49.4v	48.6v	75.9v	99.9v	0.0v	42.1v	46.1v	648.59v
151	Mr DS Murray	X	75.9v	72.8v	44.4v	49.5v	48.3v	49.5v	48.5v	72.7v	101.6v	0.0v	45.3v	45.2v	648.57v
152	Mr TJD Raincock	X	73.8v	73.8v	49.4v	47.5v	49.3v	49.7v	49.6v	71.2v	101.7v	0.0v	45.2v	42.3v	648.55v
153	Capt AG McLean	A	72.9v	73.5v	48.2v	48.5v	49.7v	48.3v	45.4v	72.5v	102.4v	0.0v	47.4v	44.2v	648.50v
154	Miss EG Charlton	A	73.10v	69.6v	49.5v	46.2v	47.5v	49.6v	48.8v	73.7v	103.12v	0.0v	44.3v	46.6v	647.70v
155	Mr AP Sykes	O	74.11v	71.5v	49.4v	45.4v	49.7v	46.4v	47.5v	75.11v	102.12v	0.0v	44.2v	45.3v	647.68v
156	Mr JM Taylor	X	74.8v	69.8v	48.8v	48.4v	47.6v	49.4v	50.4v	73.7v	99.8v	0.0v	45.4v	45.6v	647.67v
157	Sgt O Hutt	T	73.7v	70.7v	47.5v	46.4v	46.3v	48.5v	49.7v	71.8v	101.10v	0.0v	49.3v	47.5v	647.64v
158	Mr MW Silver	X	73.11v	68.0v	49.7v	44.3v	48.3v	50.4v	49.5v	75.12v	96.8v	0.0v	48.6v	47.5v	647.64v
159	Mr RW Hallows	X	74.10v	72.4v	46.2v	47.4v	47.6v	50.6v	49.7v	72.10v	99.8v	0.0v	47.5v	44.2v	647.64v
160	Mr GA Cann	X	73.10v	73.5v	48.6v	46.3v	50.4v	49.7v	50.9v	75.12v	93.4v	0.0v	42.3v	48.1v	647.64v
161	Mr PM Hakim	X	72.9v	71.8v	49.6v	46.3v	48.4v	48.4v	50.10v	72.8v	104.8v	0.0v	41.0v	46.4v	647.64v
162	Mr AE Bromley	O	70.9v	72.8v	46.4v	47.2v	50.5v	46.2v	49.7v	75.9v	102.11v	0.0v	43.1v	47.3v	647.61v

163	Mr T Johnston	A	70.7v	74.8v	50.5v	48.6v	48.3v	47.4v	50.5v	71.8v	94.6v	0.0v	48.3v	47.5v	647.60v
164	Mr LM Peden	A	74.8v	73.7v	46.5v	45.2v	49.6v	48.5v	50.8v	73.8v	100.4v	0.0v	46.2v	43.3v	647.58v
165	Mr K Crabtree	A	75.10v	67.2v	49.4v	48.1v	48.4v	49.6v	46.2v	72.6v	105.15v	0.0v	47.2v	41.3v	647.55v
166	Mr JPL Sweet	A	74.5v	70.5v	48.3v	46.3v	45.3v	47.1v	49.6v	73.9v	100.12v	0.0v	49.4v	46.3v	647.54v
167	Miss K Fleck	O	74.8v	71.4v	49.3v	49.2v	48.4v	47.4v	46.3v	72.7v	99.11v	0.0v	49.6v	43.1v	647.53v
168	Mr G Woodman	A	75.9v	72.9v	45.2v	48.8v	49.7v	43.4v	48.6v	72.12v	102.10v	0.0v	48.4v	44.2v	646.73v
169	Miss A Southall	X	72.9v	74.6v	47.7v	49.3v	49.6v	50.8v	48.4v	74.8v	100.13v	0.0v	46.3v	37.2v	646.69v
170	Mr JA Anderson	O	74.9v	70.6v	46.3v	45.5v	47.6v	49.5v	47.5v	74.7v	102.9v	0.0v	48.5v	44.4v	646.64v
171	Mr JMA Thompson	X	74.12v	73.10v	46.3v	47.2v	50.5v	49.6v	43.3v	71.7v	103.9v	0.0v	43.3v	47.4v	646.64v
172	Mr M Watkins	O	74.8v	70.8v	50.8v	44.2v	48.6v	49.5v	47.3v	74.9v	96.6v	0.0v	47.2v	47.6v	646.63v
173	Mr E Gauvin	X	75.10v	72.5v	49.5v	48.1v	47.5v	47.7v	48.6v	74.9v	93.8v	0.0v	45.3v	48.1v	646.60v
174	Maj D Thompson	X	73.10v	70.6v	46.2v	50.5v	48.4v	47.6v	46.4v	73.8v	101.9v	0.0v	44.2v	48.3v	646.59v
175	Mr JWE Lothian	A	75.12v	72.6v	46.3v	48.3v	50.5v	48.6v	48.7v	72.9v	95.4v	0.0v	47.3v	45.1v	646.59v
176	Mr T Smith	X	73.8v	68.3v	49.5v	47.4v	50.7v	50.5v	47.3v	74.10v	98.9v	0.0v	48.5v	42.0v	646.59v
177	Cdt A Todd	O	72.5v	71.7v	48.5v	50.4v	49.4v	50.5v	48.5v	72.10v	99.8v	0.0v	38.2v	49.4v	646.59v
178	Lcpl J Keates	A	74.9v	73.7v	48.4v	48.4v	47.3v	49.4v	47.3v	71.7v	96.4v	0.0v	46.5v	47.2v	646.52v
179	Mr ADE Grounds	A	71.7v	71.3v	47.0v	50.6v	48.4v	48.5v	49.5v	73.8v	101.8v	0.0v	40.1v	48.4v	646.51v
180	Mr RAV Hebblethwaite	A	72.5v	69.4v	50.8v	48.4v	49.4v	47.4v	49.5v	72.6v	99.4v	0.0v	48.3v	43.3v	646.50v
181	Mr DR Armstrong	X	73.11v	71.5v	49.6v	46.5v	50.6v	47.4v	46.5v	75.11v	101.16v	0.0v	44.2v	43.1v	645.72v
182	Mr CP Weeden	X	73.8v	72.9v	49.6v	46.6v	49.5v	50.6v	49.5v	70.6v	104.13v	0.0v	42.5v	41.2v	645.71v
183	Mr D de Vere	X	74.10v	72.6v	49.6v	45.6v	48.7v	49.5v	47.4v	71.8v	101.10v	0.0v	44.2v	45.4v	645.68v
184	Mr N Guernsey	X	75.11v	75.7v	49.5v	47.2v	50.4v	50.6v	44.4v	68.7v	94.9v	0.0v	46.5v	47.4v	645.64v
185	Mr A Fowler	A	74.6v	69.4v	49.7v	46.4v	48.4v	47.6v	48.2v	73.9v	100.11v	0.0v	46.4v	45.3v	645.60v
186	Miss CA Evans	X	75.11v	73.9v	46.4v	45.2v	46.3v	49.2v	50.8v	70.6v	96.7v	0.0v	48.3v	47.4v	645.59v
187	Mr NJ Atkins	O	74.9v	71.8v	47.1v	46.3v	47.5v	46.2v	50.6v	73.9v	99.10v	0.0v	45.3v	47.2v	645.58v
188	Cpl O Farrell	O	73.4v	69.4v	50.8v	47.5v	47.4v	49.5v	47.4v	72.4v	99.10v	0.0v	45.4v	47.5v	645.57v
189	Mr C Rivett-Carnac	X	75.8v	70.3v	48.4v	47.4v	47.4v	48.6v	48.3v	74.7v	102.12v	0.0v	37.0v	49.6v	645.57v
190	Mr P De Voil	X	72.7v	74.10v	47.3v	47.4v	50.8v	49.6v	49.3v	72.6v	93.4v	0.0v	47.2v	45.3v	645.56v
191	Mr TJ Bullock	A	74.8v	67.5v	46.1v	44.3v	49.6v	49.4v	49.5v	75.8v	98.9v	0.0v	47.4v	47.2v	645.55v
192	Dr N Hendrikz	X	71.4v	70.4v	46.2v	46.4v	50.7v	49.7v	48.5v	72.8v	101.8v	0.0v	49.4v	43.2v	645.55v
193	Mr SC Postins	A	75.12v	72.8v	48.2v	47.5v	49.4v	46.3v	49.3v	70.4v	99.9v	0.0v	44.2v	46.3v	645.55v
194	Mr BN Craig	A	74.10v	73.8v	49.2v	43.1v	48.4v	50.6v	48.3v	73.8v	101.9v	0.0v	42.2v	44.2v	645.55v
195	Mr TA Ringer	X	74.10v	74.6v	45.3v	47.1v	45.3v	48.3v	49.5v	72.7v	97.8v	0.0v	47.3v	47.2v	645.51v
196	Mr MDE Larcombe	A	73.7v	72.5v	49.4v	47.3v	48.5v	49.4v	48.2v	71.6v	100.9v	0.0v	46.3v	42.1v	645.49v
197	Mr J Brooking	X	74.10v	73.9v	46.2v	46.6v	50.8v	49.7v	50.5v	74.12v	91.5v	0.0v	44.4v	47.5v	644.73v
198	Mr SC Williamson	A	75.9v	71.5v	49.6v	47.4v	45.3v	49.7v	46.4v	72.8v	102.14v	0.0v	43.4v	45.3v	644.67v
199	Mr SYM Ali	O	72.9v	69.6v	49.4v	42.3v	49.5v	48.5v	47.7v	74.10v	102.7v	0.0v	44.4v	48.5v	644.65v
200	Mr R Kloosterman	X	72.7v	72.7v	47.4v	45.4v	48.5v	47.3v	48.6v	71.7v	101.11v	0.0v	45.2v	48.5v	644.61v
201	Mr DFP Richards	A	74.11v	66.3v	46.4v	50.4v	49.6v	47.2v	47.4v	74.8v	100.10v	0.0v	44.2v	47.6v	644.60v
202	Mr S Harding	X	75.12v	72.10v	48.6v	45.4v	48.5v	47.3v	48.3v	74.9v	96.6v	0.0v	45.1v	46.1v	644.60v
203	Cdt T Cubitt	A	73.8v	71.8v	50.7v	47.4v	47.4v	47.3v	46.2v	72.7v	99.9v	0.0v	46.3v	46.4v	644.59v
204	Mr M Le Vasseur	A	73.9v	71.7v	49.6v	40.1v	47.4v	48.5v	48.4v	74.8v	100.8v	0.0v	49.5v	45.1v	644.58v
205	Cdt F Grenier	T	71.7v	70.8v	50.4v	48.7v	49.7v	47.4v	49.3v	72.11v	99.4v	0.0v	43.2v	46.1v	644.58v
206	Mr MJ Creber	A	75.10v	68.4v	45.1v	48.3v	45.4v	48.6v	49.6v	71.7v	105.10v	0.0v	46.3v	44.3v	644.57v
207	Mr RT MacLeod	X	73.7v	73.8v	47.6v	46.1v	49.4v	49.7v	45.2v	74.8v	102.11v	0.0v	42.2v	44.0v	644.56v
208	Ms AC Lohnes	O	74.9v	73.9v	46.4v	45.3v	46.3v	49.4v	50.5v	72.4v	98.9v	0.0v	43.1v	48.4v	644.55v
209	Mr RN Stebbings	X	72.7v	69.2v	49.5v	48.5v	50.5v	47.2v	45.3v	73.6v	101.12v	0.0v	45.3v	45.5v	644.55v
210	Mr J Phillipps	X	71.7v	72.6v	49.6v	47.3v	49.7v	48.5v	49.6v	70.6v	99.6v	0.0v	44.2v	46.1v	644.55v
211	Mr RMR Stearn	A	74.10v	71.5v	50.4v	45.4v	48.5v	46.5v	48.5v	75.7v	99.6v	0.0v	44.1v	44.1v	644.53v
212	Dr JW Page	A	73.9v	70.5v	48.4v	45.5v	49.0v	49.7v	45.5v	74.4v	99.8v	0.0v	45.2v	47.2v	644.51v
213	Mr DM Epton	O	71.9v	70.5v	49.4v	47.2v	48.3v	48.5v	47.4v	71.7v	101.9v	0.0v	46.3v	46.0v	644.51v
214	Mrs CJ Clifford-Evans	O	74.6v	72.4v	47.5v	43.1v	47.5v	49.5v	50.4v	74.9v	100.7v	0.0v	43.0v	45.4v	644.50v
215	Mrs GC O'Leary	O	75.11v	71.6v	47.4v	48.5v	50.10v	47.4v	49.7v	69.7v	98.8v	0.0v	44.3v	45.3v	643.68v
216	Mr AC Haley	X	73.6v	72.7v	47.6v	41.2v	49.5v	48.5v	50.7v	74.10v	99.10v	0.0v	45.2v	45.3v	643.63v
217	Mr DN Lindsay	A	72.8v	69.6v	49.5v	45.3v	49.5v	47.3v	48.4v	74.10v	101.10v	0.0v	42.2v	47.5v	643.61v
218	Mr GED Hart	O	72.9v	71.8v	46.2v	47.1v	49.5v	47.5v	49.3v	70.9v	101.10v	0.0v	45.3v	46.4v	643.59v
219	Mr RR Grisenthwaite	O	73.8v	74.6v	48.3v	46.4v	49.6v	47.5v	48.6v	72.7v	98.9v	0.0v	44.2v	44.2v	643.58v
220	Mr PAE Charlton	X	74.6v	71.3v	45.3v	49.6v	49.4v	47.7v	47.3v	71.7v	96.7v	0.0v	49.4v	45.3v	643.53v
221	Mr PD Griggs	X	73.5v	68.4v	50.4v	46.2v	48.4v	48.2v	48.8v	72.8v	100.9v	0.0v	43.4v	47.3v	643.53v
222	Mr ML Millar	X	73.7v	74.9v	47.4v	44.2v	49.4v	47.4v	49.4v	71.7v	100.9v	0.0v	43.1v	46.2v	643.53v

223	Mr WDH Burden	A	74.10v	70.5v	47.4v	42.3v	50.6v	47.2v	48.4v	72.6v	98.6v	0.0v	48.3v	47.3v	643.52v
224	Mr EWV Feast	A	74.7v	72.6v	49.3v	47.3v	47.4v	49.3v	47.3v	70.6v	103.11v	0.0v	44.4v	41.2v	643.52v
225	Miss LG Taylor	A	73.4v	70.6v	48.4v	47.3v	49.5v	49.7v	48.5v	72.6v	102.7v	0.0v	44.5v	41.0v	643.52v
226	Mr G Stewart	T	71.8v	67.4v	46.5v	48.3v	46.1v	48.6v	50.8v	69.8v	103.3v	0.0v	47.2v	48.3v	643.51v
227	Mr AM Bullen	A	69.6v	70.4v	48.5v	47.3v	48.5v	48.5v	49.4v	73.8v	100.8v	0.0v	45.2v	46.1v	643.51v
228	Mr M Neal	O	73.8v	70.6v	47.3v	49.5v	49.5v	47.7v	50.5v	74.7v	96.3v	0.0v	44.0v	44.2v	643.51v
229	Mr RW Shaw	X	73.5v	70.7v	50.5v	40.3v	49.4v	47.2v	47.4v	74.5v	101.11v	0.0v	45.2v	47.2v	643.50v
230	Mr M Witherley	A	73.4v	72.3v	46.2v	44.3v	47.4v	47.4v	47.4v	73.11v	100.8v	0.0v	47.2v	47.3v	643.48v
231	Cdt D Bolduc	T	73.5v	70.5v	48.4v	45.4v	49.2v	48.4v	49.5v	73.9v	100.7v	0.0v	43.0v	45.3v	643.48v
232	Mr EC Dickson	X	74.12v	71.10v	49.2v	49.7v	49.5v	43.3v	50.6v	75.12v	86.4v	0.0v	48.4v	48.4v	642.69v
233	Mr GL Clarke	O	72.6v	71.6v	48.6v	44.5v	49.6v	48.5v	44.4v	72.8v	102.13v	0.0v	45.2v	47.6v	642.67v
234	Mr J Purdy	O	73.8v	69.2v	50.9v	47.4v	47.6v	47.5v	49.6v	73.8v	99.10v	0.0v	47.6v	41.3v	642.67v
235	Mr H Awin	X	75.9v	69.2v	46.2v	45.3v	48.6v	48.6v	48.5v	73.9v	102.16v	0.0v	43.1v	45.5v	642.64v
236	Brig AJW Sturrock	O	71.6v	70.11v	49.6v	48.5v	46.5v	48.2v	49.3v	73.8v	97.7v	0.0v	50.7v	41.3v	642.63v
237	Mr B Langille	X	72.10v	72.6v	49.5v	47.4v	50.6v	49.5v	48.5v	74.12v	101.7v	0.0v	38.0v	42.1v	642.61v
238	Mr GC Childs	A	74.7v	74.7v	49.5v	43.6v	49.9v	50.6v	48.3v	73.8v	99.6v	0.0v	39.1v	44.2v	642.60v
239	Mr D Blake	O	74.12v	72.8v	48.3v	43.4v	46.5v	49.5v	47.3v	72.6v	99.7v	0.0v	46.2v	46.4v	642.59v
240	WO1 JR Davies	O	73.9v	69.6v	47.4v	47.0v	49.6v	49.9v	49.7v	71.6v	97.6v	0.0v	45.3v	46.2v	642.58v
241	Mr JR Tuck	X	74.6v	73.10v	47.3v	44.2v	49.6v	49.3v	47.5v	69.7v	100.8v	0.0v	43.2v	47.6v	642.58v
242	Mr B Mehrstens	X	73.9v	74.9v	46.2v	45.2v	50.7v	47.5v	48.4v	74.9v	96.4v	0.0v	41.2v	48.3v	642.56v
243	Mr NP Moxon	X	72.8v	72.6v	48.6v	44.2v	50.7v	49.6v	47.5v	74.10v	99.4v	0.0v	42.0v	45.2v	642.56v
244	Miss RL Laird	O	73.7v	68.4v	47.4v	45.3v	49.4v	48.5v	45.3v	74.10v	101.9v	0.0v	43.2v	49.4v	642.55v
245	Mr JR Stirland	O	71.4v	70.4v	48.5v	48.6v	47.4v	48.5v	48.6v	70.4v	99.8v	0.0v	47.3v	46.4v	642.53v
246	Mr B Hebblethwaite	O	70.3v	71.6v	47.4v	49.5v	49.6v	48.5v	47.3v	69.5v	102.11v	0.0v	45.2v	45.1v	642.51v
247	Mr CR Hirst	O	73.5v	71.3v	48.6v	45.4v	48.4v	47.3v	50.3v	73.4v	100.13v	0.0v	45.2v	42.1v	642.48v
248	Mr M Liversage	X	73.9v	72.9v	48.4v	47.6v	49.3v	47.4v	49.7v	74.9v	90.10v	0.0v	48.5v	44.2v	641.68v
249	Mr G Trembath	X	73.8v	68.7v	48.5v	47.3v	50.7v	49.6v	43.3v	74.7v	99.11v	0.0v	45.3v	45.3v	641.63v
250	Major TRHG Riley	X	71.7v	68.4v	50.6v	45.3v	48.6v	47.4v	49.6v	73.12v	100.11v	0.0v	44.2v	46.2v	641.63v
251	Mr SD Fulmer	X	73.7v	72.7v	48.7v	47.4v	50.3v	46.4v	48.4v	75.10v	92.5v	0.0v	44.5v	46.3v	641.59v
252	Mr TP Clarke	X	73.11v	70.4v	47.3v	48.4v	48.4v	47.2v	48.5v	70.9v	101.13v	0.0v	46.2v	43.2v	641.59v
253	Miss SP Ward	X	72.9v	71.7v	48.5v	50.4v	49.4v	48.5v	49.7v	73.6v	96.7v	0.0v	43.1v	42.2v	641.57v
254	Mr T Little	A	75.9v	69.3v	47.3v	47.3v	50.6v	47.7v	36.2v	73.8v	102.9v	0.0v	46.2v	49.4v	641.56v
255	Miss HV Southall	A	74.6v	70.5v	49.7v	47.5v	43.4v	49.4v	46.3v	71.6v	100.8v	0.0v	46.3v	46.3v	641.54v
256	Mr CS Lamont	A	74.11v	71.5v	49.4v	45.1v	49.7v	47.4v	45.4v	74.8v	95.5v	0.0v	46.4v	46.1v	641.54v
257	Miss C Catuogno-Cal	A	74.6v	72.7v	47.4v	44.2v	48.4v	46.4v	48.5v	74.7v	99.9v	0.0v	43.3v	46.2v	641.53v
258	Mr M Mann	A	75.5v	72.5v	47.4v	48.2v	46.4v	45.2v	49.4v	74.10v	95.8v	0.0v	46.3v	44.4v	641.51v
259	Mr S Wingrove	A	73.8v	69.5v	48.3v	50.6v	47.3v	46.2v	48.3v	74.7v	95.6v	0.0v	45.4v	46.3v	641.50v
260	Mr MJJ Charlton	A	73.4v	71.4v	47.2v	46.3v	48.4v	49.4v	50.6v	69.5v	96.8v	0.0v	46.2v	46.3v	641.45v
261	Mr DC Crispin	X	74.13v	73.10v	49.7v	47.1v	49.7v	48.3v	49.6v	74.8v	96.6v	0.0v	34.0v	47.5v	640.66v
262	Mr GA Aitchison	X	75.11v	73.8v	43.4v	44.2v	49.4v	45.3v	47.5v	72.6v	99.11v	0.0v	48.4v	45.3v	640.61v
263	Mrs LE Haley	X	73.9v	69.3v	44.1v	45.4v	50.7v	47.5v	49.6v	73.5v	103.10v	0.0v	38.2v	49.5v	640.57v
264	Mrs D Negus	X	74.8v	72.7v	45.3v	46.4v	46.5v	49.5v	48.6v	70.4v	98.7v	0.0v	48.5v	44.0v	640.54v
265	Mr R Pike	X	71.5v	73.6v	49.8v	49.3v	47.3v	44.2v	47.7v	71.4v	101.11v	0.0v	45.3v	43.2v	640.54v
266	Mr T Steele	A	70.5v	72.5v	48.5v	46.5v	48.7v	46.4v	45.2v	75.8v	98.6v	0.0v	46.2v	46.3v	640.52v
267	Mr JB Hull	X	74.7v	68.3v	49.6v	47.3v	48.5v	48.5v	49.7v	70.4v	100.6v	0.0v	41.2v	46.3v	640.51v
268	Mr AJ Leech	A	73.8v	73.6v	46.2v	46.3v	49.3v	50.4v	46.6v	72.4v	98.9v	0.0v	41.2v	46.2v	640.49v
269	Mr AM Sadler	A	74.9v	73.5v	48.4v	48.5v	48.1v	44.1v	49.5v	73.5v	99.9v	0.0v	40.1v	44.0v	640.45v
270	Mr GW Robinson	O	72.5v	72.8v	47.3v	47.5v	47.3v	50.5v	45.3v	73.7v	100.2v	0.0v	45.2v	42.1v	640.44v
271	Mr NRJ Brasier	X	73.11v	74.8v	48.5v	48.6v	49.7v	49.6v	48.6v	70.6v	99.7v	0.0v	35.1v	46.4v	639.67v
272	Dr HHG Pollock	X	73.9v	72.6v	49.5v	49.5v	45.5v	45.2v	47.6v	74.9v	95.6v	0.0v	47.6v	43.1v	639.60v
273	Mr K Hoverstad	X	72.8v	73.10v	47.6v	48.4v	47.4v	47.5v	46.3v	71.7v	100.9v	0.0v	44.2v	44.1v	639.59v
274	Mr JI Thombora	X	72.7v	73.8v	47.3v	47.3v	49.7v	49.6v	50.6v	70.7v	96.6v	0.0v	44.3v	42.2v	639.58v
275	Cdt S Hodge	T	74.9v	67.3v	49.6v	47.6v	48.2v	47.5v	48.3v	73.9v	96.8v	0.0v	49.4v	41.2v	639.57v
276	Mr B Horwood	X	72.4v	70.3v	49.3v	45.3v	47.5v	47.5v	46.4v	75.10v	98.7v	0.0v	43.3v	47.5v	639.52v
277	Mr JC Evans	X	72.7v	70.6v	47.5v	43.1v	48.6v	49.5v	48.4v	75.7v	96.6v	0.0v	44.0v	47.4v	639.51v
278	Mr MF Boucher	A	72.9v	69.1v	50.4v	48.4v	49.6v	42.4v	47.4v	72.8v	99.5v	0.0v	45.2v	46.3v	639.50v
279	Mr CM Brooks	A	65.2v	74.5v	50.7v	46.3v	48.3v	48.2v	49.5v	70.7v	97.9v	0.0v	46.2v	46.4v	639.49v
280	Miss K Milner	O	73.5v	71.3v	48.5v	48.5v	46.3v	49.6v	47.3v	72.6v	94.8v	0.0v	47.3v	44.2v	639.49v
281	Mr EK Ngetich	O	69.4v	70.4v	47.7v	45.1v	49.7v	50.6v	48.1v	72.5v	99.7v	0.0v	44.3v	46.3v	639.48v
282	Mr T Bonner	X	73.7v	72.5v	49.3v	44.3v	47.3v	48.5v	49.7v	70.5v	100.5v	0.0v	46.3v	41.2v	639.48v

283	Mr TJ Bryan	A	73.7v	66.2v	49.6v	47.4v	50.4v	48.5v	47.3v	73.6v	95.5v	0.0v	44.3v	47.1v	639.46v
284	Mr LS Otundo	O	71.8v	72.8v	46.2v	47.6v	46.4v	47.5v	48.5v	75.12v	97.8v	0.0v	47.1v	42.0v	638.59v
285	Cdt B Danziger	A	72.7v	70.6v	45.3v	49.7v	49.7v	45.2v	49.9v	74.7v	94.5v	0.0v	46.2v	45.3v	638.58v
286	Mr M Horton-Baker	A	71.8v	69.7v	46.5v	46.3v	45.3v	49.6v	49.4v	74.9v	98.7v	0.0v	43.3v	48.1v	638.56v
287	Mr B Lacey	O	73.11v	71.5v	48.0v	45.2v	45.4v	46.5v	49.5v	74.7v	99.7v	0.0v	49.8v	39.0v	638.54v
288	Mr JR Dunbar	A	74.8v	70.3v	47.4v	42.3v	49.6v	49.7v	50.6v	72.7v	97.7v	0.0v	42.1v	46.1v	638.53v
289	Mr SDJ Glanville	X	75.9v	68.6v	49.3v	45.3v	46.2v	44.3v	47.4v	72.7v	99.8v	0.0v	47.1v	46.4v	638.50v
290	Mr P Dawes	O	74.7v	70.4v	48.3v	46.6v	48.5v	49.3v	47.1v	71.7v	98.7v	0.0v	38.1v	49.6v	638.50v
291	Mr LR Coventry	T	73.7v	69.5v	47.7v	46.1v	47.3v	48.5v	46.3v	71.7v	102.8v	0.0v	46.1v	43.2v	638.49v
292	Miss J Hince	A	71.7v	75.7v	47.3v	44.2v	48.5v	47.4v	47.2v	69.8v	100.3v	0.0v	49.6v	41.1v	638.48v
293	Miss HPC Bramwell	O	72.4v	71.6v	47.5v	45.3v	49.5v	48.4v	49.3v	68.4v	102.10v	0.0v	42.1v	45.2v	638.47v
294	Mr TM Green	A	72.5v	70.5v	47.2v	44.0v	47.4v	46.3v	49.5v	74.9v	96.4v	0.0v	47.4v	46.0v	638.41v
295	Mr J Thorp	O	75.11v	75.9v	48.3v	49.7v	48.5v	44.6v	45.4v	73.9v	92.3v	0.0v	45.3v	43.2v	637.62v
296	LCpl SER Cherry	A	74.11v	71.5v	49.6v	49.4v	47.2v	49.2v	49.8v	72.12v	98.6v	0.0v	44.3v	35.2v	637.61v
297	Mr DE Nuthall	X	74.10v	72.5v	48.4v	46.6v	49.6v	48.6v	44.2v	69.6v	102.11v	0.0v	41.1v	44.3v	637.60v
298	Miss SIM Anderson	A	71.9v	70.5v	49.4v	47.3v	45.4v	50.6v	45.5v	70.5v	99.10v	0.0v	46.5v	45.3v	637.59v
299	Pte HG Asquith-Beard	T	73.9v	69.9v	46.4v	45.4v	49.4v	48.5v	48.3v	74.7v	96.8v	0.0v	44.1v	45.5v	637.59v
300	Mr GM Gee	A	73.9v	69.5v	47.1v	50.5v	49.5v	49.6v	48.5v	69.8v	102.11v	0.0v	46.4v	35.0v	637.59v
301	Mr A Jones	A	73.11v	65.4v	48.3v	47.2v	50.7v	49.3v	49.4v	72.11v	98.8v	0.0v	43.1v	43.4v	637.58v
302	Mr JT Kennedy	O	69.5v	68.3v	49.5v	47.3v	48.4v	44.6v	44.4v	74.10v	98.7v	0.0v	50.6v	46.3v	637.56v
303	Miss R Lusty	O	72.6v	70.6v	47.3v	46.5v	48.6v	44.4v	48.3v	74.8v	100.8v	0.0v	46.5v	42.2v	637.56v
304	Lt JW Jenkins	X	75.7v	73.8v	47.2v	48.5v	49.6v	49.4v	50.4v	72.9v	91.8v	0.0v	42.1v	41.2v	637.56v
305	Mr CK Saina	A	74.8v	75.9v	49.4v	43.2v	48.5v	48.4v	46.3v	74.9v	91.6v	0.0v	43.2v	46.3v	637.55v
306	Mr SL Larter-Whitcher	A	71.9v	72.8v	47.5v	43.2v	47.3v	48.4v	50.7v	72.7v	94.3v	0.0v	47.2v	46.3v	637.53v
307	Mr A Mcconnell	O	69.5v	70.7v	49.7v	48.5v	48.4v	49.6v	47.3v	73.6v	97.6v	0.0v	43.2v	44.2v	637.53v
308	Cdt J Gendron	T	73.7v	69.6v	48.4v	45.2v	47.5v	48.4v	48.6v	71.7v	102.7v	0.0v	40.1v	46.4v	637.53v
309	Mr PJ Johnson	A	73.8v	68.6v	46.5v	41.3v	49.8v	47.3v	49.4v	69.2v	101.6v	0.0v	46.5v	48.2v	637.52v
310	Mr W Meade	X	70.8v	70.6v	48.4v	45.4v	49.4v	49.8v	48.4v	69.4v	102.8v	0.0v	43.0v	44.1v	637.51v
311	Dr IT Matsumoto	A	73.8v	69.4v	48.3v	45.2v	49.4v	47.4v	49.6v	74.7v	93.5v	0.0v	46.2v	44.3v	637.48v
312	Mr B Creane	X	72.8v	71.1v	42.0v	48.3v	47.3v	47.5v	47.6v	71.7v	103.10v	0.0v	45.3v	44.2v	637.48v
313	Miss K Lindsay	T	72.5v	74.5v	48.4v	39.0v	49.5v	46.2v	49.6v	73.8v	98.8v	0.0v	42.1v	47.2v	637.46v
314	Mr RJS Clark	X	72.6v	70.5v	50.6v	42.2v	49.8v	49.6v	48.6v	73.10v	98.7v	0.0v	40.1v	45.4v	636.61v
315	Mr WP Hanley	O	71.9v	70.4v	49.7v	47.4v	48.5v	48.5v	44.0v	75.10v	93.4v	0.0v	48.5v	43.3v	636.56v
316	Mrs LK Mace	A	73.8v	71.5v	47.5v	40.1v	47.4v	46.5v	49.6v	71.6v	101.10v	0.0v	45.2v	46.3v	636.55v
317	Mr CD Heales	A	73.6v	68.7v	48.6v	48.4v	49.4v	46.3v	48.4v	72.9v	96.8v	0.0v	41.1v	47.2v	636.54v
318	LCpl A Morriss	T	72.6v	70.6v	44.2v	47.3v	48.5v	47.6v	47.4v	72.6v	99.11v	0.0v	45.2v	45.2v	636.53v
319	Mr JA Watson	X	75.6v	70.5v	48.6v	44.3v	50.8v	46.2v	47.5v	73.6v	100.9v	0.0v	39.0v	44.3v	636.53v
320	Mr D Lowe	A	73.7v	70.3v	48.6v	50.6v	47.4v	43.4v	47.6v	71.10v	99.3v	0.0v	41.0v	47.3v	636.52v
321	Cdt L Allinott	T	72.5v	69.5v	49.7v	47.1v	47.3v	48.3v	49.5v	72.9v	98.8v	0.0v	42.4v	43.1v	636.51v
322	Mr L Nagy	T	74.7v	68.5v	48.4v	47.5v	45.4v	46.3v	48.2v	73.6v	96.7v	0.0v	47.3v	44.3v	636.49v
323	Col FC Sykes	A	72.6v	72.5v	46.4v	46.4v	49.5v	48.3v	47.4v	71.6v	98.7v	0.0v	43.2v	44.3v	636.49v
324	Miss B Fraser-Burn	O	67.4v	64.2v	47.3v	44.0v	49.6v	49.7v	43.2v	74.8v	103.11v	0.0v	46.2v	50.2v	636.47v
325	Mr RF Barrington	A	67.2v	72.5v	47.4v	47.4v	49.6v	48.6v	45.0v	71.6v	102.7v	0.0v	46.2v	42.3v	636.45v
326	Mr JN McLaren	A	70.6v	68.4v	47.3v	47.2v	50.5v	47.2v	47.5v	71.5v	99.6v	0.0v	44.1v	46.5v	636.44v
327	Mr A Lloyd	O	72.2v	67.2v	48.2v	47.3v	46.3v	48.3v	48.4v	73.7v	97.11v	0.0v	43.1v	47.5v	636.43v
328	Dr M Stopher	T	68.1v	71.9v	48.2v	43.0v	48.6v	49.5v	46.2v	71.4v	97.6v	0.0v	47.1v	48.4v	636.40v
329	Mr H Ball	O	70.8v	73.11v	48.3v	44.1v	47.6v	50.8v	44.5v	68.4v	101.12v	0.0v	42.1v	48.6v	635.65v
330	Mr JGM Webster	A	75.10v	72.7v	49.5v	41.1v	46.4v	50.7v	47.5v	72.6v	90.11v	0.0v	46.3v	47.3v	635.62v
331	Miss AJ Carnell	O	73.10v	62.0v	50.8v	48.4v	50.6v	47.5v	46.1v	72.7v	104.13v	0.0v	39.0v	44.4v	635.58v
332	Mr J Foster	X	72.7v	64.1v	48.4v	47.5v	48.6v	45.3v	49.4v	73.10v	99.11v	0.0v	46.4v	44.2v	635.57v
333	Mr MJ Wood	A	74.10v	71.7v	47.6v	45.2v	47.3v	48.7v	50.2v	73.9v	91.4v	0.0v	46.5v	43.1v	635.56v
334	Mr JIB Halahan	A	74.6v	70.2v	46.6v	43.3v	47.4v	46.3v	48.5v	74.8v	99.13v	0.0v	42.2v	46.4v	635.56v
335	Mr R Johnson	O	73.10v	68.6v	49.3v	45.4v	48.5v	48.5v	44.0v	72.9v	100.8v	0.0v	40.1v	48.4v	635.55v
336	Cpl H Quillam	O	73.7v	68.4v	49.8v	43.3v	47.3v	46.5v	47.3v	75.10v	97.4v	0.0v	46.3v	44.4v	635.54v
337	Miss KAN Jack	O	73.8v	70.7v	49.4v	47.4v	47.6v	46.2v	46.2v	73.9v	100.9v	0.0v	43.2v	41.1v	635.54v
338	Mr TM Stevenson	X	72.8v	72.4v	49.5v	48.7v	45.5v	48.4v	48.3v	71.8v	92.5v	0.0v	47.3v	43.1v	635.53v
339	Mr RDP Knapstein	A	69.5v	65.1v	49.5v	48.4v	49.4v	45.3v	47.5v	75.10v	100.11v	0.0v	45.4v	43.1v	635.53v
340	Dr MW Wrigley	X	71.6v	70.1v	49.7v	48.3v	49.8v	47.2v	49.6v	71.6v	98.9v	0.0v	38.2v	45.3v	635.53v
341	Mr DJ Curtis	A	71.8v	71.4v	48.4v	44.0v	44.3v	47.3v	46.5v	75.7v	99.11v	0.0v	42.2v	48.4v	635.51v
342	Mr R Edwards	T	72.7v	71.8v	48.4v	45.2v	48.3v	49.4v	49.6v	70.4v	102.10v	0.0v	37.0v	44.2v	635.50v

343	Mr B Jones	O	69.4v	74.7v	48.4v	48.5v	48.4v	47.5v	47.4v	68.5v	98.8v	0.0v	42.1v	46.1v	635.48v
344	Mr E Atkins	A	72.8v	66.2v	49.5v	47.3v	48.7v	48.3v	46.4v	74.6v	96.7v	0.0v	44.1v	45.1v	635.47v
345	Mr KM Willingale	O	72.7v	69.4v	47.1v	48.5v	46.1v	49.5v	48.6v	73.7v	92.5v	0.0v	42.1v	49.4v	635.46v
346	Mr M Todd	A	73.6v	65.4v	50.6v	46.2v	47.3v	49.5v	47.4v	71.5v	98.4v	0.0v	45.3v	44.2v	635.44v
347	Dr J Mehta	A	75.12v	74.10v	49.4v	44.5v	45.4v	49.2v	34.3v	73.8v	99.8v	0.0v	46.3v	46.3v	634.62v
348	Mr GV Feast	A	71.7v	66.3v	50.5v	44.4v	46.4v	48.5v	49.5v	72.7v	100.10v	0.0v	45.3v	43.4v	634.57v
349	Mr RBC Baker	A	73.6v	73.7v	49.5v	46.4v	43.3v	48.6v	46.4v	72.6v	99.9v	0.0v	46.4v	39.3v	634.57v
350	Mr JA Bullock	O	73.9v	74.10v	47.4v	45.4v	47.2v	46.1v	49.6v	72.7v	91.6v	0.0v	45.2v	45.4v	634.55v
351	Mr S Brewer-Marchant	O	73.8v	71.4v	47.4v	45.2v	47.6v	48.6v	48.5v	71.7v	99.8v	0.0v	44.2v	41.1v	634.53v
352	Mr T Horrocks	A	72.6v	72.4v	48.4v	46.4v	50.7v	47.4v	48.4v	73.10v	98.7v	0.0v	43.2v	37.0v	634.52v
353	Mr PS Gray	O	70.6v	69.4v	49.2v	46.3v	47.4v	47.4v	47.5v	72.7v	99.10v	0.0v	42.3v	46.3v	634.51v
354	Cdt T Jones	O	73.7v	69.5v	49.6v	41.3v	48.5v	47.2v	49.3v	72.7v	101.7v	0.0v	41.4v	44.2v	634.51v
355	Cdt HMC Ardern	T	73.7v	72.4v	48.5v	47.3v	45.3v	47.4v	49.7v	73.7v	99.9v	0.0v	38.0v	43.2v	634.51v
356	Mr J Allum	X	70.6v	75.6v	49.3v	44.2v	48.4v	48.3v	46.4v	72.8v	95.7v	0.0v	44.3v	43.1v	634.47v
357	Mr MD Joyce	A	70.5v	71.6v	46.3v	48.3v	46.3v	47.4v	46.3v	71.5v	98.7v	0.0v	45.4v	46.2v	634.45v
358	Miss JE Ouston	A	73.5v	71.4v	47.3v	45.2v	46.3v	48.6v	47.3v	74.6v	101.10v	0.0v	36.0v	46.2v	634.44v
359	Mr WJ Rowland	A	73.7v	71.6v	45.2v	46.2v	48.4v	49.5v	46.5v	72.4v	93.4v	0.0v	47.2v	44.2v	634.43v
360	Maj CP Judge	O	72.4v	71.6v	47.4v	50.3v	47.4v	47.3v	44.1v	74.6v	96.7v	0.0v	37.0v	49.5v	634.43v
361	Mr JRC Stanford-Beale	O	70.2v	69.4v	49.3v	46.3v	47.2v	48.2v	49.6v	71.3v	97.7v	0.0v	44.2v	44.1v	634.35v
362	Cdt D Armstrong	O	73.11v	72.6v	46.5v	44.1v	48.5v	47.5v	47.5v	71.7v	102.13v	0.0v	35.0v	48.3v	633.61v
363	Mr PM Lanigan	O	74.8v	75.10v	46.2v	45.3v	48.5v	48.5v	46.4v	70.11v	91.7v	0.0v	45.3v	45.0v	633.58v
364	Miss TJ Fitzsimons	O	71.6v	71.7v	48.4v	49.6v	43.4v	49.6v	48.5v	72.8v	94.5v	0.0v	44.4v	44.1v	633.56v
365	Mr WC Cowen	O	73.9v	71.8v	47.5v	45.2v	50.7v	45.3v	50.6v	74.6v	94.5v	0.0v	43.2v	41.2v	633.55v
366	Bdr L Taylor	T	71.9v	72.5v	50.4v	44.2v	48.2v	45.5v	46.4v	69.6v	99.9v	0.0v	45.4v	44.2v	633.52v
367	Mr MR Ebbetts	O	69.3v	72.7v	46.3v	47.5v	48.4v	50.5v	47.4v	73.7v	96.8v	0.0v	41.2v	44.3v	633.51v
368	Mr SJ Carson	X	73.5v	73.6v	43.2v	45.2v	47.5v	48.6v	47.4v	69.7v	101.8v	0.0v	44.4v	43.1v	633.50v
369	Mr WA Odhiambo	O	72.7v	68.6v	48.6v	44.2v	47.3v	50.5v	48.4v	71.7v	97.4v	0.0v	43.4v	45.1v	633.49v
370	Cdt F Cade	A	73.5v	71.5v	47.3v	42.3v	48.5v	47.2v	49.6v	72.10v	100.7v	0.0v	40.0v	44.3v	633.49v
371	Mr JA Haward	X	74.6v	68.7v	45.3v	46.3v	45.3v	48.1v	50.6v	71.7v	99.7v	0.0v	44.2v	43.3v	633.48v
372	Mr DRG Rich	O	69.2v	74.6v	43.3v	46.4v	50.7v	48.4v	48.4v	72.5v	101.10v	0.0v	43.1v	39.2v	633.48v
373	Mr SNS Penrose	X	71.9v	68.3v	48.1v	46.2v	48.6v	47.3v	49.4v	70.4v	100.10v	0.0v	41.2v	45.2v	633.46v
374	Mr NJ Burnip	O	70.9v	66.2v	45.0v	45.4v	45.2v	48.6v	48.4v	72.9v	98.3v	0.0v	47.2v	49.4v	633.45v
375	Mr TP Shaw	O	75.11v	63.2v	48.0v	44.0v	46.3v	45.1v	49.6v	73.8v	101.6v	0.0v	43.3v	46.2v	633.42v
376	Mr P Thompson	A	73.6v	67.4v	46.2v	47.3v	47.5v	45.1v	46.5v	71.6v	99.7v	0.0v	48.1v	44.1v	633.41v
377	Mr CES Dickenson	A	67.8v	71.5v	46.1v	45.5v	47.5v	47.3v	50.7v	72.8v	96.8v	0.0v	43.2v	48.2v	632.54v
378	Miss S Cheslyn-Curtis	O	72.9v	71.5v	48.6v	44.4v	47.1v	48.5v	45.4v	70.5v	94.5v	0.0v	48.5v	45.2v	632.51v
379	Mr B Colman-Sadd	O	74.10v	65.1v	49.7v	44.2v	48.4v	48.5v	48.5v	66.5v	101.6v	0.0v	45.3v	44.2v	632.50v
380	Mr RA Benest	O	73.4v	73.9v	48.6v	47.5v	49.2v	47.4v	49.2v	72.7v	97.8v	0.0v	42.1v	35.2v	632.50v
381	Miss P Evans	O	72.5v	70.3v	48.6v	42.1v	44.2v	48.4v	47.6v	71.5v	96.12v	0.0v	47.3v	47.2v	632.49v
382	Mr RJR Mott	X	73.4v	69.2v	45.3v	50.6v	47.5v	37.1v	46.3v	74.10v	100.8v	0.0v	47.4v	44.2v	632.48v
383	Mr RW Ramage	A	68.5v	71.7v	46.5v	48.4v	47.4v	46.1v	45.2v	71.6v	98.8v	0.0v	46.2v	46.3v	632.47v
384	Wg. Cdr. CJ Hockley	O	71.7v	68.3v	48.4v	48.1v	48.5v	49.3v	48.2v	69.7v	97.7v	0.0v	43.4v	43.3v	632.46v
385	Mr JR Lindsay	O	71.8v	71.8v	50.4v	47.2v	49.2v	50.5v	46.3v	72.8v	94.5v	0.0v	42.1v	40.0v	632.46v
386	Mrs T Newbold	O	69.4v	69.5v	46.3v	45.0v	48.4v	50.5v	45.3v	68.4v	102.11v	0.0v	45.4v	45.2v	632.45v
387	Mr E Sewell	O	70.4v	69.5v	50.6v	42.3v	48.4v	47.2v	47.4v	73.5v	101.7v	0.0v	40.2v	45.3v	632.45v
388	Miss M Message	T	72.7v	69.3v	46.3v	47.1v	43.3v	50.3v	45.3v	69.5v	98.10v	0.0v	46.1v	47.5v	632.44v
389	Mr S Dowley	A	73.9v	70.5v	46.3v	47.2v	46.3v	49.4v	47.4v	70.5v	97.5v	0.0v	44.3v	43.1v	632.44v
390	Mr B Heatley	O	72.3v	73.5v	49.4v	46.4v	47.5v	48.5v	46.4v	71.2v	96.6v	0.0v	41.0v	43.2v	632.40v
391	Mr IW Robertson	A	71.5v	71.8v	49.7v	42.4v	47.4v	48.3v	49.4v	74.9v	96.8v	0.0v	41.2v	43.2v	631.56v
392	Mr G Palmer	A	73.8v	67.2v	48.6v	44.3v	48.5v	45.3v	49.6v	74.6v	93.6v	0.0v	47.4v	43.3v	631.52v
393	Mr SP O'Brien	A	72.7v	69.5v	48.3v	44.4v	48.5v	49.2v	48.6v	65.6v	101.9v	0.0v	43.2v	44.3v	631.52v
394	Cdt M Neumann	T	71.6v	65.3v	48.6v	48.3v	48.6v	47.2v	48.5v	74.7v	98.11v	0.0v	37.2v	47.1v	631.52v
395	Mr DJ Gass	X	72.8v	69.4v	47.5v	46.4v	48.3v	47.4v	46.2v	73.7v	99.7v	0.0v	38.1v	46.4v	631.49v
396	Lt E Bosse	O	72.8v	71.7v	47.2v	47.2v	47.5v	43.1v	46.3v	71.5v	96.5v	0.0v	43.6v	48.3v	631.47v
397	Mr MR Fugeman	A	73.7v	72.5v	45.2v	43.4v	48.3v	49.6v	47.3v	72.6v	96.6v	0.0v	43.1v	43.2v	631.45v
398	Mr MJ Barlow	A	72.5v	68.4v	46.3v	40.1v	49.6v	49.4v	47.1v	69.6v	100.7v	0.0v	45.1v	46.4v	631.42v
399	Mr AF Donald	O	72.8v	68.1v	45.2v	46.2v	45.1v	48.4v	48.6v	71.5v	98.9v	0.0v	46.3v	44.1v	631.42v
400	Mr AW Hellings	X	73.7v	73.8v	47.2v	45.2v	47.4v	46.3v	47.4v	71.6v	93.3v	0.0v	45.1v	44.1v	631.41v
401	Mr R Kligge	O	71.3v	69.3v	47.5v	45.2v	50.3v	48.6v	45.3v	72.5v	93.3v	0.0v	48.4v	43.0v	631.37v
402	Mr D Wilks	T	71.7v	69.4v	46.2v	47.1v	49.4v	48.4v	48.5v	72.5v	100.3v	0.0v	42.1v	39.0v	631.36v

403	Mr RA Welford	A	71.10v	72.6v	47.1v	44.4v	47.6v	49.6v	47.3v	66.6v	100.11v	0.0v	44.4v	43.2v	630.59v
404	Mr MR Horrell	X	73.8v	70.7v	48.6v	45.2v	49.5v	47.4v	49.4v	73.10v	94.7v	0.0v	40.3v	42.3v	630.59v
405	Mr BJ Wood	A	69.6v	73.8v	47.5v	43.4v	44.1v	50.7v	48.6v	73.8v	93.5v	0.0v	44.3v	46.2v	630.55v
406	Mr MR Frost	O	72.6v	71.8v	47.4v	42.2v	49.7v	46.3v	44.4v	72.5v	96.10v	0.0v	45.1v	46.1v	630.51v
407	Mr CK Kiptarus	A	70.3v	71.2v	49.6v	40.3v	48.5v	49.4v	46.5v	71.7v	101.10v	0.0v	40.1v	45.3v	630.49v
408	Mr C Kershaw	X	73.9v	73.9v	45.1v	47.3v	47.2v	45.4v	46.3v	70.5v	97.6v	0.0v	41.3v	46.3v	630.48v
409	Mr MF Martel	O	72.7v	72.8v	42.2v	45.1v	48.5v	48.3v	46.4v	73.6v	96.8v	0.0v	43.2v	45.1v	630.47v
410	Miss K Johnson	T	66.3v	68.3v	49.6v	47.5v	46.4v	48.6v	47.3v	71.5v	96.5v	0.0v	46.3v	46.3v	630.46v
411	Mr MR Clewer	O	70.8v	69.3v	47.5v	46.2v	43.2v	47.5v	49.4v	72.7v	98.7v	0.0v	42.0v	47.3v	630.46v
412	Mr OD De Gruchy	O	69.4v	67.3v	46.2v	47.3v	49.6v	49.4v	48.3v	75.9v	92.4v	0.0v	45.1v	43.1v	630.40v
413	Mr BA Young	O	70.6v	70.3v	45.2v	47.3v	47.2v	49.4v	44.3v	65.3v	101.4v	0.0v	44.2v	48.5v	630.37v
414	Mr JRJ Kennedy	O	73.7v	69.6v	49.4v	48.3v	46.4v	48.6v	47.5v	71.7v	89.9v	0.0v	50.6v	39.3v	629.60v
415	Mr TLW Kidner	A	70.7v	70.4v	48.3v	44.2v	49.7v	50.7v	48.6v	71.5v	93.6v	0.0v	42.2v	44.2v	629.51v
416	Mr RB Fitzsimmons	O	71.9v	71.5v	46.2v	46.4v	45.2v	45.3v	46.2v	71.9v	99.6v	0.0v	46.5v	43.3v	629.50v
417	Mr CA Stewart	O	71.7v	70.4v	45.3v	41.2v	46.4v	46.4v	47.5v	71.5v	99.7v	0.0v	47.4v	46.3v	629.48v
418	Mr DH Allen	O	69.6v	69.4v	48.4v	48.4v	46.4v	47.2v	44.4v	70.5v	98.10v	0.0v	43.2v	47.3v	629.48v
419	Mr C Chen	T	71.5v	73.6v	47.1v	45.3v	46.3v	46.4v	45.3v	71.5v	94.8v	0.0v	44.3v	47.6v	629.47v
420	Dr AJ Pilgrim	A	71.3v	72.4v	49.2v	46.4v	48.5v	50.9v	44.2v	69.5v	92.10v	0.0v	45.2v	43.0v	629.46v
421	Mr WP Playle	T	69.3v	68.3v	47.4v	42.0v	46.3v	48.5v	47.5v	72.7v	100.8v	0.0v	43.4v	47.3v	629.45v
422	Mr RG Faulkner	O	72.7v	68.4v	50.6v	44.4v	48.3v	47.2v	49.4v	71.6v	97.4v	0.0v	36.0v	47.3v	629.43v
423	Mr E Vert	T	72.6v	68.5v	47.3v	48.5v	50.5v	46.4v	40.2v	72.6v	101.12v	0.0v	37.0v	47.4v	628.52v
424	Mr H Waldern	O	72.6v	71.7v	45.5v	42.4v	48.4v	48.5v	49.6v	70.6v	98.4v	0.0v	43.4v	42.0v	628.51v
425	Mr B Millard	A	72.8v	71.4v	43.2v	47.2v	48.5v	45.3v	47.5v	73.8v	89.4v	0.0v	47.5v	46.3v	628.49v
426	Mr CP Goad	X	69.8v	70.3v	43.1v	50.6v	48.3v	45.4v	48.5v	70.6v	94.7v	0.0v	47.2v	44.4v	628.49v
427	Miss KE Pope	A	73.9v	69.1v	44.4v	44.2v	46.3v	50.6v	50.4v	71.7v	96.7v	0.0v	43.3v	42.3v	628.49v
428	Cdt P Wilkinson	T	70.6v	73.8v	50.5v	47.5v	45.2v	46.2v	42.0v	71.7v	94.8v	0.0v	47.2v	43.3v	628.48v
429	Mr HD Werner	O	68.5v	67.4v	48.4v	46.2v	47.6v	42.1v	47.2v	72.8v	101.6v	0.0v	43.4v	47.3v	628.45v
430	Mr RF Burden	O	70.9v	69.3v	47.6v	44.2v	47.3v	48.3v	47.4v	71.6v	98.5v	0.0v	43.3v	44.1v	628.45v
431	Mr R Ellis	O	72.7v	66.3v	47.5v	45.3v	48.2v	50.7v	49.3v	66.2v	99.8v	0.0v	44.3v	42.1v	628.44v
432	Mr PJ Westlake	X	74.8v	72.6v	48.3v	47.2v	49.4v	45.3v	49.5v	74.8v	84.2v	0.0v	43.2v	43.1v	628.44v
433	Mr DTA Cobb	O	69.4v	67.2v	44.3v	46.1v	46.4v	47.2v	47.7v	71.5v	99.7v	0.0v	45.0v	47.5v	628.40v
434	Mr M Palmer	X	75.6v	74.7v	47.1v	39.2v	48.2v	47.1v	45.2v	71.7v	99.10v	0.0v	39.0v	44.2v	628.40v
435	Mr SJ Comins	O	73.10v	68.4v	47.4v	44.1v	47.3v	48.2v	47.3v	71.3v	96.5v	0.0v	41.0v	46.1v	628.36v
436	Miss A Good	O	71.6v	63.3v	46.4v	49.4v	47.7v	48.6v	43.1v	68.5v	100.12v	0.0v	47.6v	45.4v	627.58v
437	Mr M Rewston	O	72.7v	72.8v	47.6v	45.4v	48.5v	46.4v	46.3v	71.6v	99.10v	0.0v	37.1v	44.3v	627.57v
438	Mr PJ Chance	X	69.5v	71.9v	47.5v	43.1v	48.7v	48.3v	46.4v	67.4v	93.6v	0.0v	49.6v	46.6v	627.56v
439	Mr DN Webber	O	70.7v	73.9v	45.4v	46.4v	48.4v	46.1v	48.7v	66.4v	94.7v	0.0v	45.2v	46.4v	627.53v
440	Mrs K Le Quesne	O	69.4v	71.5v	46.1v	44.1v	50.6v	46.4v	49.8v	71.7v	99.8v	0.0v	41.3v	41.4v	627.51v
441	Mr R Stewart	O	72.9v	69.5v	48.4v	48.5v	44.2v	48.4v	50.5v	73.7v	99.7v	0.0v	34.1v	42.1v	627.50v
442	Mr SE Frost	O	73.10v	68.4v	44.2v	46.2v	47.4v	48.6v	39.1v	73.7v	96.6v	0.0v	46.3v	47.4v	627.49v
443	Mr DK Kirui	O	70.9v	72.5v	49.7v	37.1v	50.6v	48.2v	48.6v	68.3v	98.6v	0.0v	42.1v	45.2v	627.48v
444	Mr M Hartung	A	70.6v	73.5v	42.0v	48.4v	45.2v	46.3v	49.6v	72.10v	93.5v	0.0v	50.5v	39.1v	627.47v
445	Cdt CL Breckendridge	T	72.6v	68.3v	49.4v	47.5v	46.2v	46.3v	47.6v	73.9v	93.5v	0.0v	41.2v	45.2v	627.47v
446	Mr T Colston Sr	A	73.7v	68.2v	48.6v	38.0v	47.3v	49.6v	49.3v	72.6v	98.10v	0.0v	41.1v	44.3v	627.47v
447	Miss F Beard	T	71.4v	69.6v	47.3v	40.1v	48.8v	47.2v	47.2v	72.5v	100.12v	0.0v	39.1v	47.1v	627.45v
448	Mr CJ Sherratt	O	68.5v	71.5v	48.5v	41.1v	45.4v	48.0v	46.4v	72.8v	95.3v	0.0v	47.3v	46.4v	627.42v
449	Mr S De Gruchy	O	72.5v	67.2v	42.2v	48.5v	47.5v	47.1v	48.6v	71.4v	96.7v	0.0v	43.3v	46.1v	627.41v
450	Mr RA Webb	O	73.7v	70.5v	47.4v	41.2v	46.2v	45.3v	48.5v	69.4v	102.6v	0.0v	44.1v	42.2v	627.41v
451	Mr DAF Parkinson	O	71.6v	66.2v	47.3v	45.4v	46.4v	43.1v	48.3v	69.5v	101.5v	0.0v	47.1v	44.2v	627.36v
452	Mr T Fermor	O	73.8v	69.3v	47.4v	47.2v	45.4v	46.2v	47.3v	73.5v	97.3v	0.0v	41.1v	42.1v	627.36v
453	Dr EN Munro	T	69.7v	73.5v	42.3v	48.6v	48.6v	49.6v	44.5v	69.2v	93.5v	0.0v	43.3v	48.6v	626.54v
454	Mr T Chapman	O	71.6v	71.6v	47.5v	42.2v	47.4v	48.4v	49.7v	71.9v	94.5v	0.0v	44.4v	42.2v	626.54v
455	Mr D Morris	A	72.8v	67.2v	48.4v	47.4v	45.5v	48.5v	48.4v	71.6v	95.9v	0.0v	40.3v	45.4v	626.54v
456	Mr MHH John	O	73.9v	68.4v	46.2v	46.3v	50.7v	48.7v	46.2v	74.9v	89.6v	0.0v	42.1v	44.3v	626.53v
457	Mr JJ Parsons	O	72.5v	66.5v	46.1v	42.0v	50.4v	49.7v	44.4v	69.5v	97.11v	0.0v	44.2v	47.4v	626.48v
458	Mr W Johnson	X	73.6v	71.7v	50.5v	43.3v	49.3v	46.4v	46.3v	72.8v	86.3v	0.0v	43.2v	47.4v	626.48v
459	Mr RL Sampson	O	74.8v	70.7v	50.4v	46.1v	45.4v	46.4v	47.5v	67.5v	97.7v	0.0v	39.1v	45.2v	626.48v
460	Mr B Soelzer	O	69.4v	70.5v	45.1v	45.2v	49.8v	48.5v	46.2v	73.5v	90.4v	0.0v	49.7v	42.2v	626.45v
461	Mr PJS Bysshe	A	74.6v	67.6v	46.1v	46.3v	48.3v	46.4v	48.5v	73.8v	93.2v	0.0v	42.0v	43.2v	626.40v
462	Mr M Dodd	O	71.6v	70.8v	45.2v	46.4v	47.4v	46.2v	45.1v	68.4v	95.3v	0.0v	47.2v	46.2v	626.38v

463	Mr L Reid	O	73.8v	70.5v	49.7v	45.3v	48.6v	47.4v	48.7v	70.2v	90.3v	0.0v	43.4v	42.4v	625.53v
464	Mr MJ Dodson	X	74.10v	69.6v	45.4v	47.5v	49.3v	42.0v	48.5v	72.8v	96.5v	0.0v	42.4v	41.1v	625.51v
465	Miss FE Purdy	O	69.5v	67.3v	49.7v	44.4v	45.5v	49.5v	47.2v	70.5v	96.7v	0.0v	46.3v	43.3v	625.49v
466	Mr CA Skellett	O	71.7v	70.6v	40.1v	47.6v	47.5v	48.4v	49.5v	70.6v	96.5v	0.0v	45.2v	42.0v	625.47v
467	Mr ARN Kinross	O	69.4v	65.3v	47.3v	44.2v	49.5v	47.4v	46.5v	71.8v	95.4v	0.0v	46.1v	46.4v	625.43v
468	Mr O Taylor	T	73.7v	66.5v	45.1v	42.1v	46.2v	47.3v	49.4v	74.6v	100.10v	0.0v	47.4v	36.0v	625.43v
469	Miss A Burrows	O	72.7v	69.2v	48.4v	41.1v	48.4v	49.7v	41.2v	73.7v	99.6v	0.0v	43.1v	42.1v	625.42v
470	Mr RP Rosling	O	74.6v	70.4v	45.2v	39.1v	45.1v	47.2v	49.5v	72.4v	98.7v	0.0v	40.1v	46.2v	625.35v
471	Mr RA Jobson	O	74.12v	68.4v	50.7v	46.4v	47.2v	42.2v	43.2v	74.7v	104.12v	0.0v	36.1v	40.1v	624.54v
472	Mr JE White	O	71.6v	68.3v	49.5v	45.4v	46.3v	43.0v	45.5v	72.9v	97.9v	0.0v	44.4v	44.3v	624.51v
473	Mr B Digby	O	71.6v	70.7v	38.2v	47.2v	48.7v	43.3v	46.3v	73.7v	94.5v	0.0v	47.3v	47.5v	624.50v
474	Mr A Coakes	A	72.9v	69.6v	47.6v	41.2v	49.5v	47.5v	45.2v	70.6v	93.5v	0.0v	44.0v	47.4v	624.50v
475	Mr W Mulholland	O	66.4v	68.3v	46.4v	44.3v	43.3v	48.5v	46.4v	71.6v	100.9v	0.0v	47.5v	45.2v	624.48v
476	Mr J Goss	T	70.8v	71.3v	45.3v	46.1v	47.4v	44.3v	42.1v	71.8v	98.9v	0.0v	48.3v	42.3v	624.46v
477	Mr A Eckardt	A	71.3v	71.6v	49.5v	42.3v	47.4v	46.2v	47.3v	72.8v	94.4v	0.0v	38.1v	47.2v	624.41v
478	Mr S Pearson	X	72.6v	70.3v	45.3v	42.2v	48.5v	47.2v	47.5v	72.6v	98.4v	0.0v	39.3v	44.2v	624.41v
479	Sgt F Johnston	T	69.5v	68.2v	48.4v	46.1v	48.5v	48.4v	50.6v	72.9v	90.1v	0.0v	41.3v	44.0v	624.40v
480	Mr NG Gibbins	X	74.8v	69.3v	48.5v	41.2v	49.7v	47.4v	46.5v	72.6v	97.4v	0.0v	40.2v	40.1v	623.47v
481	Mr RJ Quay	O	71.7v	71.7v	46.3v	46.3v	44.2v	44.2v	46.5v	71.7v	95.5v	0.0v	46.2v	43.2v	623.45v
482	Cdt M Serr	T	73.10v	69.4v	45.3v	46.2v	47.3v	48.5v	44.3v	72.6v	91.4v	0.0v	42.2v	46.3v	623.45v
483	Mr R McVeigh	O	73.6v	71.7v	48.4v	45.0v	48.3v	46.2v	47.6v	74.7v	95.6v	0.0v	43.2v	33.1v	623.44v
484	Cdt A Doody	T	69.3v	69.1v	46.4v	45.3v	46.4v	49.8v	48.5v	70.2v	90.6v	0.0v	49.4v	42.2v	623.42v
485	Cdt JH Lee	T	72.7v	67.4v	45.2v	45.6v	42.1v	48.2v	49.3v	70.4v	97.6v	0.0v	44.1v	44.4v	623.40v
486	Miss C Chan	T	72.7v	69.6v	46.3v	45.2v	49.5v	45.0v	48.5v	68.2v	100.10v	0.0v	39.0v	42.0v	623.40v
487	Mr A Le Cheminant	O	68.3v	69.9v	43.2v	48.5v	50.8v	47.2v	48.6v	70.8v	85.6v	0.0v	48.5v	46.5v	622.59v
488	Mr AJ Coleman-Cooke	O	72.5v	67.5v	45.2v	46.4v	48.5v	46.5v	44.1v	68.7v	95.9v	0.0v	47.4v	44.1v	622.48v
489	Cdt WP Cubitt	O	70.7v	69.3v	44.3v	37.0v	48.3v	48.5v	47.3v	72.10v	102.8v	0.0v	37.0v	48.6v	622.48v
490	Mr AJ Luckman	X	72.6v	60.3v	45.4v	48.4v	47.3v	48.5v	47.5v	71.4v	97.7v	0.0v	41.1v	46.5v	622.47v
491	Mr SJ Bissonnette	A	73.6v	72.4v	44.4v	46.2v	48.2v	40.4v	48.5v	71.8v	97.5v	0.0v	42.3v	41.2v	622.45v
492	Mr S Pigeon	T	71.5v	69.7v	48.3v	42.2v	46.3v	46.2v	46.3v	72.5v	96.9v	0.0v	41.3v	45.2v	622.44v
493	Mr TM Mulholland	T	69.2v	72.7v	40.3v	47.1v	46.6v	47.5v	47.4v	72.5v	99.7v	0.0v	41.1v	42.1v	622.42v
494	Cdt J Zheng	T	70.4v	70.6v	44.4v	46.1v	47.2v	47.3v	45.1v	74.9v	96.6v	0.0v	39.2v	44.2v	622.40v
495	Dr G Stewart	A	73.7v	73.4v	49.7v	46.4v	49.5v	49.5v	50.7v	72.8v	95.8v	0.0v	22.0v	43.3v	621.58v
496	Mr MR Steele	X	74.9v	60.3v	47.4v	47.4v	48.7v	43.2v	48.5v	75.8v	94.6v	0.0v	42.2v	43.2v	621.52v
497	Mr CB Cotillard	O	75.11v	72.6v	43.2v	43.3v	49.5v	45.2v	46.3v	72.9v	95.6v	0.0v	44.4v	37.1v	621.52v
498	Mr J Matheson	T	71.8v	65.5v	44.4v	45.2v	48.7v	48.2v	48.6v	70.4v	94.7v	0.0v	42.0v	46.3v	621.48v
499	Dr N Hart	O	70.7v	69.6v	46.5v	40.2v	44.4v	48.3v	48.4v	68.4v	101.8v	0.0v	40.1v	47.3v	621.47v
500	Mr PCW Rose	O	72.9v	67.3v	44.2v	48.7v	46.6v	46.3v	42.2v	70.4v	100.7v	0.0v	41.3v	45.1v	621.47v
501	Miss CM Jones	O	72.6v	72.7v	46.3v	47.3v	45.1v	45.3v	49.4v	69.7v	85.4v	0.0v	47.5v	44.2v	621.45v
502	Mr PK Kapkundos	O	69.6v	66.4v	47.4v	41.1v	49.2v	46.4v	47.2v	69.8v	102.7v	0.0v	43.1v	42.4v	621.43v
503	Mr SH Dickson	O	68.5v	67.2v	45.5v	47.3v	45.2v	48.3v	46.2v	72.6v	93.7v	0.0v	46.2v	44.3v	621.40v
504	Mrs JC Scott Langley	O	69.2v	72.2v	45.1v	46.1v	45.4v	45.3v	45.2v	71.10v	97.9v	0.0v	39.1v	47.5v	621.40v
505	Mr SW Maris	O	65.3v	70.2v	49.5v	47.1v	48.4v	47.5v	46.1v	71.5v	94.7v	0.0v	41.3v	43.1v	621.37v
506	Mr B Hendrikz	O	71.7v	69.6v	48.3v	49.3v	48.3v	43.2v	46.2v	67.3v	95.4v	0.0v	43.0v	42.1v	621.34v
507	Miss CE Davies	O	70.6v	71.2v	44.1v	38.0v	44.2v	49.5v	47.0v	68.4v	102.9v	0.0v	46.2v	42.2v	621.33v
508	Mr C Mckenzie	T	71.6v	68.7v	47.3v	46.3v	45.3v	44.1v	41.2v	71.7v	98.10v	0.0v	46.4v	43.3v	620.49v
509	Cdt K Kapustina	O	69.7v	66.1v	48.6v	40.1v	49.4v	48.5v	47.3v	70.6v	101.7v	0.0v	40.3v	42.4v	620.47v
510	Mr S Livingston	T	71.6v	69.7v	47.4v	42.2v	41.1v	47.3v	44.2v	74.8v	99.9v	0.0v	43.2v	43.2v	620.46v
511	Mr BJ Page	O	69.5v	68.2v	44.3v	45.3v	43.4v	46.1v	49.4v	74.10v	98.8v	0.0v	39.2v	45.4v	620.46v
512	Mr S Edwards	T	66.5v	68.7v	44.3v	43.1v	46.2v	46.3v	45.3v	73.8v	97.7v	0.0v	45.1v	47.4v	620.44v
513	Cdt M Woodcock	O	70.5v	69.3v	48.4v	47.3v	50.6v	46.3v	47.3v	65.5v	92.4v	0.0v	45.4v	41.3v	620.43v
514	Dr CW Freeman	O	71.4v	70.5v	42.4v	48.3v	48.4v	46.5v	47.5v	68.3v	96.6v	0.0v	39.0v	45.4v	620.43v
515	Mr I Reeves	O	72.6v	69.2v	45.2v	43.1v	48.3v	49.7v	49.4v	70.6v	88.6v	0.0v	42.3v	45.2v	620.42v
516	Cdt P Ready	T	69.4v	67.4v	49.5v	42.1v	47.3v	47.2v	47.6v	70.5v	99.6v	0.0v	37.2v	46.3v	620.41v
517	Mr DA Smith	O	69.6v	69.2v	50.3v	47.3v	37.0v	43.1v	50.6v	73.11v	95.5v	0.0v	42.1v	45.2v	620.40v
518	Mr L Malcic	A	71.3v	68.2v	42.2v	47.1v	47.3v	46.4v	46.3v	73.10v	95.7v	0.0v	44.2v	41.3v	620.40v
519	Cdt D Cai	T	73.4v	70.5v	46.3v	44.0v	41.1v	49.3v	43.1v	71.9v	94.5v	0.0v	43.3v	46.2v	620.36v
520	Mr LT Wicker	O	73.5v	70.5v	45.2v	48.6v	45.3v	47.5v	47.4v	69.7v	92.8v	0.0v	37.0v	46.4v	619.49v
521	Mr O Hudson	X	72.3v	73.9v	45.4v	47.4v	48.5v	48.5v	46.3v	64.3v	93.6v	0.0v	39.2v	44.3v	619.47v
522	Mr AG Harrison	O	73.7v	70.7v	46.3v	48.5v	45.2v	44.1v	49.6v	71.8v	95.5v	0.0v	42.2v	36.1v	619.47v

523	Mr RG Hilyard	O	71.8v	68.3v	47.3v	44.2v	47.4v	47.3v	44.3v	67.4v	97.8v	0.0v	44.5v	43.2v	619.45v
524	Mr A Booker	O	70.8v	71.7v	48.4v	44.3v	50.3v	47.2v	47.3v	70.5v	98.7v	0.0v	29.0v	45.3v	619.45v
525	Mr C Maher	O	66.3v	69.6v	40.3v	46.5v	48.4v	46.3v	48.5v	70.5v	98.9v	0.0v	45.1v	43.0v	619.44v
526	CSgt M Luckyn-Malone	T	70.5v	67.3v	47.5v	44.4v	46.2v	50.5v	47.2v	70.6v	92.6v	0.0v	42.3v	44.1v	619.42v
527	Mr MD Jenvey	O	70.5v	68.4v	49.2v	46.3v	46.3v	49.6v	46.2v	66.6v	96.6v	0.0v	39.2v	44.2v	619.41v
528	Rev Dr A Simpson	O	70.4v	66.3v	48.2v	42.2v	45.2v	47.3v	49.6v	69.6v	94.5v	0.0v	42.2v	47.5v	619.40v
529	Cpl G Bramwell	T	71.6v	67.2v	47.4v	46.1v	47.5v	43.1v	39.2v	71.6v	99.6v	0.0v	43.2v	46.5v	619.40v
530	Cdt A Leneveu	T	72.6v	66.4v	50.6v	47.5v	48.4v	44.3v	47.3v	68.2v	93.4v	0.0v	45.2v	39.1v	619.40v
531	Mr BV Cambray	O	72.6v	68.2v	48.8v	46.4v	46.1v	42.2v	47.4v	67.2v	93.3v	0.0v	47.4v	43.3v	619.39v
532	Mr D Acton	T	68.6v	68.1v	49.3v	46.1v	48.5v	45.3v	47.2v	71.5v	90.5v	0.0v	39.2v	48.6v	619.39v
533	Mr CC Mallett Jnr	A	71.5v	69.4v	44.3v	46.3v	44.4v	46.0v	47.2v	65.4v	90.6v	0.0v	47.2v	50.4v	619.37v
534	Mr G Yates	O	67.4v	68.4v	48.5v	46.2v	43.1v	45.2v	46.3v	72.7v	94.4v	0.0v	47.2v	43.1v	619.35v
535	Mr RW Sandlant	A	71.10v	70.6v	50.8v	48.6v	48.6v	49.5v	50.6v	74.6v	63.6v	0.0v	48.4v	47.3v	618.66v
536	Mr WHC Alexander	O	69.5v	69.4v	46.1v	43.2v	45.3v	47.5v	49.7v	72.9v	95.3v	0.0v	40.2v	43.3v	618.44v
537	Mr CPP Brewin	O	73.7v	68.4v	47.2v	46.2v	47.6v	44.1v	45.3v	67.6v	93.3v	0.0v	43.2v	45.4v	618.40v
538	Mr SJ Dawes	O	71.4v	68.7v	45.1v	48.3v	43.2v	49.3v	49.4v	70.8v	89.3v	0.0v	43.1v	43.1v	618.37v
539	Mr S Glen	X	74.7v	67.3v	47.1v	41.1v	46.4v	46.4v	46.2v	74.7v	92.6v	0.0v	39.0v	46.1v	618.36v
540	Cpl B Robinson	T	66.6v	69.3v	49.5v	47.6v	42.1v	47.5v	47.4v	70.3v	94.10v	0.0v	40.3v	46.4v	617.50v
541	Mr F Barratt	T	72.5v	67.6v	48.6v	42.3v	48.4v	44.2v	44.5v	71.5v	99.12v	0.0v	38.1v	44.1v	617.50v
542	Mr P Kiveleeti	X	69.5v	70.6v	49.6v	41.3v	46.2v	46.5v	45.4v	70.6v	93.7v	0.0v	42.2v	46.3v	617.49v
543	Prince A zu Sayn-Wittgenstein-Sayn	T	72.10v	70.4v	42.1v	39.3v	48.6v	45.4v	49.6v	72.4v	91.3v	0.0v	42.2v	47.2v	617.45v
544	Miss KM Butler	T	74.6v	62.7v	47.2v	45.3v	46.3v	46.2v	47.5v	72.4v	95.6v	0.0v	40.1v	43.3v	617.42v
545	Ms V Bieger	O	71.9v	69.4v	44.3v	40.2v	48.6v	49.4v	48.2v	66.3v	101.7v	0.0v	45.2v	36.0v	617.42v
546	Mr MD Wright	O	67.4v	72.7v	47.3v	47.4v	47.4v	46.2v	46.4v	72.6v	95.4v	0.0v	33.1v	45.2v	617.41v
547	Mr T Craig-Fleming	T	71.7v	67.1v	44.0v	43.3v	42.2v	49.6v	46.2v	69.7v	98.4v	0.0v	41.2v	47.5v	617.39v
548	Mr PB Cutts	O	74.10v	70.5v	48.6v	44.2v	44.1v	41.0v	43.6v	73.9v	93.2v	0.0v	47.3v	39.3v	616.47v
549	Dr Al Ashworth	O	71.6v	69.5v	45.3v	44.3v	48.6v	47.2v	50.4v	69.6v	94.6v	0.0v	42.2v	37.1v	616.44v
550	Mr P Goubert	O	70.4v	69.7v	48.5v	42.1v	45.2v	45.3v	46.4v	69.4v	94.7v	0.0v	44.1v	44.2v	616.40v
551	Miss K Hinkly	T	68.5v	69.3v	41.3v	47.2v	46.5v	44.2v	48.5v	70.4v	96.5v	0.0v	42.1v	45.2v	616.37v
552	Mr RK Jackson	O	75.10v	68.5v	48.5v	45.2v	45.3v	44.2v	46.4v	68.5v	95.8v	0.0v	40.1v	41.3v	615.48v
553	Mr M Clark	O	72.4v	69.6v	42.1v	42.4v	48.3v	45.4v	46.1v	73.10v	97.9v	0.0v	38.1v	43.4v	615.47v
554	Mr J Smith	A	67.3v	69.8v	46.3v	41.1v	46.5v	46.2v	45.2v	71.8v	97.3v	0.0v	39.2v	48.3v	615.40v
555	Mr JA Marshall	X	70.5v	72.6v	46.3v	42.4v	46.4v	47.3v	45.4v	70.3v	89.4v	0.0v	45.1v	43.2v	615.39v
556	Mr GK Goodwin	O	72.5v	70.4v	44.3v	49.3v	46.5v	43.3v	48.2v	67.4v	90.4v	0.0v	44.3v	42.1v	615.37v
557	Mr MK Townsend	O	68.3v	65.3v	42.1v	48.5v	45.2v	49.4v	49.6v	69.4v	95.4v	0.0v	42.3v	43.2v	615.37v
558	Mr W Adams	T	67.3v	72.6v	47.3v	45.2v	46.3v	48.3v	42.2v	67.4v	97.6v	0.0v	43.2v	41.3v	615.37v
559	Miss N Barnes	O	74.6v	70.3v	46.3v	46.3v	46.4v	48.2v	49.6v	69.6v	94.3v	0.0v	30.0v	43.1v	615.37v
560	Mr C Perry	O	72.8v	66.5v	48.3v	48.4v	47.4v	47.4v	46.4v	68.6v	94.7v	0.0v	40.1v	38.2v	614.48v
561	Mr MPJ Pybus	T	70.5v	64.2v	47.4v	42.3v	45.3v	44.3v	48.5v	71.5v	98.8v	0.0v	37.2v	48.3v	614.43v
562	Dr MJ Schwarz	O	70.6v	71.8v	49.2v	44.3v	47.5v	44.3v	44.0v	70.4v	97.9v	0.0v	37.1v	41.2v	614.43v
563	Cdr M Jordan	O	73.8v	69.3v	46.2v	45.3v	47.2v	46.2v	46.4v	62.4v	96.7v	0.0v	41.1v	43.1v	614.37v
564	Mr T Clifford	T	69.3v	67.3v	45.1v	47.3v	43.3v	45.3v	46.5v	66.3v	96.6v	0.0v	46.3v	44.3v	614.36v
565	Cdt E Pasemko	T	71.5v	68.5v	48.3v	47.4v	47.6v	43.5v	50.6v	69.6v	91.7v	0.0v	46.2v	33.0v	613.49v
566	Mr IR Thomson	O	71.4v	66.1v	41.3v	45.3v	49.7v	45.2v	44.3v	71.5v	97.8v	0.0v	38.1v	46.0v	613.37v
567	Mr J Kellinger	T	70.4v	69.4v	45.2v	44.4v	48.4v	46.4v	44.3v	65.3v	99.7v	0.0v	41.1v	42.1v	613.37v
568	Mr GC Baylis	O	68.5v	69.4v	45.4v	42.2v	48.4v	45.1v	43.1v	70.3v	95.8v	0.0v	41.2v	46.4v	612.38v
569	Mr JS Ritchie	O	68.5v	69.5v	44.3v	47.4v	46.5v	48.3v	47.2v	64.3v	91.4v	0.0v	44.2v	44.1v	612.37v
570	Mr AC Barrell	O	69.6v	67.3v	45.0v	35.1v	44.1v	49.3v	45.1v	68.4v	95.6v	0.0v	47.4v	48.5v	612.34v
571	Mr C Pawlik	T	69.3v	69.1v	43.3v	49.6v	40.1v	46.2v	47.1v	69.3v	94.7v	0.0v	40.1v	46.2v	612.30v
572	Mr AGH Van Koetsveld	O	72.6v	71.7v	46.2v	39.2v	48.2v	43.4v	45.4v	71.7v	94.5v	0.0v	42.2v	40.4v	611.45v
573	Mr A Radkovskii	T	70.5v	70.5v	43.1v	44.4v	45.3v	49.4v	47.3v	70.5v	98.10v	0.0v	36.1v	39.0v	611.41v
574	Mr GRP Shapland	O	70.8v	70.6v	45.4v	44.2v	42.2v	49.3v	47.5v	67.2v	91.5v	0.0v	38.1v	48.2v	611.40v
575	Mr A Hynd	T	72.6v	70.2v	43.3v	48.3v	48.1v	45.2v	48.3v	70.7v	78.1v	0.0v	45.4v	44.3v	611.35v
576	Mr TG Garfield-Bennett	O	68.3v	67.2v	46.2v	48.3v	49.6v	48.3v	44.3v	66.2v	92.8v	0.0v	41.1v	42.2v	611.35v
577	Mr TD De La Cour	X	70.5v	63.1v	44.1v	41.3v	46.5v	46.1v	45.2v	69.3v	97.5v	0.0v	46.3v	44.2v	611.31v
578	Mr JAH Nicholls	T	65.3v	69.5v	44.2v	46.3v	47.1v	47.4v	41.2v	66.2v	96.3v	0.0v	43.3v	47.1v	611.29v
579	Maj Rtd P Mathenge	O	69.5v	70.5v	39.3v	48.5v	46.5v	46.3v	44.4v	70.5v	97.10v	0.0v	39.3v	42.2v	610.50v
580	Mr PG Kelly	O	71.8v	67.5v	50.3v	46.2v	48.3v	48.3v	45.4v	69.4v	99.9v	0.0v	32.0v	35.2v	610.43v
581	Mr FPR Northam	O	69.4v	68.3v	46.4v	46.1v	45.2v	48.2v	48.5v	65.4v	88.5v	0.0v	43.3v	44.5v	610.38v
582	Mr JMS Samson	O	69.3v	67.4v	44.2v	41.2v	46.3v	46.3v	46.3v	66.2v	98.9v	0.0v	43.2v	44.3v	610.36v

583	Mr SA Hunting	O	69.5v	72.4v	47.4v	47.4v	44.2v	49.5v	44.3v	64.4v	90.4v	0.0v	44.1v	40.0v	610.36v
584	Miss A Forsyth	T	70.3v	71.4v	44.2v	46.1v	46.4v	47.5v	45.2v	69.4v	97.8v	0.0v	36.1v	39.1v	610.35v
585	Mr JRD Clegg	O	72.5v	69.6v	47.4v	42.2v	46.3v	46.1v	45.3v	68.3v	88.3v	0.0v	46.4v	41.0v	610.34v
586	Mr A Singh	T	71.3v	68.4v	42.2v	45.2v	45.2v	46.3v	50.5v	68.3v	90.6v	0.0v	40.1v	45.3v	610.34v
587	Mr C Waldron	O	68.4v	67.4v	47.3v	48.5v	45.3v	45.2v	46.3v	71.7v	90.2v	0.0v	38.1v	45.0v	610.34v
588	Mr GR Thomas	O	71.4v	66.2v	43.1v	46.3v	47.3v	42.2v	46.5v	70.5v	97.5v	0.0v	42.2v	40.1v	610.33v
589	Mr W Ross	O	70.6v	68.2v	44.3v	48.4v	46.0v	46.3v	49.4v	69.6v	90.2v	0.0v	40.2v	40.1v	610.33v
590	Mr J Allan	O	69.4v	71.5v	45.3v	48.7v	46.5v	41.4v	47.3v	62.2v	95.11v	0.0v	47.5v	38.1v	609.50v
591	Mr KR Trowbridge	O	71.6v	60.5v	44.2v	49.4v	43.2v	44.5v	49.8v	69.5v	95.8v	0.0v	43.2v	42.2v	609.49v
592	Mr C Philp	T	73.6v	71.8v	49.6v	39.1v	47.3v	48.5v	48.3v	66.6v	94.5v	0.0v	30.0v	44.1v	609.44v
593	Mrs R Merridew	O	71.5v	70.7v	43.3v	44.1v	46.4v	46.4v	47.4v	69.5v	89.5v	0.0v	39.2v	45.2v	609.42v
594	Mr B Tinegate-Smith	T	66.2v	67.4v	49.5v	43.0v	44.2v	49.7v	43.1v	63.3v	95.8v	0.0v	44.1v	46.3v	609.36v
595	Mr R Bird	A	66.3v	69.4v	43.4v	42.1v	45.3v	40.3v	47.4v	68.1v	101.5v	0.0v	41.1v	47.4v	609.33v
596	Mr A Rooney	T	71.1v	68.4v	46.3v	44.4v	44.3v	48.4v	44.3v	68.3v	91.6v	0.0v	42.1v	43.1v	609.33v
597	Mr C Berntsen	O	68.5v	62.2v	47.2v	43.0v	50.4v	46.1v	46.4v	70.5v	98.6v	0.0v	38.3v	41.1v	609.33v
598	Mr H Vaughan-Johnson	T	70.3v	67.3v	46.5v	45.5v	45.1v	45.1v	45.2v	68.2v	89.5v	0.0v	44.1v	45.3v	609.31v
599	Cdt T Tancred	O	68.4v	71.7v	47.3v	44.2v	46.0v	44.2v	47.2v	70.4v	90.5v	0.0v	40.2v	42.0v	609.31v
600	Mr DE Fields	O	68.4v	68.3v	49.5v	46.2v	50.4v	48.5v	41.1v	68.5v	91.0v	0.0v	43.1v	37.1v	609.31v
601	Mr P Cameron Taylor	O	68.6v	71.6v	36.0v	47.5v	46.2v	48.5v	45.7v	72.9v	97.3v	0.0v	38.2v	40.1v	608.46v
602	Mr AP Clark	T	70.6v	71.4v	49.6v	38.0v	46.6v	49.3v	48.4v	69.4v	89.4v	0.0v	37.0v	42.4v	608.41v
603	Cdt JC Duffy	T	73.9v	69.4v	46.1v	44.1v	44.3v	47.3v	48.6v	66.5v	93.5v	0.0v	39.1v	39.2v	608.40v
604	Mr J Scambler	O	68.5v	71.2v	40.1v	43.1v	47.2v	47.5v	47.3v	71.7v	100.10v	0.0v	39.2v	35.2v	608.40v
605	Mr R Winney	A	72.6v	69.5v	47.5v	37.1v	40.0v	47.4v	46.2v	71.4v	92.5v	0.0v	43.3v	44.3v	608.38v
606	Mr J Maguire	O	71.6v	69.1v	47.4v	45.3v	48.3v	44.3v	44.3v	68.5v	88.5v	0.0v	38.2v	46.3v	608.38v
607	Mr R Johnson	T	67.2v	65.3v	46.2v	45.2v	45.5v	46.4v	47.3v	68.0v	94.6v	0.0v	40.1v	45.3v	608.31v
608	LCpl J Ingham	T	69.6v	69.3v	43.4v	46.1v	47.3v	42.3v	44.1v	70.2v	92.5v	0.0v	43.0v	43.2v	608.30v
609	Mr CTS Belk	O	67.6v	63.3v	45.2v	48.8v	45.4v	41.0v	48.4v	73.9v	99.11v	0.0v	37.1v	41.1v	607.49v
610	Mr ISL Dampney	O	69.4v	69.4v	40.0v	45.5v	46.2v	45.4v	50.3v	69.6v	98.9v	0.0v	34.1v	42.3v	607.41v
611	Mr OJ Hughes	T	69.7v	69.7v	35.0v	46.2v	44.2v	47.2v	45.2v	70.6v	96.6v	0.0v	43.2v	43.2v	607.38v
612	Mr WJ Slatford	T	71.6v	72.6v	44.4v	46.2v	44.3v	47.2v	32.1v	68.4v	98.6v	0.0v	46.2v	39.1v	607.37v
613	Wg. Cdr. MJ Gregory	O	66.3v	66.1v	41.3v	43.1v	46.3v	47.4v	49.6v	69.4v	91.2v	0.0v	42.1v	47.7v	607.35v
614	Miss K Foye	T	70.9v	69.5v	46.3v	43.2v	46.4v	44.1v	44.4v	71.8v	92.3v	0.0v	41.2v	40.0v	606.41v
615	Mr R Tiffin	T	69.4v	66.1v	46.4v	41.2v	46.2v	45.4v	47.4v	70.7v	95.9v	0.0v	44.1v	37.1v	606.39v
616	Mr DF Nesbitt	O	71.7v	66.3v	44.4v	46.3v	43.3v	46.1v	46.2v	63.3v	96.7v	0.0v	44.2v	41.1v	606.36v
617	Mr J Oakland	T	68.3v	66.1v	39.0v	45.4v	45.3v	49.6v	46.1v	64.2v	97.5v	0.0v	40.0v	47.3v	606.28v
618	Mr ML Cotillard	O	64.8v	67.2v	50.5v	43.1v	49.8v	48.4v	45.3v	73.11v	92.5v	0.0v	31.0v	43.2v	605.49v
619	Cdt I Levesque	T	72.7v	67.5v	43.1v	40.1v	49.4v	46.3v	47.3v	67.4v	96.7v	0.0v	33.0v	45.5v	605.40v
620	Mr H Marden	T	68.2v	63.1v	46.3v	47.3v	48.4v	49.6v	47.3v	67.2v	91.6v	0.0v	42.3v	37.2v	605.35v
621	Cpl K Nichols	T	70.2v	70.4v	45.4v	39.1v	42.2v	49.5v	43.2v	68.1v	97.4v	0.0v	43.3v	39.0v	605.28v
622	Mr ND Gomez	O	73.5v	63.2v	35.0v	49.3v	47.0v	46.3v	46.2v	69.2v	90.4v	0.0v	42.0v	45.3v	605.24v
623	Mr RM Roberts	X	74.12v	72.8v	46.5v	49.6v	47.7v	49.7v	47.5v	73.9v	103.9v	0.0v	0.0v	44.3v	604.71v
624	Mr C Koros	O	70.8v	65.3v	45.2v	44.0v	45.2v	44.5v	47.5v	68.7v	88.4v	0.0v	45.0v	43.1v	604.37v
625	Mr RM Smith	T	69.6v	65.3v	48.3v	43.3v	45.2v	44.2v	45.3v	63.3v	93.4v	0.0v	44.3v	45.4v	604.36v
626	Mr RK Sheead	A	69.6v	64.2v	42.1v	44.2v	47.3v	39.0v	47.5v	64.3v	100.8v	0.0v	43.3v	45.1v	604.34v
627	Mr DJ Stewart	O	69.3v	71.6v	46.3v	42.2v	44.3v	45.1v	42.2v	70.6v	91.3v	0.0v	42.2v	42.2v	604.33v
628	Mr MK Keel	T	68.7v	62.1v	44.2v	45.1v	46.3v	45.0v	47.5v	63.4v	93.4v	0.0v	41.1v	50.4v	604.32v
629	Dr G Stevenson	O	71.6v	67.1v	42.2v	46.4v	45.2v	46.4v	45.1v	67.4v	91.3v	0.0v	37.0v	47.4v	604.31v
630	Cpl K Hines	T	65.0v	69.1v	46.3v	37.0v	45.3v	49.2v	43.5v	68.5v	99.9v	0.0v	42.0v	41.2v	604.30v
631	Mr U Soelzer	O	69.4v	66.1v	47.4v	46.1v	42.0v	44.2v	47.5v	66.4v	98.7v	0.0v	41.1v	38.0v	604.29v
632	Mr JE Fraser	O	68.3v	69.2v	42.1v	40.3v	44.1v	46.2v	45.2v	67.4v	96.6v	0.0v	41.1v	46.3v	604.28v
633	Mr CM Nunan	O	71.4v	61.1v	46.4v	45.4v	47.3v	47.4v	47.6v	67.5v	85.3v	0.0v	43.1v	44.3v	603.38v
634	Colonel N Stebbings	O	68.4v	68.5v	46.3v	44.3v	44.2v	44.2v	45.5v	69.3v	95.6v	0.0v	35.1v	44.4v	602.38v
635	Mr P Waldron	O	69.3v	64.3v	48.3v	43.5v	47.4v	42.3v	46.5v	66.4v	92.4v	0.0v	39.0v	46.1v	602.35v
636	Cpl J Rowe	T	66.3v	68.3v	40.1v	45.3v	44.3v	47.2v	46.4v	68.3v	92.5v	0.0v	43.1v	43.1v	602.29v
637	Mr J Golling	X	70.4v	69.5v	12.1v	46.2v	47.4v	48.3v	48.4v	72.8v	98.4v	0.0v	45.5v	46.4v	601.44v
638	Mr SA Ching	T	68.4v	65.3v	47.4v	47.3v	49.4v	43.3v	37.1v	68.6v	93.8v	0.0v	43.3v	41.2v	601.41v
639	Mr RM Culverwell	O	72.6v	70.4v	43.2v	42.3v	42.2v	41.1v	44.2v	69.5v	93.7v	0.0v	39.0v	46.4v	601.36v
640	Mr JC Hilton-Johnson	O	70.4v	67.6v	41.3v	45.3v	45.2v	43.0v	47.1v	67.2v	99.7v	0.0v	35.0v	42.1v	601.29v
641	Mr E Stuart-Bamford	O	72.8v	67.4v	41.1v	44.4v	45.3v	42.4v	45.3v	69.3v	93.5v	0.0v	40.1v	42.2v	600.38v
642	Mr CW Dale	T	71.8v	64.3v	42.1v	38.0v	45.1v	46.3v	47.5v	63.2v	97.7v	0.0v	41.1v	46.3v	600.34v

643	Mr JL Poulin	O	70.6v	66.1v	48.1v	42.1v	40.1v	45.3v	46.2v	69.7v	92.6v	0.0v	39.2v	43.2v	600.32v
644	Mr ATB Tompson	A	69.7v	71.8v	49.3v	42.2v	49.4v	49.5v	16.2v	67.4v	105.10v	0.0v	44.1v	38.1v	599.47v
645	Mr T Nightingale	T	71.5v	67.2v	45.4v	48.6v	45.4v	42.0v	35.1v	73.4v	95.6v	0.0v	44.1v	34.1v	599.34v
646	Mr H Mayne	T	67.6v	71.4v	42.2v	35.0v	46.4v	46.1v	46.3v	67.3v	96.5v	0.0v	40.1v	43.2v	599.31v
647	Miss EMG Robertson	O	74.7v	60.0v	40.2v	43.3v	49.4v	43.2v	47.3v	67.1v	98.7v	0.0v	39.1v	39.0v	599.30v
648	Miss SJ Dick	O	71.7v	68.3v	47.4v	38.0v	47.3v	46.1v	47.4v	64.3v	90.3v	0.0v	35.0v	46.1v	599.29v
649	Mr W Jowett	O	72.6v	69.4v	47.4v	37.2v	48.5v	47.3v	44.3v	67.3v	93.7v	0.0v	28.1v	46.4v	598.42v
650	Cdt R Morin	T	70.5v	69.6v	44.2v	43.2v	49.6v	44.3v	44.2v	64.2v	85.4v	0.0v	45.3v	41.0v	598.35v
651	Cpl SL Josling	T	71.6v	70.7v	39.2v	39.1v	44.3v	45.1v	47.3v	68.1v	84.2v	0.0v	47.4v	44.2v	598.32v
652	Mr A Koffmann	T	66.1v	67.4v	46.4v	44.2v	45.1v	45.2v	41.0v	67.1v	97.6v	0.0v	38.1v	42.3v	598.25v
653	Mr RA Carmichael	T	73.10v	71.4v	48.5v	45.3v	48.6v	45.1v	49.5v	75.10v	96.6v	0.0v	47.2v	0.0v	597.52v
654	Mr N Mringie	X	71.5v	68.4v	34.0v	48.4v	41.2v	48.5v	42.2v	69.6v	89.5v	0.0v	42.1v	45.1v	597.35v
655	Cdt M Philo	T	72.5v	63.1v	44.3v	42.2v	47.1v	46.2v	47.2v	63.2v	93.5v	0.0v	38.0v	42.2v	597.25v
656	Lt AG Stewart	T	69.6v	72.8v	37.1v	50.6v	44.2v	43.4v	37.1v	70.5v	88.3v	0.0v	40.1v	45.2v	595.39v
657	Mr C Vonchek	T	67.3v	68.4v	45.4v	44.2v	42.3v	45.3v	48.3v	63.5v	90.5v	0.0v	40.0v	43.3v	595.35v
658	Mr A Chown	O	67.6v	66.5v	45.2v	44.3v	44.4v	44.0v	44.3v	58.1v	96.3v	0.0v	45.3v	42.1v	595.31v
659	Mr A Partridge	O	69.6v	70.5v	47.2v	47.5v	48.6v	46.4v	46.4v	72.6v	64.5v	0.0v	45.2v	40.1v	594.46v
660	Miss A Woodland	T	65.4v	69.5v	41.2v	28.1v	49.7v	48.6v	48.7v	70.5v	88.3v	0.0v	43.2v	45.3v	594.45v
661	Miss S Williams	T	72.5v	71.2v	45.3v	48.5v	48.4v	48.5v	50.8v	69.6v	64.1v	0.0v	33.1v	46.2v	594.42v
662	LCpl E Robinson	T	72.7v	67.4v	48.4v	42.1v	47.6v	48.3v	39.4v	71.5v	84.2v	0.0v	42.1v	34.2v	594.39v
663	Miss C Pearce	O	71.5v	64.2v	44.3v	45.4v	45.3v	46.3v	44.3v	69.7v	98.6v	0.0v	33.0v	35.1v	594.37v
664	Cdt J Beddoe	T	70.4v	67.4v	48.6v	42.1v	43.3v	39.1v	46.2v	69.6v	88.3v	0.0v	36.1v	46.4v	594.35v
665	Mr E Parkins	T	65.4v	70.6v	45.2v	34.2v	46.3v	48.6v	45.3v	70.2v	91.2v	0.0v	39.1v	41.3v	594.34v
666	Cdt Sgt DL Martin	T	69.5v	67.4v	47.4v	43.3v	43.2v	45.0v	44.2v	64.2v	89.6v	0.0v	44.2v	39.2v	594.32v
667	Dr MWM Veltman-Grisenthwaite	O	72.6v	73.4v	50.5v	48.5v	48.4v	49.6v	48.3v	73.7v	98.11v	0.0v	0.0v	34.2v	593.53v
668	Mr J de Bruijn	X	71.5v	69.4v	43.3v	29.1v	45.3v	42.3v	46.4v	70.5v	100.10v	0.0v	40.1v	38.0v	593.39v
669	Cpl M Garrood	T	71.7v	69.5v	45.5v	37.0v	48.3v	49.3v	34.1v	66.2v	94.6v	0.0v	40.2v	40.1v	593.35v
670	Mr PD Pelly	O	59.0v	71.5v	48.4v	41.2v	45.2v	41.3v	46.3v	69.5v	94.5v	0.0v	40.1v	39.1v	593.31v
671	LCpl RP McGowan	T	68.4v	60.2v	44.1v	39.0v	43.1v	41.2v	47.1v	65.3v	97.1v	0.0v	44.1v	45.3v	593.19v
672	Mr JD Badman	O	70.7v	70.5v	45.5v	43.1v	46.2v	40.1v	44.4v	69.4v	83.5v	0.0v	38.0v	44.0v	592.34v
673	Mr MP Perez	O	73.8v	69.4v	45.1v	27.0v	47.4v	45.3v	45.2v	67.3v	93.6v	0.0v	38.2v	43.1v	592.34v
674	Dr K Genders	O	72.6v	72.9v	45.3v	46.2v	47.5v	45.4v	22.1v	71.4v	86.3v	0.0v	44.1v	41.0v	591.38v
675	Mr D Neal	O	61.3v	70.5v	47.3v	44.3v	45.3v	43.3v	43.4v	67.6v	92.3v	0.0v	36.0v	43.2v	591.35v
676	Mr FM Key	O	67.2v	67.0v	42.2v	38.1v	47.6v	49.6v	43.3v	64.1v	94.4v	0.0v	36.1v	44.6v	591.32v
677	Cdt F Le Marinel	T	66.3v	73.5v	42.2v	48.3v	43.0v	38.0v	44.3v	62.4v	89.2v	0.0v	44.1v	42.2v	591.25v
678	Mrs S Kent	O	73.9v	73.7v	45.3v	47.2v	49.7v	50.6v	0.0v	73.7v	96.6v	0.0v	40.2v	44.5v	590.54v
679	Miss A Hendy	T	72.7v	63.3v	46.2v	46.4v	47.3v	49.2v	43.4v	62.4v	96.5v	0.0v	28.0v	38.1v	590.35v
680	Mr CSJ Marlow	O	70.7v	67.2v	36.1v	40.3v	44.2v	47.4v	49.7v	65.2v	92.6v	0.0v	36.1v	43.2v	589.37v
681	Miss E Graham	T	65.3v	67.4v	44.2v	43.1v	47.6v	48.4v	38.2v	64.2v	85.3v	0.0v	42.3v	46.6v	589.36v
682	Cpl P Paudyal	T	68.6v	62.3v	44.2v	45.1v	45.4v	40.3v	45.2v	66.3v	92.3v	0.0v	44.3v	38.1v	589.31v
683	Mr H Emck	O	69.5v	65.2v	43.0v	42.3v	44.2v	44.3v	47.2v	71.8v	87.4v	0.0v	34.1v	43.1v	589.31v
684	Mr J Burch	T	69.8v	68.3v	38.0v	43.2v	40.1v	43.2v	45.2v	64.1v	94.2v	0.0v	43.2v	42.2v	589.25v
685	Mr AD Robertson	T	72.9v	71.6v	47.3v	41.1v	48.4v	46.3v	49.5v	75.10v	60.3v	0.0v	37.0v	42.2v	588.46v
686	Mr GMC Hunter	T	60.3v	71.7v	42.1v	46.0v	44.2v	43.2v	36.2v	65.3v	97.8v	0.0v	42.3v	42.0v	588.31v
687	Miss E Smith	T	66.5v	65.3v	49.4v	42.2v	47.3v	46.3v	31.1v	66.3v	95.4v	0.0v	36.1v	45.1v	588.30v
688	Cdt AR Le Quesne	T	71.7v	65.1v	43.3v	34.1v	42.3v	46.2v	46.0v	66.1v	90.7v	0.0v	41.1v	44.1v	588.27v
689	Mr E Chambers	T	66.2v	67.2v	45.3v	45.4v	44.1v	40.1v	40.0v	66.1v	89.5v	0.0v	42.1v	44.1v	588.21v
690	Mr E Woodall	T	70.7v	66.3v	46.1v	40.2v	41.0v	42.1v	43.2v	73.9v	89.2v	0.0v	40.3v	37.0v	587.30v
691	Mr C Herter	O	65.3v	61.0v	46.1v	41.2v	46.5v	45.2v	45.2v	74.10v	88.2v	0.0v	35.0v	41.0v	587.27v
692	Mr TS McDowell	O	73.7v	69.4v	45.0v	40.1v	48.6v	45.2v	43.5v	70.4v	64.2v	0.0v	42.0v	47.3v	586.34v
693	Mr EM Brice	O	70.4v	62.1v	42.3v	44.1v	46.2v	45.1v	42.1v	68.5v	95.7v	0.0v	34.1v	38.0v	586.26v
694	Mr GFH Nichols	O	70.8v	71.4v	0.0v	45.2v	46.4v	49.5v	44.1v	69.5v	100.8v	0.0v	46.4v	45.2v	585.43v
695	Mr AW Lothian	A	73.5v	72.7v	45.4v	47.4v	49.4v	46.2v	42.3v	72.3v	94.8v	0.0v	0.0v	45.3v	585.43v
696	Cdt S Rorison	T	72.7v	70.3v	46.3v	0.0v	46.3v	48.3v	50.6v	71.5v	100.7v	0.0v	40.0v	42.3v	585.40v
697	Mr S Bose	T	69.3v	62.4v	46.4v	48.4v	40.1v	44.2v	46.4v	65.2v	90.3v	0.0v	38.1v	37.2v	585.30v
698	Cdt B Hunt	T	61.2v	66.2v	43.3v	45.4v	36.0v	44.2v	42.2v	68.4v	94.8v	0.0v	44.0v	42.1v	585.28v
699	Mr KJ Aldridge	O	64.2v	65.0v	45.4v	35.1v	44.3v	47.3v	43.0v	69.5v	87.1v	0.0v	47.3v	39.2v	585.24v
700	Mr WT Kemsley	T	70.5v	65.2v	37.2v	40.2v	45.3v	43.2v	46.3v	65.4v	91.3v	0.0v	40.2v	42.1v	584.29v
701	Cdt A Shine	T	65.1v	66.2v	46.3v	43.1v	41.0v	42.1v	44.1v	68.5v	98.7v	0.0v	41.3v	30.1v	584.25v
702	Mr D Fox	T	64.3v	68.4v	48.1v	38.2v	46.3v	48.7v	49.6v	72.6v	66.6v	0.0v	37.0v	47.1v	583.39v

703	Dr AF Aspin	O	72.4v	70.6v	45.3v	43.3v	48.5v	48.1v	46.2v	67.1v	97.9v	0.0v	0.0v	47.5v	583.39v
704	Sgt I Seddon	T	70.6v	66.2v	45.3v	41.3v	46.4v	48.1v	46.3v	70.6v	89.7v	0.0v	41.1v	21.1v	583.37v
705	Cdt CAV Hilton	T	68.6v	68.2v	46.3v	43.1v	50.5v	44.1v	47.4v	71.8v	62.1v	0.0v	43.2v	41.1v	583.34v
706	Cdt N Ertl	T	69.6v	61.1v	43.2v	46.3v	47.4v	46.2v	40.3v	72.4v	83.5v	0.0v	41.2v	35.0v	583.32v
707	Miss JC Westall	T	67.2v	62.2v	45.4v	43.4v	40.4v	44.2v	43.2v	64.2v	92.2v	0.0v	42.4v	41.3v	583.31v
708	Mr ML Kirkillo-Stacewicz	O	67.4v	63.3v	46.2v	46.2v	43.4v	40.3v	46.6v	62.0v	92.5v	0.0v	37.1v	41.1v	583.31v
709	Mr SJ Bates	O	63.1v	64.2v	41.2v	44.2v	43.3v	46.1v	46.3v	60.2v	93.3v	0.0v	41.1v	41.0v	582.20v
710	Cdt J Fifield	T	73.4v	68.3v	40.2v	41.5v	49.2v	45.4v	41.2v	71.7v	97.6v	0.0v	22.0v	34.0v	581.35v
711	Miss E Trace	T	62.0v	69.2v	39.3v	44.3v	42.1v	40.3v	34.0v	65.4v	99.6v	0.0v	45.4v	42.3v	581.29v
712	Mr AJCB de Launay	O	72.4v	66.3v	12.1v	47.1v	46.4v	43.2v	42.1v	68.5v	100.5v	0.0v	40.2v	44.1v	580.29v
713	Mr AJD Saunders	O	63.2v	68.4v	39.1v	46.2v	45.3v	46.2v	45.5v	67.5v	84.5v	0.0v	35.0v	42.0v	580.29v
714	Mr PA Hatfield	A	74.12v	72.6v	49.3v	46.3v	50.7v	49.5v	43.5v	0.0v	100.8v	0.0v	48.5v	47.4v	578.58v
715	Mr C Smith	T	67.4v	66.4v	41.1v	49.5v	45.4v	43.2v	43.3v	65.4v	89.4v	0.0v	26.0v	43.1v	577.32v
716	Mrs C Snowden	X	67.2v	65.4v	41.2v	44.4v	41.1v	42.1v	46.3v	62.2v	90.3v	0.0v	39.2v	40.2v	577.26v
717	Mr PJ Holden	O	70.0v	64.1v	42.1v	46.4v	35.2v	45.0v	44.0v	60.2v	90.4v	0.0v	41.1v	40.1v	577.16v
718	Mr CAD Flanagan	O	66.4v	67.4v	0.0v	47.4v	48.5v	47.4v	45.3v	67.4v	100.8v	0.0v	45.5v	43.2v	575.43v
719	Ms BM Moore	O	71.5v	70.4v	47.2v	41.0v	45.2v	49.6v	46.4v	70.5v	97.8v	0.0v	39.1v	0.0v	575.37v
720	Mr H Bull	T	68.4v	68.5v	45.2v	5.0v	45.2v	45.4v	47.1v	64.4v	97.4v	0.0v	47.5v	44.3v	575.34v
721	Mr HDL Turnbull-Hall	T	70.6v	66.2v	39.3v	39.1v	45.4v	45.4v	43.2v	58.2v	91.4v	0.0v	43.2v	35.1v	574.31v
722	Mr SD Douglas	O	65.2v	67.3v	43.4v	37.0v	43.1v	42.2v	43.1v	71.5v	92.6v	0.0v	26.0v	44.2v	573.26v
723	Miss TRE White	T	59.2v	68.2v	46.3v	45.1v	45.2v	45.1v	32.1v	60.0v	96.7v	0.0v	40.2v	37.2v	573.23v
724	LCpl A Wiseman	T	64.3v	68.3v	41.1v	46.2v	35.0v	47.2v	42.2v	61.4v	85.1v	0.0v	44.3v	38.2v	571.23v
725	Cdt F Robson	T	69.6v	55.0v	44.3v	34.0v	42.1v	42.2v	44.4v	63.3v	91.7v	0.0v	37.1v	49.4v	570.31v
726	Miss AMG Ogilvie	A	74.7v	70.4v	48.2v	49.6v	50.5v	49.2v	48.6v	74.9v	62.4v	0.0v	0.0v	45.0v	569.45v
727	Miss ISA Hunt	T	71.3v	69.6v	42.1v	48.5v	47.4v	48.5v	45.2v	71.7v	88.5v	0.0v	0.0v	39.0v	568.38v
728	Mr D Thomas Du Toit	T	72.6v	69.3v	47.2v	48.5v	47.6v	49.5v	45.6v	71.7v	32.3v	0.0v	45.6v	42.2v	567.51v
729	Mr HM Dodds	T	64.4v	65.1v	41.2v	42.3v	38.1v	43.1v	42.1v	56.3v	92.1v	0.0v	45.2v	39.0v	567.19v
730	Mr D Studholme	T	66.1v	63.2v	41.2v	41.0v	41.1v	44.1v	44.2v	62.2v	94.2v	0.0v	36.0v	35.1v	567.14v
731	Sqn. Ldr. CM Fopp	O	69.5v	68.6v	44.2v	45.2v	49.5v	41.2v	47.1v	75.11v	88.7v	0.0v	0.0v	40.1v	566.42v
732	Mr PGW Purdy	O	71.2v	67.4v	42.1v	47.1v	47.5v	41.2v	5.1v	72.6v	94.6v	0.0v	41.1v	39.2v	566.31v
733	Mr E Ervine	T	65.2v	66.3v	48.3v	43.1v	47.2v	49.4v	0.0v	69.4v	96.4v	0.0v	38.0v	45.3v	566.26v
734	Mr WT Tiffin	O	0.0v	69.5v	50.8v	47.2v	49.5v	48.7v	46.3v	72.6v	100.7v	0.0v	44.3v	39.2v	564.48v
735	Miss N Pasternak Albert	T	71.7v	61.4v	45.2v	39.3v	42.3v	38.3v	44.2v	65.4v	81.2v	0.0v	39.2v	39.1v	564.33v
736	Mr S Burden	T	56.1v	64.2v	45.3v	43.2v	42.1v	44.0v	35.0v	65.3v	89.1v	0.0v	39.2v	41.1v	563.16v
737	Mr OP Henry	A	70.5v	72.8v	36.1v	41.3v	49.5v	45.2v	0.0v	70.7v	91.6v	0.0v	44.1v	44.1v	562.39v
738	Miss I Logan	T	69.4v	70.4v	43.2v	40.2v	37.2v	47.3v	0.0v	64.4v	101.7v	0.0v	45.4v	45.3v	561.35v
739	FS M Phipps	T	70.5v	70.5v	48.4v	42.2v	28.2v	46.3v	45.2v	68.4v	87.4v	0.0v	16.0v	41.2v	561.33v
740	Cdt A Fata	T	69.4v	66.3v	38.3v	46.3v	42.2v	39.2v	43.2v	68.3v	88.5v	0.0v	31.1v	31.2v	561.30v
741	Mr G Twinn	T	61.1v	60.3v	43.1v	38.1v	39.0v	41.2v	44.1v	67.4v	88.2v	0.0v	40.1v	40.2v	561.18v
742	Mr BDW Parsons	A	0.0v	66.4v	46.1v	49.4v	47.5v	48.6v	48.4v	73.7v	92.8v	0.0v	47.2v	44.1v	560.42v
743	Mr TF Kurn	O	64.2v	67.3v	48.1v	43.1v	47.4v	45.2v	46.2v	64.2v	91.4v	0.0v	0.0v	45.1v	560.22v
744	Mr O Garfield-Bennett	T	68.4v	62.1v	42.3v	39.2v	42.3v	42.1v	45.3v	58.1v	84.3v	0.0v	34.2v	43.3v	559.26v
745	Cpl Z Melhuish	T	65.1v	64.3v	36.2v	44.2v	42.4v	45.2v	39.2v	64.0v	83.5v	0.0v	36.3v	39.0v	557.24v
746	Sgt M Barnes	T	62.2v	67.2v	45.4v	29.0v	45.4v	41.3v	19.0v	58.1v	96.4v	0.0v	44.2v	48.6v	554.28v
747	Mr M Kuanyshhev	T	65.0v	61.1v	39.0v	42.3v	41.2v	39.0v	42.2v	62.3v	85.0v	0.0v	38.2v	40.0v	554.13v
748	Mr AGM Fyfe	A	66.3v	70.7v	48.4v	44.1v	46.5v	0.0v	49.4v	73.5v	96.6v	0.0v	48.5v	13.0v	553.40v
749	Mr O Daniel	O	66.6v	57.3v	37.2v	39.0v	46.4v	46.4v	33.3v	69.6v	92.6v	0.0v	22.1v	45.3v	552.38v
750	Mr R Roche	T	69.6v	64.1v	41.0v	47.3v	41.2v	45.2v	48.2v	66.4v	91.5v	0.0v	0.0v	40.2v	552.27v
751	Ms O Ross	T	67.2v	64.2v	45.2v	44.3v	29.1v	41.0v	40.1v	67.4v	86.3v	0.0v	30.1v	39.2v	552.21v
752	Dr NP Tucker	O	70.5v	68.3v	48.5v	44.3v	46.2v	45.4v	49.6v	72.8v	65.4v	0.0v	0.0v	43.3v	550.43v
753	Mr Al Brown	O	72.8v	68.4v	48.5v	47.2v	48.6v	47.3v	50.8v	64.4v	62.4v	0.0v	0.0v	43.1v	549.45v
754	Mr TM Booth	T	63.1v	65.3v	38.0v	44.4v	45.3v	45.4v	45.3v	46.1v	85.5v	0.0v	33.2v	39.0v	548.26v
755	Mr B Harrigan	O	66.2v	68.5v	41.1v	49.4v	48.4v	48.5v	39.0v	71.7v	32.3v	0.0v	45.2v	40.1v	547.34v
756	Mr A Niblett	T	64.5v	59.1v	46.5v	41.2v	36.0v	44.2v	41.2v	60.2v	86.1v	0.0v	35.0v	35.0v	547.20v
757	Miss E Campbell	T	62.2v	62.2v	39.2v	42.1v	36.1v	43.1v	43.4v	62.2v	86.3v	0.0v	33.0v	37.0v	545.18v
758	Mr MP Sheppard	T	66.4v	66.5v	25.1v	45.3v	47.2v	45.1v	47.5v	70.5v	91.4v	0.0v	0.0v	42.2v	544.32v
759	Mr F Stewart	T	68.2v	63.1v	42.1v	38.2v	39.1v	41.1v	43.2v	56.1v	79.4v	0.0v	36.1v	39.1v	544.17v
760	Cdt G Moore	T	67.4v	65.2v	42.1v	42.2v	45.3v	40.2v	38.1v	59.2v	79.2v	0.0v	40.1v	25.0v	542.20v
761	Mr A Patrick	A	74.13v	72.5v	0.0v	39.0v	48.5v	46.3v	0.0v	73.8v	99.9v	0.0v	44.1v	46.4v	541.48v
762	Mr GAE Larcombe	O	73.3v	68.4v	0.0v	46.5v	49.3v	46.4v	48.3v	72.7v	95.6v	0.0v	0.0v	44.7v	541.42v

